

ARCHITECTURAL HARDWARE GLASS ENTRANCES AND STOREFRONTS

MANUFACTURED BY C.R. LAURENCE COMPANY

- 'All-Glass' Entrance and Storefront Systems
- Locking Ladder Pulls
- Panic Handle Systems
- Commercial Patch Hardware
- Heavy Glass Door Systems
- Structural Glass Fittings
- A Full Line of Accessory Items



Coral

▪ Architectural Products ▪

CRL WEDGE-LOCK™ DOOR RAILS AND ACCESSORIES




CRL's patented Wedge-Lock™ Glass Securing System is a totally original concept for securing the glass in the Door Rail. No more fumbling with multiple pieces, trying to align them properly. No more time wasted waiting for cement to dry, or in messy clean up.


The Wedge-Lock™ System works by applying pressure evenly along both sides of the glass. Simply tighten the jaw screws, accessed from the hardware pocket of the rail. The screws then draw down a flat stainless steel bar. The steel bar in turn pulls down the gripping jaws. This action then forces the jaws towards one another, creating a tremendous amount of force against the glass, holding it securely in place.

National Technical Systems, a certified laboratory, tested the Wedge-Lock™ Door Rail System at a temperature range from -10° to 150°F, with 1000 pounds of tension load applied. No evidence of movement was detected at any temperature. At an ambient temperature of 75°F, in a "Pull to Failure Test", 6900 pounds of tension was required before any creep (no failure) was detected.

CRL's Wedge-Lock™ Glass Securing System is so unique that it is covered by U.S. Patents 6,434,905 and 6,912,818 B2. Foreign Patents Pending.



- Full Length Door Rails for Single or Double Doors, Available in Five Different Profiles
- Six Popular Stock Finishes
- Custom Finishes, Lengths and Heights Available
- Stocked for 3/8", 1/2" and 3/4" (10, 12, and 19 mm) Glass




new!



Low Profile Door Rails

Only 2-5/16" tall for 1/2" (12 mm) tempered glass. Adjust and align doors without removal. Available in six finishes.

CRL Sidelite Rails, U-Channels, and Accessories



CRL Sidelite Rails with Top Load Roll-In Gasket

- Five Styles in Six Stock Finishes
- For 3/8", 1/2", 5/8", and 3/4" (10, 12, 16, and 19 mm) Tempered Glass
- Sidelite Rails Match Door Rails for Even Sightline

CRL Combination Wide U-Channel and Narrow Header

- Matches the Width of Door and Sidelite Rails

CRL Regular and Shallow U-Channels


- Both Depths Available in Five Stock Finishes

CRL Wet Glaze U-Channels

- 120" and 240" (3.05 and 6.10 m) Stock Lengths Available in Seven Finishes • Custom Finishes Available



Regular U-Channel with Aluminum/Neoprene Setting Block



Wet Glaze U-Channel

- Offered in 1", 1-1/2", and 2" (25, 38, and 51 mm) Heights



CRL Locking Ladder Pulls **new!**

- Available in Seven Different Models
- Locks Operate at a Comfortable Height Above the Floor
- Alloy 316 Brushed Stainless Steel Tubing
- Works With 7-Pin Small Format Interchangeable Cylinder Cores
- Use With 3/8" to 1/2" (10 to 12 mm) Tempered Glass

The newest and most practical option for 'all-glass' entrances is CRL's new Locking Ladder Pulls. No more kneeling down to unlock the entry doors in the morning, or having to bend over after a long day at work to reach for the lock at the bottom edge of the door. Simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. CRL Locking Ladder Pulls have a fully concealed deadbolt locking mechanism with models available that lock into the floor, both floor and head, and Horizontal Pulls that lock into a jamb or sidelite.

CRL COMMERCIAL EXIT HANDLES AND STACKING SYSTEMS

CRL Panic, Electronic Egress, and Deadbolt Handles

Certification: UL305, ULC/5132-93, and ANSI/BHMA A156.3-2001, Grade 1 Certified



Panic Handles



Electronic Egress Handles




Deadbolt Handle


- For 1/2" or 3/4" (12 or 19 mm) Tempered Glass Doors
- Can Be Used as a Replacement for Older Handles
- Available With a Wide Selection of Exterior Fixed Pull Handles on Special Order
- Matching Dummy Handles Available for All Styles

- Available in Polished or Brushed Stainless Steel, Satin and Polished Brass, and Oil Rubbed Bronze (Special Order)
- Optional Keyed Access and Electric Strike

Interior (Operating) Handle Options




Exterior Handle Combinations for CRL Panic, Deadbolt or Electronic Egress Control Handles



SPS with convertible doors in the closed position



SPS with panels operating as swinging doors



SPS with doors stacked

CRL's Versatile Stacking Partition System Now Available With Convertible Doors

new!

- For Glass, Wood or Aluminum Doors
- A Large Variety of Parking Configurations to Accommodate Almost Any Installation
- Easily Convert from Swinging to Sliding Doors

The popular CRL Stacking Partition System (SPS) featuring Intelli-Track™ has been improved to include Convertible Sliding and Pivoting Doors. Now you can have what appears to be a standard 'all-glass' entry with pivoting doors that can be quickly and easily converted to sliding stacking panels that park out of the way leaving you with a wide open entrance.

The SPS System has been designed to provide virtually unlimited possibilities in the design of moveable glass dividing walls. It offers standard pivoting doors with full sliding and stacking capabilities allowing you to control accessibility while being able to easily open up any space when needed. They're ideal for storefronts and malls, allowing full visibility of merchandise combined with the flexibility to be stored conveniently out of the way quickly and easily. Restaurants, sidewalk cafes, and nightclubs can easily expand their indoor/outdoor seating space.

CRL's unique bottom rails with fully concealed closers inside eliminate unsightly floor closers, while keeping all of their features and benefits. No obtrusive headers found here, just a simple gearbox at the head, which allows you to convert from swinging to sliding doors and back again with the turn of a single screw.

SPS utilizes CRL's patented Wedge-Lock™ Glass Securing System found in their popular Door Rails. A variety of rail configurations, functionalities, and finishes are available.

TYPICAL APPLICATIONS:

- Retail Stores and Malls
- Convention Centers
- Restaurants, Eateries Sidewalk Cafes
- Automobile Dealerships
- Banquet Halls • Reception Areas
- Stadium Club Boxes



- Intelli-Track™ Rollers Work With Both Manual and Self-Guiding Intersections to Provide Directional Control and Prevent Accidental Panel Rotation
- Two Rollers per Panel Will Support 470 Pounds (213 kg)
- Narrow Housing Design Allows for 2-7/8" (73 mm) Center-to-Center Door Rail Spacing in the Parking Area

MORE CRL PRODUCTS AND INFORMATION



CRL Heavy Glass Sliding Doors

- Variety of Styles and Finishes Available for Use With 3/8" or 1/2" (10 or 12 mm) Tempered Glass
- Each Unit Custom Built to Fit the Opening
- Saves Valuable Floor Space - Will Not Project Out of the Door Opening



CRL Laguna Pivot Door System

- Mix and Match for Various Configurations
- High Quality Stainless Steel Material
- Maximizes Glass and Minimizes Hardware
- For 3/8" or 1/2" (10 or 12 mm) Tempered Glass

CRL Headers for Every Application

CRL Stock Size Headers for Overhead Concealed Door Closers

CRL Custom Length Door Headers With Glazing Pocket



CRL Floating Headers

- Available for 1/2" or 3/4" Glass (12 or 19 mm)
- Glass-to-Glass or Glass-to-Wall Installations With or Without Overhead Concealed Door Closer



CRL Spider Fittings

- Designed for the 'All-Glass' Look
- Spiders for Fin or Post Supported Applications
- Made of 316 Alloy Stainless Steel in Two Attractive Finishes: Brushed or Polished Stainless
- For Use With 3/8", 1/2", and 13/16" (10, 12, and 20 mm) Tempered Glass

TYPICAL APPLICATIONS:

Malls • Atriums • Museums • Airports • Hotels • Railings



CRL Patch Hardware System

- Provides Frameless Storefront Appearance
- A Complete Selection of Products Including Patch Fittings, Inserts and Pivots, Lever Locks and Latches, Concealed Overhead and Floor Closers, Door Handles, and Many More Accessories

SEE OTHER SWEET'S SECTIONS WITH CRL PRODUCTS:

05 58 00/CRL-8838
COLUMN COVERS
05 73 00/CRL-5341
STRUCTURAL HEAVY GLASS RAILING
07 42 00/CRL-8840
ROOFING AND SIDING PANELS
08 42 00/CRL-1676
ENTRANCES & STOREFRONTS:
08 44 26.11/CRL-8621
STRUCTURAL GLASS CURTAIN WALLS
08 56 59/CRL-4964
SERVICE WINDOWS
08 71 00/CRL-3069
DOOR HARDWARE
08 71 00.14/CRL-7154
STACKING PARTITION SYSTEMS
10 28 19/CRL-3068
TUB & SHOWER DOOR ENCLOSURES
10 71 13/CRL-8843
EXTERIOR SUN CONTROL DEVICES
11 18 00/CRL-6331
BULLET-RESISTANT PROTECTION
11 46 16/CRL-5592
SNEEZE GUARDS/PARTITION POSTS

VISIT THE WORLD of
crlaurence.com



- Access to All CRL Products Through CRL's Easy-to-Use A to Z Product Index
- View All Current CRL Catalogs Online
- New CRL Products and Services
- Technical Articles and Product Support
- Ordering and Shipping Information
- Help in Using the Site
- CRL Locations with Addresses, Directions, Phone and Fax Numbers
- Direct E-Mail Connections to CRL Departments
- Account Policies and Credit Terms
- A Calendar of Industry Trade Shows

CRL Specialty Catalogs - Can be ordered, viewed or downloaded online at **crlaurence.com**



Architectural Metals

AM09



Architectural Hardware

AH11



Commercial Door Handles

LP11



Frameless Shower Door Hardware and Supplies

SD10



Hospitality & Service Hardware

HS07



Architectural Railing Systems

HR11



Door Controls Hardware and Accessories

DC07



Transaction and Security Hardware

TH10











Glass Bonding System

GB10














ALL GLASS SYSTEMS










	<i>Section</i>	<i>Page</i>
Swing Type A.....	(A3)	1-2
Swing Type F.....	(A3)	3-4
Swing Type P	(A3)	5-6
Swing Type BP	(A3)	7-8



Scale: 3" = 1'- 0"













TYPICAL ELEVATIONS














Scale: 3" = 1'-0"

TYPICAL ELEVATIONS














TYPICAL ELEVATIONS













TYPICAL ELEVATIONS








Scale: 3" = 1'-0"











TYPICAL ELEVATIONS























HARDWARE






	<i>Section</i>	<i>Page</i>
Push / Pulls.....	(A4)	2
Pivots.....	(A4)	3
Hinges, Locks and Cylinders	(A4)	4
Handles, Locks and Accessories.....	(A4)	5
Exit Devices.....	(A4)	6
Door Closers & Miscellaneous	(A4)	7
Thresholds.....	(A4)	8











PART	PART NUMBER	DESCRIPTION
PB401 	PB401 <u>Traditional Wire Bar</u> PB401-33 for Doors up to 36" PB401-39 for Doors up to 42" PB401-60 for Doors up to 60"	Traditional Wire Bar made of smooth aluminum, 1" in diameter with a 2 1/4" projection on one end. Finishes Available: Clear, Champagne, Bronze
PH401 	PH401 Traditional Wire Pull Handle	Traditional Wire Pull Handle made of smooth aluminum, 1" in diameter with a 2 1/4" projection. 10" Length. Finishes Available: Clear, Champagne, Bronze
DH40 	DH40 Traditional Wire Bar / Wire Pull Handle Combo	Push / Pull Combination. Standard on all non-panic doors. Utilizes one PB401 Traditional Wire Bar and one PH401 Traditional Wire Pull. Finishes Available: Clear, Champagne, Bronze
DH41 	DH41 Traditional Wire Bar Combo	Double acting doors. Utilizes two PB401 Traditional Wire Bars. Finishes Available: Clear, Champagne, Bronze
DH42 	DH42 Traditional Wire Pull Handle Combo	9" CTL / Back to Back offset aluminum door. Utilizes two PH401 Traditional Wire Pull Handles. (This configuration requires a Mounting Kit.) Finishes Available: Clear, Champagne, Bronze

PART		PART NUMBER	DESCRIPTION
DH101		DH101 Top Frame Portion	The cast aluminum DH102 Top Door Portion secures door in place with a spring loaded steel pin which projects into a bronze bushing in the DH101 Top Frame Portion. Finishes Available: Clear, Bronze
DH102		DH102 Top Door Portion	
DH103		DH103 Bottom Door Portion	The cast aluminum DH103 Bottom Door Portion uses a steel bearing with a bronze bushing and rotates on the steel machined stud of the DH104 or DH105 Floor Portion. Finishes Available: Clear, Bronze
DH104 or DH105		<u>Floor Portion</u> DH104 - Right Hand DH105 - Left Hand	
DH146		DH146 Bottom Center Pivot Assembly For Doors with Thresholds	Bottom Center Pivot Assembly for doors with thresholds. Complete assembly. Consists of one DH114 and one DH116. Threshold mounted.
DH145		DH145 Bottom Center Pivot Assembly For Doors without Thresholds	Bottom Center Pivot Assembly for non-threshold conditions. Complete assembly. Consists of one DH114 and one DH115. Floor mounted.
DH114		DH114 Bottom Center Pivot	Center Pivot Bottom Door
DH115		DH115 Floor Mount	Floor Mount for Bottom Center Pivot
DH116		DH116 Threshold Mount	Threshold Mount for Bottom Center Pivot
DH107 or DH108		<u>Intermediate Pivot Mortise Assembly</u> DH107 - Left Hand DH108 - Right Hand	Cast aluminum side jamb pivot recommended for extra wide or tall entrances. 3/4" Offset to match the standard pivot set. Finishes Available: Clear, Bronze

PART	PART NUMBER	DESCRIPTION
DH111HD-83 or DH111HD-95 	Continuous Gear Hinge DH111HD-83 for 84" Door Height DH111HD-95 for 96" Door Height	Continuous Gear Butt Hinge. Heavy duty. <i>Finishes Available:</i> Clear, Bronze
DH109 or DH110 	Butt Hinge DH109 with Removable Pin DH110 with Non-Removable Pin	4 1/2" x 4" Butt Hinge. Five knuckle, commercial quality steel hinge with two ball bearings. <i>Finishes Available:</i> Clear, Bronze
DH070  DH060 DH061 or DH062 	DH070 Hook Bolt Lock Face Plates DH060 Left Hand Beveled DH061 Right Hand Beveled DH062 Radiused Face Plate	Standard Hook Bolt Lock. Five-ply laminated steel hookbolt. Standard backset on 212NS, 375MS, and 500WS doors is 1 1/8". Accepts any standard 1 5/32" mortised cylinder or thumb turn with MS cam. <i>Face Plate Finishes:</i> Clear, Bronze
DH084  DH065 DH064 or DH063  DH090 	DH084 Deadlatch Lock Face Plates DH065 Left Hand Beveled DH064 Right Hand Beveled DH063 Radiused Face Plate DH090 Strike	Deadlatch lock. Field reversible for opposite hand. Designed to offer the flexibility of traffic control during and after business hours. Allows the bolt to be permanently retracted for two-way traffic during business hours and exit only at other times. Not considered maximum security. Standard backset is 1 1/8". Accepts any standard 1 5/32" mortised cylinder. <i>Face Plate Finishes:</i> Clear, Bronze
DH074 	DH074 Lock Indicator	Lock Indicator Set designed for use with DH070 to indicate the lock position (<i>open or locked</i>). May be used to comply with some local building safety codes. <i>Finishes Available:</i> Clear, Bronze
DH078 Cylinder  DH079 Thumb Turn 	DH078 Cylinder DH079 Thumb Turn	DH078 Cylinder 1 5/32" Diameter Cylinder <i>Finishes Available:</i> Clear, Champagne, Bronze DH079 Thumb Turn 1 5/32" Diameter Thumb Turn <i>Finishes Available:</i> Clear, Bronze
DH080 Dummy Cylinder  DH081 Rim Cylinder 	DH080 Dummy Cylinder DH081 Rim Cylinder	DH080 Dummy Cylinder 1 5/32" Dummy Cylinder <i>Finishes Available:</i> Clear, Champagne, Bronze DH081 Rim Cylinder 1 5/32" Rim Cylinder for panic doors. <i>Finishes Available:</i> Clear, Bronze
DH082 Cylinder Guard  DH073 Cylinder Pad 	DH082 Cylinder Guard DH073 Cylinder Pad	DH082 Cylinder Guard Cylinder Guard for exterior of door. Includes hardened steel collar designed to protect cylinder from prying or twisting attempts. (<i>Cylinder not included.</i>) <i>Finishes Available:</i> Clear, Bronze DH073 Cylinder Pad Mortise Cylinder Mounting Pad for standard 1 5/32" cylinder. Used for Jackson 2086 panic.

PART	PART NUMBER	DESCRIPTION
DH071 or DH072 	DH071 2 Point Lock	Complete 2-Point Lock with threshold bolt and face plate.
	DH072 3 Point Lock	Complete 3-Point Lock with threshold bolt, header bolt and face plate.
DH076 DH07696 DH176 or DH17696 	DH076 Flush Bolt	Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Finishes Available: Clear, Bronze
	DH07696 Flush Bolt	Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with extended rod for 96" door. Finishes Available: Clear, Bronze
	DH176 Flush Bolt	Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with steel tips. Finishes Available: Clear, Bronze
	DH17696 Flush Bolt	Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with extended rod for 96" door with steel tips. Finishes Available: Clear, Bronze
DH091 or DH092 	Paddle Handle DH091 - Left Hand DH092 - Right Hand	Paddle Handle with CAM for DH084. Finishes Available: Clear, Bronze
DH093 or DH094 	Lever Handle DH093 - Left Hand DH094 - Right Hand	Lever Handle with CAM for DH084. Handed. Finishes Available: Clear, Bronze
DH098 	DH098 Electric Strike	1 1/4" x 6 7/8" Electric Strike offers a variety of options including A.C. or D.C. voltage, and intermittent or continuous duty. Can be converted to fail safe in field. Finishes Available: Clear, Bronze
DH099 	DH099 Electric Strike	Adams Rite 71R2 Electric Strike for metal jamb. 80-0180-385. Finishes Available: Clear, Bronze

PART	PART NUMBER	DESCRIPTION
DH2086  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	Concealed Vertical Rod Push Pad Exit Device DH2086R Right Hand DH2086L Left Hand	<p>Concealed Vertical Rod Push Pad used for hurricane impact doors. Handed. Available for doors widths of 30" and 48".</p> <p>Finishes Available: Clear, Bronze</p>
DH3692  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	Concealed Vertical Rod Push Pad Exit Device DH3692	<p>Concealed Vertical Rod Push Pad used for standard doors. Pullman latch at top. Bolt at bottom. Field reversible. Available for doors widths of 30" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
DH3792  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	Rim Mounted Push Pad Exit Device DH3792	<p>Rim Mounted Push Pad Exit Device. Non-handed. Includes Type "C" strike. Select and add for different strike. Available for doors widths of 32" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
DH3192  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	Mid-Panel Push Pad Exit Device DH3192R Right Hand DH3192L Left Hand	<p>Mid-Panel Push Pad Exit Device. Handed. Pullman latch at top. Bolt at bottom. Available for doors widths of 30" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
	Removable Mullion for Rim Panic Door Pair DHRM370-7 7" Length DHRM370-8 8" Length DHRM370-9 9" Length	<p>Removable Mullion for Rim Panics. 2 Security clips, top and bottom mounting brackets, 2 door mortise strike set.</p> <p>Finishes Available: Clear, Bronze</p>

PART	PART NUMBER	DESCRIPTION
CL026 	CL026 Tri-Style Surface Closer	Standard closer for 36" to 42". No hold open adjustable back-check. Valve controls for latching and closing speeds. Finishes Available: Clear, Bronze
CL030 	CL030 Top Jamb Bracket	Top Jamb Bracket Finishes Available: Clear, Bronze
CL031 	CL031 Drop Plate	Drop Plate Finishes Available: Clear, Bronze
CL028 	CL028 Barrier Free Closer Adjustable	Barrier Free Adjustable Closer. Meets ADA standards for exterior doors 36" to 42". No hold open adjustable spring power (8 1/2 -5 Lbs.). Adjustable back-check, dress cover and parallel arm bracket included. Finishes Available: Clear, Bronze
CL290 CL205 CL190 or CL105 	Concealed Closers <u>No Hold Open</u> CL290 - 90° CL205 - 105°	Concealed Closers. No hold open.
	Concealed Closers <u>Hold Open</u> CL190 - 90° CL105 - 105°	Concealed Closers with adjustable back check. Hold open.
DH147 	DH147 Side Load Arm	Top Arm Assembly for center pivot doors.
DH152 	DH152 Offset Arm	Offset Arm. Requires D102 Top Rail on NS213 Doors. <i>(Included with standard doors.)</i>
DH153 	DH153 Slide Channel	Slide Channel. Requires D102 Top Rail on NS213 Doors. <i>(Included with standard doors.)</i>
CS112-1 or DH117 	CS112-1 Cover Plate	Cover Plate for Center Pivot. Finishes Available: Clear, Bronze
	DH117 Cover Plate	Cover Plate for Offset Arm. 3-11/16" x 12-1/2" with radius corner. Finishes Available: Clear, Bronze
WS136 WS142 or WS160 	Door Sweep <u>with Weathering</u> WS136 36" Door WS142 42" Door WS160 60" Show Room Door	Aluminum weatherstrip for door bottom rail. Includes wool pile. Finishes Available: Clear, Bronze

PART	PART NUMBER	DESCRIPTION
Prepared TH4 Thresholds 1/2" x 4" Mill Finish  For Standard Butt Hung Frames	TH4-36-AB TH4-42-AB TH4-72-J TH4-96-J	Standard Single Butt Hung for 36" Door Standard Single Butt Hung for 42" Door Standard Pair Butt Hung for 72" Door Standard Pair Butt Hung for 96" Show Room Door
Butt Hung Fab for 3600 Panic	TH4-36-AP TH4-36-BP TH4-42-AP TH4-42-BP TH4-72-JP	Standard Single Butt Hung for 36" Panic Door Standard Single Butt Hung for 36" Panic Door Standard Single Butt Hung for 42" Panic Door Standard Single Butt Hung for 42" Panic Door Standard Pair Butt Hung for 72" Panic Door
For Standard Offset Pivot Frames	TH4-36-C TH4-36-D TH4-42-C TH4-42-D TH4-72-K TH4-96-K	Standard Single Offset Pivot for 36" Door Standard Single Offset Pivot for 36" Door Standard Single Offset Pivot for 42" Door Standard Single Offset Pivot for 42" Door Standard Pair Offset Pivot for 72" Door Standard Pair Offset Pivot for 96" Show Room Door
Offset Pivot Fab for 3600 Panics	TH4-36-CP TH4-36-DP TH4-42-CP TH4-42-DP TH4-72-KP	Standard Single Offset Pivot for 36" Panic Door Standard Single Offset Pivot for 36" Panic Door Standard Single Offset Pivot for 42" Panic Door Standard Single Offset Pivot for 42" Panic Door Standard Pair Offset Pivot for 72" Panic Door
For Standard Center Pivot Frame	TH4-36-GH TH4-42-GH TH4-72-M	Standard Single Center Pivot for 36" Door Standard Single Center Pivot for 42" Door Standard Pair Center Pivot for 72" Door
Threshold Fab for 3100 Panics	TH4-36-AP-3192 TH4-36-BP-3192 TH4-42-AP-3192 TH4-42-BP-3192 TH4-72-JP-3192	Single Butt Hung for 36" Panic Door Single Butt Hung for 36" Panic Door Single Butt Hung for 42" Panic Door Single Butt Hung for 42" Panic Door Pair Butt Hung for 72" Panic Door
Threshold Fab for 3100 Panics	TH4-36-CP-3192 TH4-36-DP-3192 TH4-42-CP-3192 TH4-42-DP-3192 TH4-72-KP-3192	Single Offset Pivot for 36" Panic Door Single Offset Pivot for 36" Panic Door Single Offset Pivot for 42" Panic Door Single Offset Pivot for 42" Panic Door Pair Offset Pivot for 72" Panic Door
	DP200-2 Stop for Panic Doors	2" Stop for panic doors. Includes two AS20 screws