#### **General Information**

	Page
Company Profile	2
Lifetime Warranty	3
Terms and Conditions	4-6
General Notes and Finishing Information	7

# 2 GENERAL INFORMATION Company Profile



#### Coral Industries, Inc.

#### **COMPANY PROFILE**

Coral Industries, Inc. was established in 1976 with 15 employees as a manufacturer of quality bath enclosures. Today Coral has 350 employees and is the largest independent manufacturer in a field including nearly 150 national and regional competitors. Past growth can be contributed to the result of customers' success utilizing the many advantages we offer: quality, service, innovative design and dependability.

At Coral's 325,000 square foot manufacturing facility in Tuscaloosa, AL, in-house capabilities include:

Injection molding of plastic parts

Soft and rigid vinyl extrusions

Powder coat finishing

Complete fabrication capabilities

- Glass

- Aluminum

These capabilities provide Coral greater flexibility and control over the entire production process.

Over the years, Coral has expanded by organizing additional companies. Central Alabama Transport (CAT) founded in 1977 has proven to be a valuable addition. CAT allows for our products to be delivered on a timely basis to distribution centers and businesses throughout the United States.

Coral's glass division, established in 1989, offers custom fabricated glass ranging from 1/8 to 1 inch thick. The glass division has two tempering furnaces and four CNC machines for fabricating heavy glass to exacting tolerances. Custom insulated glass and Hurricane Impact-Resistant laminated glass are also available.

#### CORAL ARCHITECTURAL PRODUCTS

In keeping with Coral's tradition for growth, Coral Architectural Products (CAP) was established in January, 2005. CAP has developed a full range of standard and Hurricane Impact-Resistant aluminum entrance doors, storefronts, curtain wall and window wall systems for today's demanding commercial building projects. To ensure structural integrity and performance requirements, all systems are tested to current AAMA performance standards for structural, air and water infiltration at Hurricane Test Laboratory, LLC. Comprehensive architectural details, installation instructions and test reports are available for each system.


Although CAP may be relatively new in the storefront business, its management team has over 35 years experience designing, developing and marketing commercial architectural aluminum products used on today's modern structures. Coral Architectural Products is dedicated to product innovation and providing excellent service.

#### LIFETIME WARRANTY FOR ENTRANCE DOOR CORNER CONSTRUCTION

A storefront entrance door is one of the hardest working components on a building. With each cycle, the door may undergo twisting, racking, impact and fatigue related stresses. Series 281 and 381 Hurricane Impact-Resistant Doors without welded corners successfully passed stringent impact (TAS 201), static (TAS202) and cyclic (TAS203) load testing as required by the Florida Building Code for High Velocity Hurricane Zones to ensure structural integrity. This unique high performance interlocking corner block joinery is standard on all Coral entrance doors.

Coral Architectural Products hereby warrants the corner construction of it's entrance door for the life of the door. Any door which fails due to corner construction will be replaced free of charge. This warranty is void if the entrance has been subjected to improper installation or to mechanical damage indicative of obvious mistreatment, abuse or acts of God.

In no event shall Coral Architectural Products be liable for special, direct, indirect or consequential damages of any kind including, but not limited to, loss of use, loss of profits or good will, or any other loss or injury.







#### LIMITED WARRANTY AND REMEDY

The Seller warrants products manufactured by the Seller shall be free from defects in workmanship and materials for a period of two years from the date of shipment, provided products have been installed and maintained in strict accordance with all applicable safety codes, building standards and Seller's installation instructions. This warranty is limited to defects appearing within two years from the date of shipment providing that the Seller receives a written notification defining such defects within that two-year period. This warranty is also limited to the repair of replacement of defective material and/or the repayment by the Seller of the original purchase price paid for the defective material. The Seller reserves the exclusive rights to select any one of the above-mentioned remedies. The Seller makes no other warranties or representations, either expressed or implied, concerning product fitness for a particular purpose. In no event will the Seller be liable for direct, indirect, special or consequential damages including but not limited to loss of profits or use.

**Warranty of Outside Suppliers –** Warranties for items manufactured by others and supplied by the Seller are limited to the manufacturer's warranty only. The Seller will not assume charges for freight or labor for items manufactured by others and supplied by seller.

#### TERMS AND CONDITIONS OF SALE

- 1. Acceptance of Orders and Minimum Charge All orders are subject to credit approval and acceptance by the Seller. Minimum charge is \$50.00 net per order.
- 2. Acceptance of Terms Should the Buyer object to any of the Seller's terms and conditions, the Buyer must forward objections in writing to the Seller together with Buyer's purchase order or request for quotation. If a written objection is not received by the Seller, and accepted in writing by an officer of the Seller, the Buyer shall be deemed to have assented to all of the Seller's terms and conditions. None of the Buyer's terms and conditions are acceptable to the Seller unless the Buyer's terms and conditions are agreed to in writing by an officer of the Seller prior to the acceptance of the Buyer's order or as a part of the Seller's job quotation. Otherwise, the sale is conditioned upon the Buyer's acceptance of the Seller's terms and conditions and any orders accepted by the Seller are accepted and conditioned upon the Seller's terms and conditions as the only terms and conditions applicable to the sale.
  - None of the terms and conditions in the Buyer's purchase order, acknowledgement form, confirmation or other document issued by the Buyer which conflict with the Seller's terms and conditions, or increase the Seller's obligations, shall be binding on the Seller unless specifically identified and accepted in writing by an officer of the Seller.
- 3. Claims Claims by the Buyer for defective materials or workmanship must be submitted in writing to the seller within ten (10) working days after receipt of shipment. Unauthorized back charges, claims, deducts, or withheld payments will not be accepted. The Seller shall have the exclusive right to select the final remedy for defective material, which will be expressly limited to the repair, replacement, or repayment of the original purchase price paid by the Buyer upon return of the material to the Seller. Seller shall not be liable for any penal, incidental or consequential damages.
- **4. Back Orders** Back orders or any portion of the order omitted from the original shipment will be invoiced at the same price, terms, and conditions as if it were part of the original shipment.
- 5. Cancellations and Returns Cancellation and return of custom orders will result in substantial cost to the Buyer. The Seller will issue a credit for the scrap value only on these orders. Return or cancellation of standing stock items may be made provided the Seller has issued prior written authorization. Returns must have an Return Material Authorization number (RMA) assigned by Seller. Any standard stock material received in a resalable condition will be credited based on a 20% restocking charge of the Seller's sale price with a minimum charge of \$100.00 net. The customer must pay all freight charges on returned goods. No material will be accepted for return beyond 60 days from the original shipment date.



## GENERAL INFORMATION Terms and Conditions

- 6. Change Orders Orders shall not be amended, modified or rescinded except by written change order signed by an authorized official of each party expressly referring to a specific change and order. All change orders affecting completed or in-process work on the Buyer's original order will be subject to a change order charge to be determined by the Seller.
- 7. Clerical Errors Clerical and arithmetical errors are subject to correction by the Seller.
- 8. Credit Extension No credit will be extended by the Seller unless the Buyer's credit has been approved and is satisfactory at the time of shipment. The Seller reserves the right, at any time, to revoke credit extended should Buyer fail to pay for goods when due or for any other reason deemed sufficient by the Seller.
- 9. Delays in Shipping Seller will use its best effort to ship goods ordered by Buyer on scheduled shipping dates. Seller shall not be liable to Buyer for damages for late shipments nor shall the validity of the agreement be affected by Force Majeure; meaning acts of God, fire, war, civil commotion, strikes, shortages of labor or materials, casualties, or any other conditions beyond the control of Seller. If a Buyer elects to delay shipment of goods later than the original shipping date, the Seller may invoice Buyer on original shipping date and Buyer agrees to pay as if the goods were timely shipped. Buyer also agrees to pay reasonable storage charges in the event of such delayed shipping.
- 10. Design Responsibility The Seller's continuing endeavor to provide the best in product technology requires Seller to retain the right to change or modify its products without prior notice. The product illustrations used in the Seller's brochures and catalogs are for identification only and may not represent the size or proportions by comparisons. If any material shall be manufactured or sold by the Seller to meet the Buyer's specifications or requirements and is not part of the Seller's standard line offered to the general trade in the usual course of the Seller's business, then the Buyer agrees to indemnify, defend, protect and hold harmless the Seller against all claims, damages and lawsuits for actual or alleged infringement of any U.S. or foreign patent.
- 11. Entire Contract These terms and conditions reflect the entire agreement between the Seller and Buyer and supersedes all prior negotiations and agreements, oral or written. The agreements reflected herein may not be modified or altered except by a written agreement signed by officers of both the Seller and Buyer.
- 12. Indemnification Buyer waives and agrees that in the event of any breach of this agreement by Seller. Seller shall not be responsible to Buyer or any third parties for any incidental or consequential damages suffered by Buyer or third parties other than the Seller's exclusive right to select the final remedy which will be expressly limited to the repair, replacement or repayment of the original purchase price paid by the Buyer. In the event of a claim for consequential or incidental damages, Buyer agrees to indemnify and hold harmless the Seller from such claims and damages.
- 13. Jurisdiction and Governing Law (Laws of State of Alabama) Any controversy or claims arising from or relating to this contract shall be settled by arbitration in accordance with the Commercial Arbitration rules of the American Arbitration Association, and judgment upon the award rendered may be entered in court having jurisdiction thereof.
- 14. Late Payment Unless otherwise expressly provided, all payments are Net 30 Days after date of invoice. Seller may at any time require payment in advance or satisfactory security that invoices will be paid when due, if in the Seller's judgment the same becomes necessary. All orders are subject to credit approval and to acceptance by Seller. If payment is not made when due, 1 % per month interest will be charged thereon from the due date until paid.
- 15. Limitation of Liability The Seller's only liability for defective materials shall be limited to the Seller's exclusive right to select the final remedy which will be expressly limited to the repair, replacement or repayment of the original purchase price by the Buyer. Repayment is to be made to the Buyer upon return of defective material to the Seller. Under no circumstances will any job site repairs or replacements be made or labor charges for same be accepted.

# GENERAL INFORMATION Terms and Conditions



- 16. Packing, Shipping Special or excess packing required to be in compliance with Buyer's request will result in a special packing charge to the Buyer. Unless otherwise specified, all items are shipped F.O.B. Seller's plant and the Buyer shall bear the risk of loss and shall in such circumstances be limited solely to an action against carriers or third parties other than the Seller. Seller will ship all orders via best available transportation facilities unless specified otherwise by the Buyer. Items smitten from the original shipment due to shortage of material, or other caused beyond the control of the Seller, will be invoiced at the same price at terms stated for the original shipment. When the balance due shipment is less than 250 lbs., Seller will prepay the freight, otherwise, the shipment is F.O.B. Seller's plant.
- 17. Pricing and Price Protection Unless specified as a Net Price, all prices are List Prices subject to discount. These prices and discounts are subject to change without notice. In the event of a price increase or decrease, orders on hand will be invoiced at the price in effect when accepted by Seller, providing orders can be shipped at the Seller's convenience thereafter.
- **18. Quotations and Acceptance –** Written quotations made by the Seller will be subject to Buyer's acceptance and placement of order within 60 days and for shipment within 30 days thereafter.
- 19. Samples- Standard and special product samples are offered on a quoted basis by Seller.
- 20. Shop Drawings Shop Drawings can be provided for Seller's products. Consult Seller for price and availability. Seller's drawing details show Seller's interpretation of the project. Once drawings are complete, they will be submitted for approval. Upon the Seller's receipt of final approved drawings, the liability of the Seller will be confined to materials shipped in accordance with approved drawings.
- 21. Special Project Basis Terms Special Project orders will be subject to the same terms as open account orders. A special Project agreement is not a vehicle for expanding a customer's credit line. Special Project terms are used to keep a Buyer's open credit line available for small, quick turn orders and is not a vehicle for extended payment terms.
- 22. Taxes and Duties State sales tax will be charged on all sales unless Buyer has submitted a completed resale certificate. The Seller shall retain this certificate in its files for reference in connection with any sales to Buyer. Buyer agrees to promptly notify the Seller in the event that the certificate is revoked or surrendered. Other taxes and duties are not included in list, net or quoted prices unless specifically requested in writing by the Buyer. Any increase in duties or any local, state or federal tax or other Governmental charge upon the production, sale or transportation of the merchandise herein specified which becomes effective during the life of this contract may be added by Seller to the price herein provided. Any reductions in the above enumerated categories may be deducted from the price.
- 23. Tools, Dies, and Jigs Equipment manufactured or acquired specially to produce goods for the Buyer shall be the Seller's property and remain in the Seller's possession. If the Buyer does not order goods produced with such equipment for a period of two years, then the Seller may dispose of it.
- **24. Uniformity** Goods furnished by the Seller shall be subject to the Seller's standard manufacturing tolerances for variations.
- **25.** Waiver of Terms Any indulgences granted to the Buyer shall not constitute a waiver of any of the Seller's right hereunder. Should any part, term or provision of this agreement be declared illegal or in conflict with any law, rule or regulation, the validity of the remaining portion, terms or provisions shall not be affected thereby. The terms and conditions contained herein constitute the entire agreement of the parties.

The following items in Section A1 are non-stock and require additional lead times:

- Series 380 and 500 Entrance Doors.
- All door sizes exceeding 36" x 84".
- Doors and Doorframes requiring offset arm assemblies.
- Special size Doorframes.
- Doors with Panic Exit Devices.
- Showroom Entrance Doors and frames.
- Series 281 and 381 Hurricane Impact Doors.
- Series FL500 Hurricane Impact-Resistant doorframes.

Please consult factory for availability. All pricing is F.O.B. Tuscaloosa, Alabama unless otherwise specified.

#### FINISHING INFORMATION:

Anodizing Finish	Code #
Clear	10
Dark Bronze	20
Mill Finish	00

Color	Paint #	Code #
Bone White	8A201Q	81
Military Blue	8J200Q	82
Hartford Green	8K200Q	83
Black	8N200Q	85
Sandstone	8D201Q	86
Seawolf	8D202Q	87
Redwood	8G200Q	88

Interpon D3000 meets AAMA 2605 specifications.

**Interpon D3000** is a 70% formulated thermosetting fluoropolymer resin powder coating. Powder coatings are an EPA recommended finishing method for architectural aluminum products which further contribute toward the "Green Building Initiative" of the U.S. Government.

#### Additional Powder Coating Options:

**Interpon D2000** meets AAMA 2604 specifications and is formulated with proprietary, modified polyester, thermosetting resin to offer excellent weatherability. **Interpon D2000** is a more economical coating than **Interpon D3000**.

Please contact factory for pricing and availability for custom anodized colors and painted finishes.

Interpon D2000 and Interpon D3000 are registered trademarks of Akzo Nobel Coatings, Inc. For more information, please visit www.akzonobel.com.







# ENTRANCES Index


	Section
Doors and Frames	(A1)
Standard Hardware Loose	(A2)
Substitutions and Modifications	(A3)






#### **DOORS & FRAMES**


	Section	Page
Entrance Door Handing Information	A1)	2
Door Types and Descriptions	A1)	3
Entrance Door and Numbering Information	(A1)	4
Push / Pull Hardware Options and Color Schemes	Ā1)	5
Glass Sizes	Ā1)	6
Standard Hardware Locations	A1)	7
Offset Pivot Doors and Frames	(A1)	8-11
Offset Pivot C.V.R. Panic Doors and Frames	(A1)	12-15
Offset Pivot Offset Arm Assembly Doors and Frames	A1)	16-19
Offset Pivot C.V.R. Panic Offset Arm Assembly Doors and Frames	A1)	20-23
Butt Hung Doors and Frames	(A1)	24-27
Butt Hung C.V.R. Panic Doors and Frames	A1)	28-31
Butt Hung Offset Arm Assembly Doors and Frames	A1)	32-35
Butt Hung C.V.R. Panic Offset Arm Assembly Doors and Frames	A1)	36-39
Center Pivot Doors and Frames	A1)	40-43
Butt Hung Showroom Doors and Frames	(A1)	44
Butt Hung Florida Approved Doors and Frames (Non-Impact)	Ā1)	45
Offset Pivot Florida Approved Doors and Frames (Non-Impact)	A1)	46
Hurricane Impact-Resistant Entrances and Frames Notes and Policies	<u>A1</u>	47
Series 281 Options and Limitations Chart	A1)	48
Series 381 Options and Limitations Chart	A1)	49
Impact Butt Hung Doors and Frames	A1)	50-53
Impact Butt Hung C.V.R. Panic Doors and Frames	<u>A1</u>	54-57
Impact Butt Hung Offset Arm Assembly Doors and Frames	(A1)	58-61
Impact Butt Hung C.V.R. Panic Offset Arm Assembly Doors and Frames	(A1)	62-65





DOOR ONLY: Handing determined as viewed from exterior.







Aluminum Entrance Doors	VERTICAL STILE (INCHES)	TOP RAIL (INCHES)	BOTTOM RAIL (INCHES)	RECOMMENDED LIMITATIONS (INCHES)	TRAFFIC APPLICATION
Series 213 Narrow Stile	2 5/8	2 3/4	4 1/2	42 x 96	Normal
Series 380 Medium Stile	4 1/4	4 1/2	8	42 x 108	Normal to Heavy
Series 500 Wide Stile	5 1/2	4 1/2	8	42 x 108	Heavy to Abusive
Series 281 Hurricane Impact-Resistant	3 1/8	3 1/4	5	36 x 84	Normal to Heavy
Series 381 Hurricane Impact-Resistant	4 3/4	5	8 1/2	42 x 96	Heavy to Abusive

**NOTE:** Dimensions shown above for standard doors are based on 1/4" glazing infill with 1/2" glass stops. Add 1/4" to dimensions for 1" glazing infill.

Series 281 and 381 are based on 9/16" glazing infill with 1" glass stops.



# DOOR PART NUMBER INFORMATION

Order Code must have a dash here.

D.O.W.	D.O.H.	STILE	SWING &	ADDED	FINISH
(INCHES)	(INCHES)	WIDTH	HINGING	HARDWARE	CODE
36	84	(Select)	C	O	10
(Specify)	(Specify)		(Select)	(Select)	(Select)
DOOR OPENING WIDTH	DOOR OPENING HEIGHT	NARROW = LEAVE BLANK  MEDIUM = MS  WIDE = WS  NS IMPACT = HN  MS IMPACT = HR	FROM CHART 1	P = CVR PANIC O = OFFSET ARM	#10 CLEAR #20 BRONZE

For example: (3684-CYO-10)

The above example depicts a 3684 Right Hand Offset Pivot Door with **D108** Bottom Rail for Offset Arm in Clear Anodized Finish

NOTE: After "Swing and Hinging" Code, Add "Y" for D108 or "Z" for D109

Bottom Rail Substitutions.

(D108 is standard on Series 380 and 500 doors)

# FRAME PART NUMBER INFORMATION

Order Code must have a dash here.

D.O.W.	D.O.H.	SWING &	ADDED	FRAME	FINISH
(INCHES)	(INCHES)	HINGING	HARDWARE	TYPE	CODE
36	84	C	O	F2	10
(Specify)	(Specify)	(Select)	(Select)	(Select)	(Select)
DOOR OPENING WIDTH	DOOR OPENING HEIGHT	FROM CHART 1	P= PANIC O= OFFSET ARM	F2= FRAME FT2= FRAME W/TRANSOM F3= FRAME FT3= FRAME W/TRAMSOM	#10 CLEAR #20 BRONZE

For example: (3684-C-F2-10)

The above example depicts a 3684 Right Hand Offset Pivot Frame in Clear Anodized Finish

**F2** =  $1 \frac{3}{4}$ " x 4  $\frac{1}{2}$ " Frame

FT2 = 1 3/4" x 4 1/2" Frame w/ Transom

 $F3 = 2" \times 4 \frac{1}{2}"$  Frame

**FT3** = 2" x 4 1/2" Frame w/ Transom


**F5** =  $2 \frac{1}{2}$  x 5" Frame

**FT5** = 2 1/2" x 5" Frame w/ Transom

#### **CHART 1**

	BUTT	OFFSET	CENTER
	HUNG	PIVOT	PIVOT
RIGHT HAND SINGLE	А	С	G
LEFT HAND SINGLE	В	D	Н
PAIR OF DOORS	J	К	М

#### **Traditional Hardware**



Clear Push/Pull is Standard on Clear Doors.


Champagne Push/Pull is Standard on Bronze Doors.

#### **Classic Hardware**

(Optional)

Push/Pull Hardware is Clear with Black Ribbed Insert on Clear Doors.

Push/Pull Hardware is Bronze with Champagne Ribbed Insert on Bronze Doors.





#### **CHART 1**

DOOR OPENING	STILE TYPE	TOP RAIL	TOP RAIL HEIGHT (INCHES)	BOTTOM RAIL	BTM. RAIL HEIGHT (INCHES)	STILE WIDTH (INCHES)	GLASS SIZE (INCHES)
3684 or 7284	NS213	D101	2 1/4	D102	4	2 1/8	31 1/8 x 76 1/2
3684 or 7284	NS213	D102	4	D102	4	2 1/8	31 1/8 x 74 3/4
3684 or 7284	NS213	D101	2 1/4	D108	7 1/2	2 1/8	31 1/8 x 73
3684 or 7284	NS213	D101	2 1/4	D109	9 1/2	2 1/8	31 1/8 x 71
3684 or 7284	MS380	D102	4	D108	7 1/2	3 3/4	27 7/8 x 71 1/4
3684 or 7284	WS500	D102	4	D108	7 1/2	5	25 3/8 x 71 1/4
3684 or 7284	MS380	D102	4	D109	9 1/2	3 3/4	27 7/8 x 69 1/4
3684 or 7284	WS500	D102	4	D109	9 1/2	5	25 3/8 x 69 1/4
4284 or 8484	NS213	D101	2 1/4	D102	4	2 1/8	37 1/8 x 76 1/2
4284 or 8484	NS213	D102	4	D102	4	2 1/8	37 1/8 x 74 3/4
4284 or 8484	NS213	D101	2 1/4	D108	7 1/2	2 1/8	37 1/8 x 73
4284 or 8484	NS213	D101	2 1/4	D109	9 1/2	2 1/8	37 1/8 x 71
4284 or 8484	MS380	D102	4	D108	7 1/2	3 3/4	33 7/8 x 71 1/4
4284 or 8484	WS500	D102	4	D108	7 1/2	5	31 3/8 x 71 1/4
4284 or 8484	MS380	D102	4	D109	9 1/2	3 3/4	33 7/8 x 69 1/4
4284 or 8484	WS500	D102	4	D109	9 1/2	5	31 3/8 x 69 1/4

#### CHART 2 GLASS WIDTH FORMULAS (INCHES)

Single	NS213 = D.O.W. minus 4 7/8			
Pair	NS213 = D.O.W. divided by 2 minus 4 7/8			
Single	MS380 = D.O.W. minus 8 1/8			
Pair	MS380 = D.O.W. divided by 2 minus 8 1/8			
Single	WS500 = D.O.W. minus 10 5/8			
Pair	WS500 = D.O.W. divided by 2 minus 10 5/8			
D.O.W. = Door Opening Width				


#### NOTE:

Glass size for Series 281 is same as NS213.

Glass size for Series 381 is same as MS380.

CHART 3 GLASS HEIGHT FORMULAS (INCHES)						
1)	D.O.H. Dimension specified is:		84			
2)	Deduct Clearance at Frame Header	1/8	(1/8)			
3)	Deduct Top Rail Dimension	Select	(2 1/4)			
4)	Deduct Bottom Rail Dimension	Select	(4)			
5)	Deduct Clearance at Bottom Of Door 3/16"	3/16	(3/16)			
6)	Deduct for TH4 Threshold	1/2	(1/2)			
7)	Deduct for Glass Bite and Setting Block	7/16	(7/16)			
	DOLL - Door Opening Height	Glass				
	D.O.H. = Door Opening Height	Height	76 1/2			







INTERMEDIATE HINGE & PIVOT LOCATION					
D.O.H.	DIM. "M" (INCHES)				
(INCHES)	BUTT HUNG	OFFSET PIVOT			
84	45-11/32	44-3/32			
96	51-11/32	50-3/32			

Note: D.O.H. exceeding 87" or D.O.W. exceeding 42" require an intermediate hinge or pivot.

HARDWARE LOCATIONS FOR PANIC DOORS						
MANUFACTURER	PANIC DEVICE	DIM "X"  © OF CYLINDER (INCHES)	DIM "Y" © OF PANIC (INCHES)	DIM "Z" TOP OF PULL (INCHES)		
FIRST CHOICE	3190 C.V.R.	39 - 5/32	41 - 3/32	44 - 5/32		
FIRST CHOICE	3692 C.V.R.	41 - 9/16	40 - 5/8	46 - 9/16		
FIRST CHOICE	3792 RIM	41 - 9/16	41 - 5/16	46 - 9/16		
JACKSON	2086 C.V.R.	37 - 7/8	38 - 5/32	42 - 7/8		
JACKSON	2095 RIM	38 - 13/32	38 - 5/32	43 - 13/32		




STANDARD HARDWARE LOCATIONS, LOCK & FLUSH BOLT				
PART NO.	DESCRIPTION (INCHES)	DIM. "FB" (INCHES)		
DH176-96	TOP FLUSH BOLT (FOR 96 DOOR)	22		
DH176	TOP FLUSH BOLT (FOR 84 DOOR)	10		
DH176	BOTTOM FLUSH BOLT (FOR 84 / 96 DOOR)	10		





Includes lock with cylinder, glass stops, Traditional push/pull bar hardware, offset pivots and flush bolts on inactive leaf. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.



SERIES 213 NARROW STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-C	\$420.00	\$471.00		
LH	3684-D	\$420.00			
RH	4284-C	\$451.00	ФГ.40.00		
LH	4284-D	φ <del>4</del> 51.00	\$548.00		
PAIR	7284-K	\$842.00	\$949.00		

SERIES 380 MEDIUM STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684MS-C	<b>\$563.00</b>	¢624.00		
LH	3684MS-D	\$563.00	\$621.00		
RH	4284MS-C	ФСО <u>Г</u> ОО	#CCE 00		
LH	4284MS-D	\$605.00	\$665.00		
PAIR	7284MS-K	\$1,132.00	\$1,251.00		

SERIES 500 WIDE STILE						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
HAND	DESCRIPTION	PART NO.	PART NO.			
RH	3684WS-C	\$603.00	¢661.00			
LH	3684WS-D	φου3.00	\$661.00			
RH	4284WS-C	#C44.00	Ф <b>7</b> 05 00			
LH	4284WS-D	\$644.00	\$705.00			
PAIR	7284WS-K	\$1,212.00	\$1,332.00			

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.


### ENTRANCES • Doors & Frames A1 Offset Pivot 9

Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.

FRAME		FL200 FRAME			
		LIANID	DECORUPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-C-F2	£240.00	¢224.00
		LH	3684-D-F2	\$219.00	\$234.00
		RH	4284-C-F2	£224.00	\$247.00
La m		LH	4284-D-F2	\$231.00	Ψ247.00
		PAIR	7284-K-F2	\$284.00	\$302.00
			FL200 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-C-FT2	\$344.00	\$370.00
		LH	3684-D-FT2	ΨΟ-1-1.00	
	FRAME & TRANSOM	RH	4284-C-FT2	\$360.00	\$387.00
	THO WILL OF THOU WOOM	LH	4284-D-FT2	Ψ300.00	
		PAIR	7284-K-FT2	\$454.00	\$486.00
			FL300 I	FRAME	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
			DESCRIPTION	PART NO.	PART NO.
		RH	3684-C-F3	\$246.00	\$264.00
		LH	3684-D-F3	φ2 10.00	Ψ201.00
		RH	4284-C-F3	\$260.00	\$278.00
		LH	4284-D-F3	Ψ200.00	Ψ270.00
		PAIR	7284-K-F3	\$319.00	\$340.00
			FL300 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		TIVATE	DESCRIPTION	PART NO.	PART NO.
		RH	3684-C-FT3	\$374.00	\$409.00
		LH	3684-D-FT3	φοντιου	φ403.00
		RH	4284-C-FT3	\$409.00	\$447.00
		LH	4284-D-FT3	Ψ+09.00	Ψ-47.00
		PAIR	7284-K-FT3	\$506.00	\$550.00



Includes lock with cylinder, glass stops, Traditional push/pull hardware, 1 1/2 pair offset pivots and flush bolts on inactive leaf. See Section  $\binom{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
HAND	DESCRIPTION	PART NO.	PART NO.			
RH	3696-C	\$595.00	¢654.00			
LH	3696-D	φ393.00	\$654.00			
RH	4296-C	\$627.00	¢699.00			
LH	4296-D	\$627.00	\$688.00			
PAIR	7296-K	\$1,197.00	\$1,319.00			

SERIES 380 MEDIUM STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696MS-C	\$656.00	\$716.00		
LH	3696MS-D	Ψ030.00	Ψ7 10.00		
RH	4296MS-C	\$687.00	\$750.00		
LH	4296MS-D	φυσ7.00	φ/30.00		
PAIR	7296MS-K	\$1,321.00	\$1,446.00		

SERIES 500 WIDE STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
TIAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696WS-C	\$702.00	\$764.00		
LH	3696WS-D	Ψ102.00			
RH	4296WS-C	\$734.00	\$797.00		
LH	4296WS-D	φ134.00	φι σι .00		
PAIR	7296WS-K	\$1,415.00	\$1,542.00		

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.

\$477.00

\$589.00

\$439.00

\$545.00



Includes fabricated K.D. frame, for 1 1/2 pair pivots, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.

FRAME		FL200 FRAME			
		LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3696-C-F2	\$285.00	\$306.00
		LH	3696-D-F2	φ283.00	Ψ000.00
		RH	4296-C-F2	#206.00	\$317.00
		LH	4296-D-F2	\$296.00	
		PAIR	7296-K-F2	\$362.00	\$386.00
			FL200 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3696-C-FT2	\$380.00	\$408.00
		LH	3696-D-FT2	Ψ000.00	
FRAME	FRAME & TRANSOM	RH	4296-C-FT2	\$398.00	\$427.00
	TIV WIL & TIV WOOM	LH	4296-D-FT2	ψ390.00	
		PAIR	7296-K-FT2	\$500.00	\$535.00
			FL300 I	FRAME	
		HAND DESCRIF	DESCRIPTION	#10 CLEAR	#20 BRONZE
			DESCRIPTION	PART NO.	PART NO.
		RH	3696-C-F3	\$297.00	\$318.00
		LH	3696-D-F3	Ψ207.00	ψο το.σσ
		RH	4296-C-F3	\$309.00	\$330.00
		LH	4296-D-F3	φουσ.συ	ψοσσ.σσ
		PAIR	7296-K-F3	\$377.00	\$401.00
			FL300 FRAME V	VITH TRANSO	М
		HAND	DECODIDATION	#10 CLEAR	#20 BRONZE
		17/1140	DESCRIPTION	PART NO.	PART NO.
		RH	3696-C-FT3	\$420.00	\$459.00
		LH	3696-D-FT3	η φ4∠0.00 	\$458.00
		RH	4296-C-FT3	\$430.00	\$477.00

**NOTE:** Standard frame transom height is 10' - 5 1/2".

4296-D-FT3

7296-K-FT3

Coral Architectural Products • Price Book January 2012


LH

**PAIR** 

## A1 ENTRANCES • Doors & Frames 12 Offset Pivot / Panic



Includes cylinder, glass stops, Traditional PH401 pull handle, offset pivots and DH3692 CVR panic See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.



SERIES 213 NARROW STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-CP	\$800.00	\$850.00		
LH	3684-DP	Ψ000.00			
RH	4284-CP	\$855.00	\$890.00		
LH	4284-DP	Ψ000.00	Ψ030.00		
PAIR	7284-KP	\$1,685.00	\$1,755.00		

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	HAND DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-CP	\$880.00	\$930.00	
LH	3684MS-DP	фооо.00		
RH	4284MS-CP	\$020.00	¢070.00	
LH	4284MS-DP	\$930.00	\$970.00	
PAIR	7284MS-KP	\$1,860.00	\$1,960.00	

SERIES 500 WIDE STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
117(14)	DESCRIPTION	PART NO.	PART NO.	
RH	3684WS-CP	\$910.00	\$960.00	
LH	3684WS-DP	\$910.00	φ900.00	
RH	4284WS-CP	¢070.00	£4.020.00	
LH	4284WS-DP	\$970.00	\$1,030.00	
PAIR	7284WS-KP	\$1,920.00	\$2,020.00	

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.



Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

FRAME			FL200 FRAME			
				#10 CLEAR	#20 BRONZE	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-CP-F2	40.45.00	\$262.00	
		LH	3684-DP-F2	\$245.00		
		RH	4284-CP-F2	<b>#050.00</b>	#077.00	
لج الم		LH	4284-DP-F2	\$259.00	\$277.00	
		PAIR	7284-KP-F2	\$318.00	\$338.00	
			FL200 FRAME \	WITH TRANSO	М	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-CP-FT2	\$356.00	\$383.00	
		LH	3684-DP-FT2	- \$330.00		
	FRAME & TRANSOM	RH	4284-CP-FT2	\$272.00	\$400.00	
		LH	4284-DP-FT2	\$373.00		
		PAIR	7284-KP-FT2	\$470.00	\$503.00	
			FL300 FRAME			
		HAND	DESCRIPTION -	#10 CLEAR	#20 BRONZE	
		HAND		PART NO.	PART NO.	
		RH	3684-CP-F3	\$255.00	\$273.00	
		LH	3684-DP-F3	Ψ233.00	Ψ213.00	
		RH	4284-CP-F3	\$269.00	\$288.00	
		LH	4284-DP-F3	Ψ203.00	\$288.00	
]		PAIR	7284-KP-F3	\$330.00	\$351.00	
			FL300 FRAME \	WITH TRANSO	М	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
		11/412	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-CP-FT3	\$406.00	\$444.00	
		LH	3684-DP-FT3	Ψ00.00	Φ <del>444</del> .00	
		RH	4284-CP-FT3	\$423.00	\$462.00	
		LH	4284-DP-FT3	Ψ <del>4</del> ∠3.00	φ4∪∠.∪∪	

NOTE: Standard frame transom height is 10' - 5 1/2".

7284-KP-FT3

\$524.00

\$568.00


Coral Architectural Products • Price Book January 2012

**PAIR** 

## A1 ENTRANCES • Doors & Frames 14 Offset Pivot / Panic



Includes cylinder, glass stops, Traditional PH401 pull handle, 1 1/2 pair offset pivots and DH3692 CVR panic See Section  $\binom{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE					
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-CP	\$850.00	\$882.00		
LH	3696-DP	φ830.00			
RH	4296-CP	\$875.00	\$911.00		
LH	4296-DP	\$675.00	φ911.00		
PAIR	7296-KP	\$1,800.00	\$1,864.00		

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
TIAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696MS-CP	\$050.00	\$000.00	
LH	3696MS-DP	\$950.00	\$990.00	
RH	4296MS-CP	¢075.00	04.045.00	
LH	4296MS-DP	\$975.00	\$1,015.00	
PAIR	7296MS-KP	\$2,000.00	\$2,080.00	

SERIES 500 WIDE STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
11/4140	DESCRIPTION	PART NO.	PART NO.	
RH	3696WS-CP	<b>#</b> 000 00	<b>#4.040.00</b>	
LH	3696WS-DP	\$990.00	\$1,040.00	
RH	4296WS-CP	04.000.00	#4 000 00	
LH	4296WS-DP	\$1,020.00	\$1,080.00	
PAIR	7296WS-KP	\$2,080.00	\$2,180.00	

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.




Includes fabricated K.D. frame, for 1 1/2 pair pivot, 1/2" x 4" mill finish threshold, doorstop w/ weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.

FRAME			FL200 I	FRAME	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3696-CP-F2	¢204.00	\$312.00
		LH	3696-DP-F2	\$291.00	
		RH	4296-CP-F2	#202.00	\$323.00
ل الم		LH	4296-DP-F2	\$302.00	
		PAIR	7296-KP-F2	\$369.00	\$393.00
Ш			FL200 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3696-CP-FT2	\$387.00	\$416.00
		LH	3696-DP-FT2	φ307.00	
	FRAME & TRANSOM	RH	4296-CP-FT2	\$405.00	\$435.00
	TRAME & TRANSOM	LH	4296-DP-FT2	φ405.00	
		PAIR	7296-KP-FT2	\$509.00	\$545.00
			FL300 I	FRAME	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		TITAL	DEGORII HON	PART NO.	PART NO.
		RH	3696-CP-F3	\$303.00	\$324.00
		LH	3696-DP-F3	Ψ000.00	ψ024.00
		RH	4296-CP-F3	\$314.00	\$337.00
		LH	4296-DP-F3	ψ314.00	φ337.00
		PAIR	7296-KP-F3	\$384.00	\$409.00
			FL300 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		17,415	DESCRIPTION	PART NO.	PART NO.
		RH	3696-CP-FT3	\$428.00	\$466.00
		LH	3696-DP-FT3	Ψ420.00	φ400.00
		RH	4296-CP-FT3	\$447.00	\$486.00
		LH	4296-DP-FT3	Ψ++1.00	<del>04</del> 00.00
		PAIR	7296-KP-FT3	\$555.00	\$600.00

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes lock with cylinder, glass stops, Traditional push/pull hardware, offset pivots, offset arm with slide channel and flush bolts on inactive leaf. See Section  $\frac{\mathbb{A}^2}{2}$  for door closers and other loose hardware.  $\blacktriangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.



SERIES 213 NARROW STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
ПАМО	HAND DESCRIPTION	PART NO.	PART NO.		
RH	3684-CO	\$617.00	\$654.00		
LH	3684-DO	\$617.00	φ054.00		
RH	4284-CO	\$631.00	¢676.00		
LH	4284-DO	φυσ1.00	\$676.00		
PAIR	7284-KO	\$1,237.00	\$1,305.00		

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-CO	¢712.00	\$775.00	
LH	3684MS-DO	\$712.00		
RH	4284MS-CO	¢724.00	#000.00	
LH	4284MS-DO	\$734.00	\$800.00	
PAIR	7284MS-KO	\$1,431.00	\$1,561.00	

SERIES 500 WIDE STILE				
HAND	HAND	#10 CLEAR	#20 BRONZE	
11/4140	DESCRIPTION	PART NO.	PART NO.	
RH	3684WS-CO	¢756.00	¢920.00	
LH	3684WS-DO	\$756.00	\$820.00	
RH	4284WS-CO	Ф770 00	<b>#045.00</b>	
LH	4284WS-DO	\$779.00	\$845.00	
PAIR	7284WS-KO	\$1,520.00	\$1,652.00	


NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.


All doors are fabricated for 105 degree closer unless otherwise specified.



### ENTRANCES • Doors & Frames A1 Offset Pivot / Offset Arm 17

Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{R^2}{2}$  for door closers and other loose hardware.






	FL200 F	RAME	
	LIAND DECORPOSION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-CO-F2	\$284.00	\$304.00
LH	3684-DO-F2	Ψ204.00	Ψ304.00
RH	4284-CO-F2	\$300.00	\$321.00
LH	4284-DO-F2	<b>\$300.00</b>	φ321.00
PAIR	7284-KO-F2	\$369.00	\$392.00
	FL200 FRAME V	VITH TRANSO	М
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-CO-FT2	\$413.00	\$444.00
LH	3684-DO-FT2	Ψ+13.00	Ψ+++.00
RH	4284-CO-FT2	\$432.00	\$464.00
LH	4284-DO-FT2	Ψ432.00	φ+04.00
PAIR	7284-KO-FT2	\$545.00	\$583.00
	FL300 I	FRAME	
LIAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-CO-F3	\$296.00	\$317.00
LH	3684-DO-F3	Ψ290.00	ψ317.00
RH	4284-CO-F3	\$312.00	\$334.00
LH	4284-DO-F3	φ312.00	ψ334.00
PAIR	7284-KO-F3	\$383.00	\$408.00
	FL300 FRAME V	VITH TRANSO	М
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
11/4140	DESCRIPTION	PART NO.	PART NO.
RH	3684-CO-FT3	\$471.00	\$515.00
LH	3684-DO-FT3	Ψ-7 1.00	φυ 10.00
RH	4284-CO-FT3	\$491.00	\$536.00
LH	4284-DO-FT3	Ψ+31.00	ψ550.00
PAIR	7284-KO-FT3	\$607.00	\$659.00

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes lock with cylinder, glass stops, Traditional push/pull hardware, 1-1/2 pair offset pivots, offset arm with slide channel and flush bolts on inactive leaf. See Section  $\stackrel{\triangle 2}{2}$  for door closers and other loose hardware.  $\blacktriangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.



SERIES 213 NARROW STILE			
HAND	D DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-CO	\$765.00	\$830.00
LH	3696-DO	\$705.00	<b>\$630.00</b>
RH	4296-CO	\$777.00	<b>CO44.00</b>
LH	4296-DO	φ111.00	\$844.00
PAIR	7296-KO	\$1,538.00	\$1,672.00

SERIES 380 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696MS-CO	\$816.00	\$882.00
LH	3696MS-DO	φο 10.00	φ662.00
RH	4296MS-CO	¢927.00	00.000
LH	4296MS-DO	\$827.00	\$896.00
PAIR	7296MS-KO	\$1,631.00	\$1,721.00

SERIES 500 WIDE STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
11/410	DESCRIPTION	PART NO.	PART NO.
RH	3696WS-CO	\$868.00	\$936.00
LH	3696WS-DO	φουσ.υυ	φ930.00
RH	4296WS-CO	\$879.00	\$040.00
LH	4296WS-DO	\$679.00	\$949.00
PAIR	7296WS-KO	\$1,748.00	\$1,888.00


NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.

All doors are fabricated for 105 degree closer unless otherwise specified.




### ENTRANCES • Doors & Frames A1 Offset Pivot / Offset Arm 19

Includes fabricated K.D. frame for offset arm and 1-1/2 pair pivots, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{\Lambda 2}{2}$  for door closers and other loose hardware.



FRAME	. &	TRANSOM




	FL200	FRAME	
	D=00DID=1011	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-CO-F2	\$392.00	\$420.00
LH	3696-DO-F2	<del>-</del> φ392.00	φ420.00
RH	4296-CO-F2	£407.00	£42C 00
LH	4296-DO-F2	\$407.00	\$436.00
PAIR	7296-KO-F2	\$498.00	\$531.00
	FL200 FRAME	WITH TRANSC	M
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-CO-FT2	¢522.00	\$561.00
LH	3696-DO-FT2	\$522.00	\$561.00
RH	4296-CO-FT2	<b>#540.00</b>	¢507.00
LH	4296-DO-FT2	\$546.00	\$587.00
PAIR	7296-KO-FT2	\$687.00	\$735.00
	FL300	FRAME	
	DECORIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-CO-F3	¢400.00	#420.00
LH	3696-DO-F3	\$408.00	\$438.00
RH	4296-CO-F3	0404.00	<b>#454.00</b>
LH	4296-DO-F3	\$424.00	\$454.00
PAIR	7296-KO-F3	\$518.00	\$551.00
·	FL300 FRAME	WITH TRANSC	М
HAND	DECORIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-CO-FT3	\$578.00	\$620.00
LH	3696-DO-FT3	φ5/6.00	\$629.00
RH	4296-CO-FT3	\$602.00	<b>PGEC 00</b>
LH	4296-DO-FT3	\$603.00	\$656.00
PAIR	7296-KO-FT3	\$749.00	\$810.00

**NOTE:** Standard frame transom height is 10' - 5 1/2".



Includes cylinder, glass stops, Traditional PH401 pull handle, offset pivots, offset arm with slide channel and DH3692 CVR panic. See Section  $\frac{\mathbb{A}^2}{2}$  for door closers and other loose hardware.  $\blacktriangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-COP	\$875.00	¢020.00	
LH	3684-DOP	φο/5.00	\$930.00	
RH	4284-COP	\$930.00	¢070.00	
LH	4284-DOP	, φ <del>9</del> 30.00	\$970.00	
PAIR	7284-KOP	\$1,835.00	\$1,915.00	

	SERIES 380 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-COP	\$960.00	¢1 015 00	
LH	3684MS-DOP	ψ900.00	\$1,015.00	
RH	4284MS-COP	\$1,010.00	¢1 055 00	
LH	4284MS-DOP	\$1,010.00	\$1,055.00	
PAIR	7284MS-KOP	\$2,020.00	\$2,130.00	

SERIES 500 WIDE STILE			
HAND	ID DECORUPTION	#10 CLEAR	#20 BRONZE
1174140	DESCRIPTION	PART NO.	PART NO.
RH	3684WS-COP	\$1,010.00	¢1 070 00
LH	3684WS-DOP	\$1,010.00	\$1,070.00
RH	4284WS-COP	\$1,070.00	£1 140 00
LH	4284WS-DOP	\$1,070.00	\$1,140.00
PAIR	7284WS-KOP	\$2,120.00	\$2,240.00

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.

All doors are fabricated for 105 degree closer unless otherwise specified.




#### **ENTRANCES** • Doors & Frames

#### Offset Pivot / Panic / Offset Arm

 $\frac{A1}{21}$ 

Includes fabricated K.D. frame for offset arm and pivots,  $1/2^{\circ}$  x  $4^{\circ}$  mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

FRAME	
FRAME & TRANSOM	




FL200 FRAME				
	DECORIDEION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-COP-F2	\$284.00	\$304.00	
LH	3684-DOP-F2	<del>-</del>	φ304.00	
RH	4284-COP-F2	¢200.00	\$321.00	
LH	4284-DOP-F2	\$300.00	\$321.00	
PAIR	7284-KOP-F2	\$369.00	\$392.00	
	FL200 FRAME	WITH TRANSO	М	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-COP-FT2	\$413.00	\$444.00	
LH	3684-DOP-FT2	<del>-</del> φ413.00	φ444.00	
RH	4284-COP-FT2	¢432.00	\$464.00	
LH	4284-DOP-FT2	\$432.00	φ404.00	
PAIR	7284-KOP-FT2	\$545.00	\$583.00	
	FL300	FRAME		
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-COP-F3	\$206.00	¢247.00	
LH	3684-DOP-F3	\$296.00	\$317.00	
RH	4284-COP-F3	¢242.00	¢224.00	
LH	4284-DOP-F3	\$312.00	\$334.00	
PAIR	7284-KOP-F3	\$383.00	\$408.00	
	FL300 FRAME	WITH TRANSO	М	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
TIVAL	DESCRIPTION	PART NO.	PART NO.	
RH	3684-COP-FT3	\$471.00	\$515.00	
LH	3684-DOP-FT3	Ψ+/1.00	\$515.00	
RH	4284-COP-FT3	\$491.00	\$536.00	
LH	4284-DOP-FT3	Ψ491.00	φυσυ.υυ	
PAIR	7284-KOP-FT3	\$607.00	\$659.00	

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes lock with cylinder, glass stops, Traditional push/pull hardware, 1-1/2 pair offset pivots, offset arm with slide channel and DH3692 CVR panic. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.  $\triangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-COP	\$925.00	<b>#062.00</b>	
LH	3696-DOP	φ925.00	\$962.00	
RH	4296-COP	\$950.00	<b>#004.00</b>	
LH	4296-DOP	φ950.00	\$991.00	
PAIR	7296-KOP	\$1,950.00	\$2,024.00	

SERIES 380 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696MS-COP	\$1,030.00	\$1.075.00
LH	3696MS-DOP	\$1,030.00	\$1,075.00
RH	4296MS-COP	¢4.055.00	¢1 100 00
LH	4296MS-DOP	\$1,055.00	\$1,100.00
PAIR	7296MS-KOP	\$2,160.00	\$2,250.00

SERIES 500 WIDE STILE					
HAND DESCRIPTION	DESCRIPTION	#10 CLEAR	#20 BRONZE		
	PART NO.	PART NO.			
RH	3696WS-COP	\$1,090.00	\$1,150.00		
LH	3696WS-DOP	\$1,090.00			
RH	4296WS-COP	\$1,120.00	\$1,190.00		
LH	4296WS-DOP	φ1,120.00	φ1,190.00		
PAIR	7296WS-KOP	\$2,280.00	\$2,400.00		

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.

All doors are fabricated for 105 degree closer unless otherwise specified.



#### **ENTRANCES** • Doors & Frames

#### Offset Pivot / Panic / Offset Arm

 $\begin{pmatrix} A1 \\ 23 \end{pmatrix}$ 

threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section (A2) for door closers and other loose hardware.


Includes fabricated K.D. frame for offset arm and 1-1/2 pair pivots, 1/2" x 4" mill finish

FRAME		FL200 FRAME				
	П—————————————————————————————————————	LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3696-COP-F2	\$392.00	\$420.00	
		LH	3696-DOP-F2	φυθ2.00	Ψ+20.00	
		RH	4296-COP-F2	\$407.00	\$436.00	
		LH	4296-DOP-F2	φ407.00	Ψ+30.00	
		PAIR	7296-KOP-F2	\$498.00	\$531.00	
			FL200 FRAME V	WITH TRANSO	М	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
		HAND	DEGORII TION	PART NO.	PART NO.	
		RH	3696-COP-FT2	\$522.00	\$561.00	
		LH	3696-DOP-FT2	<b>4022.00</b>		
	FRAME & TRANSOM	RH	4296-COP-FT2	\$546.00	\$587.00	
	TIVAIVIL & TIVAINOOW	LH	4296-DOP-FT2	Ψ540.00		
		PAIR	7296-KOP-FT2	\$687.00	\$735.00	
			FL300	FRAME		
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
		TIAND DE	DESCRIPTION	PART NO.	PART NO.	
		RH	3696-COP-F3	\$408.00	\$438.00	
		LH	3696-DOP-F3	<b>\$100.00</b>	φ 100.00	
		RH	4296-COP-F3	\$424.00	\$454.00	
		LH	4296-DOP-F3	Ψ121.00	Ψ101.00	
		PAIR	7296-KOP-F3	\$518.00	\$551.00	
			FL300 FRAME V	WITH TRANSO	М	
		HAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
		TIVATE	DESCRIPTION	PART NO.	PART NO.	
	R	RH	3696-COP-FT3	\$578.00	\$629.00	
		LH	3696-DOP-FT3	ψο/ σ.σσ	Ψ023.00	
		RH	4296-COP-FT3	\$603.00	\$656.00	
		LH	4296-DOP-FT3	Ψ000.00	Ψ000.00	
		PAIR	7296-KOP-FT3	\$749.00	\$810.00	

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes lock with cylinder, glass stops, Traditional Push/Pull hardware, one pair butt hinges and flush bolts on inactive leaf. See Section  $\binom{A2}{2}$  for door closers and other loose hardware.



SERIES 213 NARROW STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
ПАПО	DESCRIPTION	PART NO.	PART NO.	
RH	3684-A	\$458.00	<b>#540.00</b>	
LH	3684-B	φ436.00	\$512.00	
RH	4284-A	£490.00	<b>#544.00</b>	
LH	4284-B	\$489.00	\$544.00	
PAIR	7284-J	\$919.00	\$1029.00	

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-A	#C25 00	\$686.00	
LH	3684MS-B	\$625.00		
RH	4284MS-A	¢667.00	¢720.00	
LH	4284MS-B	\$667.00	\$730.00	
PAIR	7284MS-J	\$1,256.00	\$1,382.00	

SERIES 500 WIDE STILE					
HAND DESCRIPTION	DESCRIPTION	#10 CLEAR	#20 BRONZE		
11/4140	HAND DESCRIPTION	PART NO.	PART NO.		
RH	3684WS-A	¢664.00	¢727.00		
LH	3684WS-B	\$664.00	\$727.00		
RH	4284WS-A	#700 00	¢774.00		
LH	4284WS-B	\$706.00	\$771.00		
PAIR	7284WS-J	\$1,336.00	\$1,464.00		

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.



Includes fabricated K.D. frame, one pair butt hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

	FRAME		FL200	FRAME		
		LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-A-F2	\$215.00	\$230.00	
		LH	LH 3684-B-F2			
		RH	4284-A-F2	¢007.00	\$243.00	
		LH	4284-B-F2	\$227.00		
		PAIR	7284-J-F2	\$277.00	\$296.00	
			FL200 FRAME V	VITH TRANSO	М	
		LIAND	DECODIDATION	#10 CLEAR	#20 BRONZ	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-A-FT2	#220.00	\$365.00	
		LH	3684-B-FT2	\$339.00		
EDAME & TRANSCOM		RH	4284-A-FT2	2055.00		
	FRAME & TRANSOM	LH	4284-B-FT2	\$355.00	\$382.00	
		PAIR	7284-J-FT2	\$445.00	\$478.00	
		FL300 FRAME				
		LIAND	DECODIDATION	#10 CLEAR	#20 BRONZ	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-A-F3	£242.00	\$260.00	
		LH	3684-B-F3	\$242.00	φ200.00	
		RH	4284-A-F3	<b>#250.00</b>	C274.00	
		LH	4284-B-F3	\$256.00	\$274.00	
]		PAIR	7284-J-F3	\$312.00	\$334.00	
			FL300 FRAME V	VITH TRANSO	М	
		HAND		#10 CLEAR	#20 BRONZ	
		HAND	DESCRIPTION	PART NO.	PART NO.	
		RH	3684-A-FT3 \$386.00		\$424.00	
		LH	3684-B-FT3	J \$300.00	\$424.00	
		RH	4284-A-FT3	\$402.00	\$442.00	
		IН	4284_R_FT3	\$403.00	φ <del>44</del> 2.00	

NOTE: Standard frame transom height is 10' - 5 1/2".

4284-B-FT3

7284-J-FT3

\$497.00

\$542.00


Coral Architectural Products • Price Book January 2012

LH

**PAIR** 



Includes lock with cylinder, glass stops, Traditional Push/Pull hardware, 1-1/2 pair butt hinges and flush bolts on inactive leaf. See Section  $\frac{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND	ND DESCRIPTION	#10 CLEAR	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-A	\$603.00	\$668.00	
LH	3696-B	Ψ003.00	Ψ000.00	
RH	4296-A	\$627.00	\$694.00	
LH	4296-B	Ψ027.00	Ψ034.00	
PAIR	7296-J	\$1,213.00	\$1,347.00	

SERIES 380 MEDIUM STILE					
HAND DESCRIPTION		#10 CLEAR	#20 BRONZE		
ПАМО	DESCRIPTION	PART NO.	PART NO.		
RH	3696MS-A	\$713.00	\$780.00		
LH	3696MS-B	φη 13.00	Ψ100.00		
RH	4296MS-A	\$744.00	\$813.00		
LH	4296MS-B	φ/44.00	φο ι 3.00		
PAIR	7296MS-J	\$1,435.00	\$1,573.00		

SERIES 500 WIDE STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
117 (14)	DESCRIPTION	PART NO.	PART NO.	
RH	3696WS-A	\$759.00	\$827.00	
LH	3696WS-B	Ψ139.00		
RH	4296WS-A	\$791.00	\$861.00	
LH	4296WS-B	\$791.00	φου1.00	
PAIR	7296WS-J	\$1,529.00	\$1,669.00	

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass.



### ENTRANCES • Doors & Frames

Butt Hung 27

Includes fabricated K.D. frame and 1-1/2 pair hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.


FRAME		FL200	FRAME	
	LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
	HAND	DESCRIPTION	PART NO.	PART NO.
	RH	3696-A-F2	\$281.00	\$302.00
	LH	3696-B-F2	Ψ201.00	ψ002.00
	RH	4296-A-F2	\$292.00	\$313.00
_ <del></del>	LH	4296-B-F2	Ψ292.00	ψ515.00
	PAIR	7296-J-F2	\$355.00	\$379.00
		FL200 FRAME V	VITH TRANSO	М
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	11/4142	DEGORII HON	PART NO.	PART NO.
	RH	3696-A-FT2	\$374.00	\$403.00
	LH	3696-B-FT2	ψον 1.00	
FRAME & TRANSOM	RH	4296-A-FT2	\$391.00	\$421.00
	LH	4296-B-FT2	Ψ001.00	
	PAIR	7296-J-FT2	\$490.00	\$527.00
	FL300 FRAME			
	HAND	HAND DESCRIPTION -	#10 CLEAR	#20 BRONZE
	HAND		PART NO.	PART NO.
	RH	3696-A-F3	\$292.00	\$314.00
	LH	3696-B-F3	Ψ292.00	ψ014.00
	RH	4296-A-F3	\$304.00	\$326.00
<u> </u>	LH	4296-B-F3	ψ304.00	ψ020.00
	PAIR	7296-J-F3	\$369.00	\$395.00
		FL300 FRAME V	VITH TRANSO	М
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	TITAL	DESCRIPTION	PART NO.	PART NO.
	RH	3696-A-FT3	\$414.00	\$452.00
	LH	3696-B-FT3	Ψ114.00	ψ102.00
	RH	4296-A-FT3	\$432.00	\$471.00
	LH	4296-B-FT3	Ψ+02.00	ψ+/1.00
LL	PAIR	7296-J-FT3	\$535.00	\$580.00

NOTE: Standard frame transom height is 10' - 5 1/2".

# A1 ENTRANCES • Doors & Frames Butt Hung / Panic



Includes cylinder, glass stops, Traditional PH401 pull handle, one pair butt hinges and DH3692 CVR panic. See Section  $\frac{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND	ND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AP	\$950.00	<b>#</b> 000 00	
LH	3684-BP	\$850.00	\$900.00	
RH	4284-AP	ФОСО ОО	<b>0.1</b> 005 00	
LH	4284-BP	\$960.00	\$1,005.00	
PAIR	7284-JP	\$1,800.00	\$1,900.00	

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-AP	\$950.00	¢4 000 00	
LH	3684MS-BP	ψ930.00	\$1,000.00	
RH	4284MS-AP	\$995.00	\$1,045.00	
LH	4284MS-BP	φ993.00	φ1,045.00	
PAIR	7284MS-JP	\$2,000.00	\$2,100.00	

SERIES 500 WIDE STILE				
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
117(14)	DESCRIPTION	PART NO.	PART NO.	
RH	3684WS-AP	\$955.00	¢4 005 00	
LH	3684WS-BP	φ955.00	\$1,005.00	
RH	4284WS-AP	\$1,020.00	¢4.070.00	
LH	4284WS-BP	φ1,020.00	\$1,070.00	
PAIR	7284WS-JP	\$2,010.00	\$2,110.00	



Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, one pair butt hinges, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\binom{R2}{2}$  for door closers and other loose hardware.


FRAME			FL200	FRAME	
П		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-AP-F2	\$240.00	\$258.00
		LH	3684-BP-F2	\$240.00	
		RH	4284-AP-F2	\$254.00	¢272.00
		LH	4284-BP-F2	\$254.00	\$273.00
		PAIR	7284-JP-F2	\$310.00	\$332.00
<b>└</b> ∥			FL200 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-AP-FT2	\$350.00	\$377.00
		LH	3684-BP-FT2	φοσ.σσ	
FF	RAME & TRANSOM	RH	4284-AP-FT2	\$367.00	\$395.00
	LH	4284-BP-FT2	φσστ.σσ	4000.00	
		PAIR	7284-JP-FT2	\$461.00	\$495.00
		FL300 FRAME			
		HAND DESCRIPTION -	DESCRIPTION	#10 CLEAR	#20 BRONZE
			PART NO.	PART NO.	
		RH	3684-AP-F3	\$250.00	\$269.00
<b>└</b>		LH	3684-BP-F3	φ230.00	φ209.00
		RH	4284-AP-F3	\$265.00	\$284.00
		LH	4284-BP-F3	φ205.00	\$284.00
		PAIR	7284-JP-F3	\$323.00	\$345.00
			FL300 FRAME V	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		TIVATE	DESCRIPTION	PART NO.	PART NO.
	RH	3684-AP-FT3	\$400.00	\$439.00	
		LH	3684-BP-FT3	Ψ+00.00	ψ <del>-</del> υθ.00
		RH	4284-AP-FT3	\$417.00	\$457.00
		LH	4284-BP-FT3	- \$417.00	φ407.00
L <u>L</u>		PAIR	7284-JP-FT3	\$514.00	\$560.00

NOTE: Standard frame transom height is 10' - 5 1/2".

## A1 ENTRANCES • Doors & Frames 30 Butt Hung / Panic



Includes lock with cylinder, glass stops, Traditional PH401 pull handle, 1-1/2 pair butt hinges, offset arm with slide channel and DH3692 CVR panic. Fabricated for 105 degree closer only. See Section (A2) for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE				
ПУИП	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND		PART NO.	PART NO.	
RH	3696-AP	\$920.00	\$970.00	
LH	3696-BP	ψ920.00	ψ970.00	
RH	4296-AP	\$980.00	\$1,030.00	
LH	4296-BP	ψ900.00	ψ1,030.00	
PAIR	7296-JP	\$1,940.00	\$2,040.00	


SERIES 380 MEDIUM STILE				
HAND	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696MS-AP	\$970.00	¢4 020 00	
LH	3696MS-BP	\$970.00	\$1,020.00	
RH	4296MS-AP	£1,000,00	¢4.050.00	
LH	4296MS-BP	\$1,000.00	\$1,050.00	
PAIR	7296MS-JP	\$2,040.00	\$2,140.00	

SERIES 500 WIDE STILE				
HAND	DECORIDATION	#10 CLEAR	#20 BRONZE	
11/4140	DESCRIPTION	PART NO.	PART NO.	
RH	3696WS-AP	\$1,000.00	¢4.050.00	
LH	3696WS-BP	\$1,000.00	\$1,050.00	
RH	4296WS-AP	£1.050.00	#4.400.00	
LH	4296WS-BP	\$1,050.00	\$1,100.00	
PAIR	7296WS-JP	\$2,100.00	\$2,200.00	



Includes fabricated K.D. frame for 1-1/2 pair butt hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flatfiller, which is not included. See Section  $\stackrel{\triangle}{\longrightarrow}$  for door closers and other loose hardware.

FRAME
FRAME & TRANSOM




	FL200 F	RAME			
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-AP-F2	\$286.00	\$307.00		
LH	3696-BP-F2	φ200.00	\$307.00		
RH	4296-AP-F2	\$297.00	\$319.00		
LH	4296-BP-F2	\$297.00	φ319.00		
PAIR	7296-JP-F2	\$361.00	\$386.00		
	FL200 FRAME W	VITH TRANSO	М		
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-AP-FT2	\$381.00	\$410.00		
LH	3696-BP-FT2	Ψ501.00	φ410.00		
RH	4296-AP-FT2	\$399.00	\$429.00		
LH	4296-BP-FT2	Ψ399.00	ψ+23.00		
PAIR	7296-JP-FT2	\$499.00	\$536.00		
	FL300 FRAME				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-AP-F3	\$298.00	\$320.00		
LH	3696-BP-F3	Ψ200.00	Ψ020.00		
RH	4296-AP-F3	\$309.00	\$332.00		
LH	4296-BP-F3	Ψ303.00	ψ332.00		
PAIR	7296-JP-F3	\$376.00	\$402.00		
	FL300 FRAME W	VITH TRANSO	М		
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
TIVIND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-AP-FT3	\$422.00	\$460.00		
LH	3696-BP-FT3	<b>V.22.00</b>	Ψ100.00		
RH	4296-AP-FT3	\$440.00	\$480.00		
LH	4296-BP-FT3	Ψ0.00	Ψ+00.00		
PAIR	7296-JP-FT3	\$545.00	\$591.00		

NOTE: Standard frame transom height is 10' - 5 1/2".

# A1 ENTRANCES • Doors & Frames 32 Butt Hung / Offset Arm



Includes lock with cylinder, glass stops, Traditional push/pull hardware, one pair butt hinges, offset arm with slide channel and flush bolts on inactive leaf. Fabricated for 105 degree closer only. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.  $\triangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.




SERIES 213 NARROW STILE				
HAND	DECODIDEION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AO	\$686.00	¢752.00	
LH	3684-BO	\$000.00	\$752.00	
RH	4284-AO	\$700.00	Ф <b>7</b> 62.00	
LH	4284-BO	φ/00.00	\$763.00	
PAIR	7284-JO	\$1,376.00	\$1,506.00	


SERIES 380 MEDIUM STILE				
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-AO	\$812.00	#000 00	
LH	3684MS-BO	φο12.00	\$892.00	
RH	4284MS-AO	¢940.00	0040.00	
LH	4284MS-BO	\$840.00	\$913.00	
PAIR	7284MS-JO	\$1,570.00	\$1,709.00	

	SERIES 500	WIDE STILE	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
11/4145	DESCRIPTION	PART NO.	PART NO.
RH	3684WS-AO	\$856.00	¢027.00
LH	3684WS-BO	\$650.00	\$937.00
RH	4284WS-AO	\$994 OO	<b>#050.00</b>
LH	4284WS-BO	\$884.00	\$956.00
PAIR	7284WS-JO	\$1,656.00	\$1,800.00

Includes fabricated K.D. frame for offset arm, one pair butt hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.



FRONT LINE




	FL200 F	RAME	
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-AO-F2	<b>\$070.00</b>	
LH	3684-BO-F2	\$279.00	\$299.00
RH	4284-AO-F2	<b>#</b> 005.00	
LH	4284-BO-F2	\$295.00	\$316.00
PAIR	7284-JO-F2	\$360.00	\$385.00
	FL200 FRAME W	ITH TRANSO	М
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-AO-FT2	£400.00	4400.00
LH	3684-BO-FT2	\$406.00	\$438.00
RH	4284-AO-FT2	<b>#400.00</b>	
LH	4284-BO-FT2	\$426.00	\$458.00
PAIR	7284-JO-FT2	\$534.00	\$574.00
	FL300 F	RAME	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DEGORII HON	PART NO.	PART NO.
RH	3684-AO-F3	\$290.00	\$312.00
LH	3684-BO-F3	Ψ200.00	<b>\$612.00</b>
RH	4284-AO-F3	\$307.00	\$329.00
LH	4284-BO-F3	Ψ007.00	Ψ020.00
PAIR	7284-JO-F3	\$374.00	\$400.00
	FL300 FRAME W	ITH TRANSO	М
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
11/410	DESCRIPTION	PART NO.	PART NO.
RH	3684-AO-FT3	\$464.00	\$509.00
LH	3684-BO-FT3	Ψτοτ.σο	Ψ303.00
RH	4284-AO-FT3	\$484.00	\$530.00
LH	4284-BO-FT3	Ψ-το-τ.υυ	ψ550.00
PAIR	7284-JO-FT3	\$596.00	\$650.00

NOTE: Standard frame transom height is 10' - 5 1/2".

## A1 ENTRANCES • Doors & Frames 34 Butt Hung / Offset Arm



Includes lock with cylinder, glass stops, Traditional push/pull hardware, 1-1/2 pair butt hinges, offset arm with slide channel and flush bolts on inactive leaf. Fabricated for 105 degree closer only. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.  $\triangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.



	SERIES 213 N	ARROW STILE	•
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO	\$774.00	<b>#040.00</b>
LH	3696-BO	\$774.00	\$846.00
RH	4296-AO	\$794.00	<b>#</b> 000 00
LH	4296-BO	φ194.00	\$862.00
PAIR	7296-JO	\$1,556.00	\$1,704.00

	SERIES 380 M	EDIUM STILE	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
TIAND	DESCRIPTION	PART NO.	PART NO.
RH	3696MS-AO	\$880.00	\$954.00
LH	3696MS-BO	Ψ000.00	φ954.00
RH	4296MS-AO	\$891.00	<b>\$007.00</b>
LH	4296MS-BO	ΨΟΘ1.00	\$967.00
PAIR	7296MS-JO	\$1,771.00	\$1,923.00

	SERIES 500	WIDE STILE	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
117(14)	DESCRIPTION	PART NO.	PART NO.
RH	3696WS-AO	\$932.00	\$1,007.00
LH	3696WS-BO	ψ932.00	\$1,007.00
RH	4296WS-AO	\$943.00	¢4 024 00
LH	4296WS-BO	φ943.00	\$1,021.00
PAIR	7296WS-JO	\$1,877.00	\$2,031.00


### **ENTRANCES** • Doors & Frames /

**Butt Hung / Offset Arm** 

Includes fabricated K.D. frame for offset arm and 1-1/2 pair hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section (A) for door closers and other loose hardware.

**FRAME** 

	FRAME	&	TRANSON
--	-------	---	---------




	FL200	FRAME	
	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-F2	\$386.00	\$415.00
LH	3696-BO-F2	φ360.00	φ415.00
RH	4296-AO-F2	\$401.00	\$430.00
LH	4296-BO-F2	φ401.00	\$430.00
PAIR	7296-JO-F2	\$487.00	\$522.00
	FL200 FRAME V	VITH TRANSO	M
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-FT2	\$514.00	\$553.00
LH	3696-BO-FT2	φ514.00	ψ555.00
RH	4296-AO-FT2	\$538.00	\$579.00
LH	4296-BO-FT2	φ556.00	φ579.00
PAIR	7296-JO-FT2	\$674.00	\$724.00
	FL300	FRAME	
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-F3	\$402.00	\$432.00
LH	3696-BO-F3	\$402.00	φ432.00
RH	4296-AO-F3	\$418.00	\$448.00
LH	4296-BO-F3	\$410.00	φ446.00
PAIR	7296-JO-F3	\$507.00	\$542.00
	FL300 FRAME V	VITH TRANSO	М
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-FT3	- \$569.00	\$621.00
LH	3696-BO-FT3	Ψ509.00	ΨυΖ 1.00
RH	4296-AO-FT3	- \$594.00	\$648.00
LH	4296-BO-FT3	φυθ4.00	φυ4ο.υυ
PAIR	7296-JO-FT3	\$735.00	\$798.00

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes cylinder, glass stops, Traditional PH401 pull handle, one pair butt hinges, offset arm with slide channel and DH3692 CVR panic. Fabricated for 105 degree closer only. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.  $\triangle$  D102 top rail is required for all offset arm doors. Allow additional time for these doors.



	SERIES 213 N	ARROW STILE	<b>:</b>
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-AOP	\$925.00	\$980.00
LH	3684-BOP	Ψ020.00	ψοσο.σσ
RH	4284-AOP	#4 03E 00	¢4 005 00
LH	4284-BOP	\$1,035.00	\$1,085.00
PAIR	7284-JOP	\$1,950.00	\$2,060.00

	SERIES 380 M	EDIUM STILE	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684MS-AOP	\$1,030.00	¢4.005.00
LH	3684MS-BOP	\$1,030.00	\$1,085.00
RH	4284MS-AOP	¢4.075.00	04 400 00
LH	4284MS-BOP	\$1,075.00	\$1,130.00
PAIR	7284MS-JOP	\$2,160.00	\$2,270.00

	SERIES 500	WIDE STILE	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
11/4140	DESCRIPTION	PART NO.	PART NO.
RH	3684WS-AOP	\$1.055.00	<b>#4.445.00</b>
LH	3684WS-BOP	\$1,055.00	\$1,115.00
RH	4284WS-AOP	£1 120 00	<b>#4.400.00</b>
LH	4284WS-BOP	\$1,120.00	\$1,180.00
PAIR	7284WS-JOP	\$2,210.00	\$2,330.00

### **ENTRANCES** • Doors & Frames


### Butt Hung / Panic / Offset Arm

Includes fabricated K.D. frame for offset arm and one pair hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

|--|

**FRAME** 

FRAME	&	TRAI	NSOM
-------	---	------	------




FL200 FRAME				
HAND DESCRIPTION		#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AOP-F2	\$279.00	\$299.00	
LH	3684-BOP-F2	\$279.00	φ299.00	
RH	4284-AOP-F2	#20E 00	¢246.00	
LH	4284-BOP-F2	\$295.00	\$316.00	
PAIR	7284-JOP-F2	\$360.00	\$385.00	
	FL200 FRAME W	VITH TRANSO	М	
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AOP-FT2	£406.00	\$438.00	
LH	3684-BOP-FT2	\$406.00		
RH	4284-AOP-FT2	£420.00	¢450.00	
LH	4284-BOP-FT2	\$426.00	\$458.00	
PAIR	7284-JOP-FT2	\$534.00	\$574.00	
FL300 FRAME				
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AOP-F3	\$290.00	¢242.00	
LH	3684-BOP-F3	Ψ230.00	\$312.00	
RH	4284-AOP-F3	\$307.00	£220.00	
LH	4284-BOP-F3	Ψ307.00	\$329.00	
PAIR	7284-JOP-F3	\$374.00	\$400.00	
	FL300 FRAME W	VITH TRANSO	М	
HAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AOP-FT3	\$464.00	\$500.00	
LH	3684-BOP-FT3	ψ-υ-4.00	\$509.00	
RH	4284-AOP-FT3	\$484.00	<b>\$530.00</b>	
LH	4284-BOP-FT3	ψ+υ4.00	\$530.00	
PAIR	7284-JOP-FT3	\$596.00	\$650.00	

NOTE: Standard frame transom height is 10' - 5 1/2".

# A1 ENTRANCES • Doors & Frames 38 Butt Hung / Panic / Offset Arm



Includes cylinder, glass stops, Traditional PH401 pull handle, 1-1/2 pair 4-1/2" x 4" butt hinges, offset arm with slide channel and DH3692 CVR panic. Fabricated for 105 degree closer only. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.  $\triangle$  D102 top rail is required for all offset arm doors. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND DESCRIPTION		PART NO.	PART NO.	
RH	3696-AOP	\$995.00	\$1,050.00	
LH	3696-BOP	Ψ993.00		
RH	4296-AOP	\$1,055.00	¢4 440 00	
LH	4296-BOP	ψ1,035.00	\$1,110.00	
PAIR	7296-JOP	\$2,090.00	\$2,200.00	

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND DESCRIPTION		PART NO.	PART NO.	
RH	3696MS-AOP	\$1,050.00	¢4 105 00	
LH	3696MS-BOP	\$1,030.00	\$1,105.00	
RH	4296MS-AOP	\$1,080.00	¢4.425.00	
LH	4296MS-BOP	φ1,000.00	\$1,135.00	
PAIR	7296MS-JOP	\$2,200.00	\$2,310.00	

SERIES 500 WIDE STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND DESCRIPTION		PART NO.	PART NO.	
RH	3696WS-AOP	\$1,100.00	¢4 460 00	
LH	3696WS-BOP	\$1,100.00	\$1,160.00	
RH	4296WS-AOP	\$1,150.00	#4.040.00	
LH	4296WS-BOP	φ1,130.00	\$1,210.00	
PAIR	7296WS-JOP	\$2,300.00	\$2,420.00	

### **ENTRANCES** • Doors & Frames


### Butt Hung / Panic / Offset Arm

 $\frac{A1}{39}$ 

Includes fabricated K.D. frame for offset arm and 1-1/2 pair butt hinges, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.

|--|

**FRAME** 




FL200 FRAME				
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-AOP-F2	\$386.00	\$415.00	
LH	3696-BOP-F2	ψ300.00	Ψ+13.00	
RH	4296-AOP-F2	\$401.00	\$430.00	
LH	4296-BOP-F2	Ψ401.00	ψ+30.00	
PAIR	7296-JOP-F2	\$487.00	\$522.00	
	FL200 FRAME W	ITH TRANSO	М	
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-AOP-FT2	\$514.00	\$553.00	
LH	3696-BOP-FT2	ΨΟ14.00	<b></b>	
RH	4296-AOP-FT2	\$538.00	\$579.00	
LH	4296-BOP-FT2	Ψ000.00	ψ373.00	
PAIR	7296-JOP-FT2	\$674.00	\$724.00	
FL300 FRAME				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-AOP-F3	\$402.00	\$432.00	
LH	3696-BOP-F3	φ402.00	\$432.00	
RH	4296-AOP-F3	\$418.00	\$448.00	
LH	4296-BOP-F3	η φ410.00	\$ <del>44</del> 6.00	
PAIR	7296-JOP-F3	\$507.00	\$542.00	
	FL300 FRAME W	ITH TRANSO	М	
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-AOP-FT3	\$569.00	\$621.00	
LH	3696-BOP-FT3	Ψ000.00	Ψ021.00	
RH	4296-AOP-FT3	\$594.00	\$648.00	
LH	4296-BOP-FT3	Ψυσ4.00	ψ040.00	
PAIR	7296-JOP-FT3	\$735.00	\$798.00	

NOTE: Standard frame transom height is 10' - 5 1/2".

## A1 ENTRANCES • Doors & Frames 40 Center Pivot



Includes lock with cylinder, glass stops, Traditional push bar hardware, center pivots and flush bolts on inactive leaf. See Section  $\frac{\mathbb{A}^2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE				
HAND DESCRIPTION		#10 CLEAR	#20 BRONZE	
		PART NO.	PART NO.	
RH	3684-G	\$646.00	\$672.00	
LH	3684-H	Ψυ+υ.υυ	Φ072.00	
RH	4284-G	\$699.00	¢729.00	
LH	4284-H	φυθθ.00	\$738.00	
PAIR 7284-M		\$1,333.00	\$1,391.00	

SERIES 380 MEDIUM STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
TIAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684MS-G	\$709.00	\$737.00	
LH	3684MS-H	Ψ709.00		
RH	4284MS-G	\$763.00	¢905.00	
LH	4284MS-H	Ψ103.00	\$805.00	
PAIR	7284MS-M	\$1,495.00	\$1,550.00	

SERIES 500 WIDE STILE				
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE	
117(14)	DESCRIPTION	PART NO.	PART NO.	
RH	3684WS-G	\$724.00	\$755.00	
LH	3684WS-H	Ψ124.00	\$733.00	
RH	4284WS-G	\$771.00	¢045.00	
LH	4284WS-H	Ψ111.00	\$815.00	
PAIR	7284WS-M	\$1,525.00	\$1,577.00	

FRONT LINE

### **ENTRANCES** • Doors & Frames /

Center Pivot

Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section (A2) for door closers and other loose hardware.


	FRAME	FL200 FRAME			
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-G-F2	\$211.00	\$227.00
١ ا		LH	3684-H-F2	Ψ211.00	Ψ227.00
		RH	4284-G-F2	\$225.00	\$241.00
		LH	4284-H-F2	Ψ223.00	Ψ2+1.00
		PAIR	7284-M-F2	\$271.00	\$289.00
			FL200 FRAME W	VITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-G-FT2	\$377.00	\$408.00
		LH	3684-H-FT2	ψονν.σσ	Ψ+00.00
	FRAME & TRANSOM	RH	4284-G-FT2	\$398.00	\$431.00
		LH	4284-H-FT2	Ψ000.00	
		PAIR	7284-M-FT2	\$504.00	\$548.00
			FL300 F	FRAME	
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-G-F3	\$259.00	\$284.00
		LH	3684-H-F3	Ψ233.00	Ψ204.00
		RH	4284-G-F3	\$274.00	\$300.00
		LH	4284-H-F3	Ψ214.00	ψ300.00
		PAIR	7284-M-F3	\$323.00	\$352.00
			FL300 FRAME W	ITH TRANSO	М
		HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
		HAND	DESCRIPTION	PART NO.	PART NO.
		RH	3684-G-FT3	\$450.00	\$503.00
		LH	3684-H-FT3	Ψ430.00	ψ303.00
		RH	4284-G-FT3	\$471.00	\$526.00
		LH	4284-H-FT3	\$471.00	Ψ020.00
		PAIR	7284-M-FT3	\$579.00	\$644.00

NOTE: Standard frame transom height is 10' - 5 1/2".

## A1 ENTRANCES • Doors & Frames 42 Center Pivot



Includes lock with cylinder, glass stops, Traditional push bar hardware, center pivots and flush bolts on inactive leaf. See Section  $\bigcirc^{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696-G	\$672.00	\$700.00		
LH	3696-H	ψ072.00			
RH	4296-G	\$736.00	¢777.00		
LH	4296-H	ψ130.00	\$777.00		
PAIR	7296-M	\$1,391.00	\$1,449.00		

SERIES 380 MEDIUM STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3696MS-G	\$740.00	Ф <b>774</b> ОО		
LH	3696MS-H	Ψ740.00	\$774.00		
RH	4296MS-G	\$807.00	<b>#954.00</b>		
LH	4296MS-H	Ψου1.00	\$854.00		
PAIR	7296MS-M	\$1,559.00	\$1,624.00		

SERIES 500 WIDE STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
11/4140	DESCRIPTION	PART NO.	PART NO.		
RH	3696WS-G	\$751.00	¢796.00		
LH	3696WS-H	\$751.00	\$786.00		
RH	4296WS-G	\$815.00	<b>#</b> 004.00		
LH	4296WS-H	φο (5.00	\$864.00		
PAIR	7296WS-M	\$1,598.00	\$1,664.00		




Includes fabricated K.D. frame, 1/2" x 4" mill finish threshold, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

FRAME		FL200	FRAME	
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	HAND	DESCRIPTION -	PART NO.	PART NO.
	RH	3696-G-F2	\$322.00	\$345.00
	LH	3696-H-F2	Ψ022.00	ψ0+3.00
	RH	4296-G-F2	\$336.00	\$360.00
	LH	4296-H-F2	Ψ330.00	
	PAIR	7296-M-F2	\$404.00	\$432.00
		FL200 FRAME V	VITH TRANSO	М
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	HAND	DESCRIPTION	PART NO.	PART NO.
	RH	3696-G-FT2	\$471.00	\$511.00
	LH	3696-H-FT2	φ+7 1.00	φ011.00
FRAME & TRANSOM	RH	4296-G-FT2	\$497.00	\$539.00
	LH	4296-H-FT2	Ψ+37.00	
	PAIR	7296-M-FT2	\$631.00	\$685.00
	FL300 FRAME			
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	HAND	DESCRIPTION	PART NO.	PART NO.
	RH	3696-G-F3	\$360.00	#20F 00
	LH	3696-H-F3	\$300.00	\$395.00
	RH	4296-G-F3	\$274.00	\$410.00
	LH	4296-H-F3	\$374.00	φ <del>4</del> 10.00
	PAIR	7296-M-F3	\$441.00	\$480.00
		FL300 FRAME V	VITH TRANSO	М
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
	TIVATE	DESCRIPTION	PART NO.	PART NO.
	RH	3696-G-FT3	- \$550.00	\$612.00
	LH	3696-H-FT3	Ψ330.00	ΨΟ12.00
	RH	4296-G-FT3	\$576.00	\$641.00
	LH	4296-H-FT3	φ370.00	φ041.00
	PAIR	7296-M-FT3	\$711.00	\$789.00

NOTE: Standard frame transom height is 10' - 5 1/2".



Includes pair Series 213 narrow stile doors (3684 active and 6084 inactive) with 1 1/2 pair butt hinges, lock cylinder, flush bolts on inactive leaf and Classic push/pull. See Section for door closers and other loose hardware. Allow additional time for these doors.



SERIES 213 NARROW STILE					
HAND DESCRIPTION	DESCRIPTION	#10 CLEAR	#20 BRONZE		
	PART NO.	PART NO.			
PAIR	9684JS-R	\$1,397.00	\$1,505.00		
	9696JS-R ACT. ON RIGHT	\$1,527.00	\$1,650.00		
DAID	9684JS-L	\$1,397.00	\$1,505.00		
PAIR	9696JS-L ACT. ON LEFT	\$1,527.00	\$1,650.00		


#### **ENTRANCES** • Frames

#### **Butt Hung / Showroom**

Includes fabricated K.D. frame for 1 1/2 pair butt hinges, 1/2" x 4" mill finish threshold, door-stop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash with glass stops where applicable and setting blocks. Doorjambs at wall require a flat-filler, which is not included. See Section (A2) for door closers and other loose hardware.

NOTE: Use SR102 steel reinforcement in jambs when required.

#### FRAME & TRANSOM





	FL200 FRAME WITH TRANSOM					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
TIAND	DESCRIPTION	PART NO.	PART NO.			
DAID	9684JSR-FT2	\$764.00	\$820.00			
PAIR	9696JSR-FT2 ACT. ON RIGHT	\$770.00	\$826.00			
	9684JSL-FT2	\$764.00	\$820.00			
PAIR	9684JSL-FT2 ACT. ON LEFT	\$770.00	\$826.00			
	FL300 FRAME W	VITH TRANSO	M			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
11/1140	DECORN TION	PART NO.	PART NO.			
		TAKTNO.	PART NO.			
DAID	9684JSR-FT3	\$846.00	\$919.00			
PAIR	9684JSR-FT3 9696JSR-FT3 ACT. ON RIGHT					
PAIR PAIR	9696JSR-FT3	\$846.00	\$919.00			

**NOTE:** Add "**DM141**" to substitute **DG101** Glass Stops used for 1" glass. Standard frame transom height is 10' - 5 1/2".




#### **ENTRANCES** • Doors & Frames /

### Butt Hung / Florida Approved

Non-Impact Applications

Tested  $\pm$  60 psf. Includes 3-point lock with cylinder, glass stops for 1/4" infill, Traditional push/pull hardware, 1-1/2 pair butt hinges and steel tip flush bolts on inactive leaf. See Section for door closers and other loose hardware. Allow additional time for these doors.



	SERIES 214 NARROW STILE					
	HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
	ПАМО	DESCRIPTION	PART NO.	PART NO.		
ſ	RH	3684-AF	\$568.00	\$635.00		
ſ	LH	3684-BF	ψ300.00	ψ033.00		
	PAIR 7284-JF		\$1,194.00	\$1,329.00		

FRAME	FRAME & TRANSOM

FL200 FRAME					
HAND	DECODIDITION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-AF-F2	\$236.00	\$253.00		
LH	3684-BF-F2	φ230.00	\$255.00		
PAIR	7284-JF-F2	\$300.00	\$321.00		
	FL200 FRAME W	ITH TRANSO	М		
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-AF-FT2	\$342.00	\$369.00		
LH	3684-BF-FT2	φ342.00	φ309.00		
PAIR	7284-JF-FT2	\$449.00	\$482.00		
	FL300 F	RAME			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-AF-F3	\$246.00	\$264.00		
LH	3684-BF-F3	Ψ2+0.00	Ψ204.00		
PAIR	7284-JF-F3	\$316.00	\$338.00		
	FL300 FRAME W	ITH TRANSO	М		
HAND	DECORIDATION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.		
RH	3684-AF-FT3	\$393.00	\$428.00		
LH	3684-BF-FT3	Ψυθυ.υυ	ψ420.00		
PAIR	7284-JF-FT3	\$501.00	\$546.00		

NOTE: Add "DM141" to substitute DG101 Glass Stops used for 1" glass. Standard frame transom height is 10' - 5 1/2".

### ENTRANCES • Doors & Frames

### **Geographical Approved** 46 Offset Pivot / Florida Approved

**Non-Impact Applications** 



#20 BRONZE

PART NO.

#20 BRONZE PART NO.


#20 BRONZE PART NO.

#20 BRONZE PART NO.

OM

OM

Tested ± 60 psf. Includes 3-point lock with cylinder, glass stops for 1/4" infill, Traditional push/ pull hardware, 1-1/2 pair offset pivots and flush bolts on inactive leaf. See Section  $\frac{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.



SERIES 214 NARROW STILE					
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE		
ПАМО	D DESCRIPTION	PART NO.	PART NO.		
RH					
LH	Contact Customer Service				
PAIR					

FL200 FRAME

#10 CLEAR


PART NO.

RH	Contact Customer Service			
LH				
PAIR				
	FL200 FRAME W	ITH TRANSO		
HAND	DESCRIPTION	#10 CLEAR		
HAND	DESCRIPTION	PART NO.		
RH				
LH	Contact (	Customer Service		
PAIR				
	FL300 F	RAME		
LIAND	DESCRIPTION	#10 CLEAR		
HAND		PART NO.		
RH				
LH	Contact (	Customer Service		
PAIR				
	FL300 FRAME W	ITH TRANSO		
HAND	DESCRIPTION	#10 CLEAR		
HAND	DESCRIPTION	PART NO.		
RH				

**DESCRIPTION** 

**HAND** 

LH **PAIR** 



**Contact Customer Service** 



# Hurricane Impact-Resistant Entrances & Frames NOTES AND POLICES COMMON TO EACH PRODUCT

(Unless otherwise specified)

- Series 281 Narrow Stile Door size may not exceed 36" x 84" for single and 72" x 84" for pairs.
- Series 381 Medium Stile Door size may not exceed 42" x 96" for single and 84" x 96" for pairs.
- Reference Options and Limitations for Series 281 or 381 Impact-Resistant Doors. SWING-IN DOORS
  ARE NOT OFFERED FOR IMPACT APPLICATIONS.
- Doorjambs at wall require FL515 flat filler which is not included in frame package. TH4 mill finish threshold is standard on all finishes.
- Allow additional time for these doors and frames.
- Heavy duty closers are required for impact doors due to extra weight and size.
- FL500 Doorframes are covered by NOA (pending).
- Series 281 Entrance Doors are covered by NOA (pending).
- Series 381 Entrance Doors by NOA (pending)
- Doors were not tested for water infiltration.

**NOTE:** Series 281 Doors installed into FL500 Doorframes are limited to +/- 65 PSF. The lower design pressure of doors will govern.

### ENTRANCES • Hurricane Impact-Resistant



Series 281 Doors / Series FL500 Frames
Options & Limitations Chart

# FRONT LINE

### DADE COUNTY, FLORIDA APPLICATIONS OPTIONS AND LIMITATIONS

SERIES 281 NARROW STILE DOORS FOR LARGE MISSILE IMPACT QUALIFIED WITH FL500 DOORFRAMES (NOA Pending)

DESIGN PRESSURE		DOOR SIZE hes)	MAXIMUM GLASS SIZE (Inches)		QUALIFIED GLASS	
P.S.F.	SINGLE	PAIR	D.L.O. W x H	SQ. FT.	TYPES	
+65/-65	36 x 84	72 x 84	29 9/16 x 71 7/16	14.7	B & U	

NOTE: D108 or D109 Bottom Rail Optional

LOCKING AND CLOSER OPTIONS			
ACTIVE LEAF	DH072 3-POINT LOCK WITH DH078 CYLINDER & DH079 THUMBTURN		
INACTIVE LEAF	2 EA. DH176 STEEL TIP FLUSH BOLTS		
SURFACE	HEAVY DUTY ANSI GRADE 1 CLOSER		
C.O.C.	JACKSON ANSI GRADE 1 OR EQUAL		

HINGING OPTIONS			
TYPE DESCRIPTION QUANTITY			
BUTTS	DH109 4 1/2" X 4"	1 1/2 PAIR	

PANIC EXIT DEVICES OPTIONS				
MANUFACTURER SERIES TYPE				
JACKSON CORPORATION	2086 HR ANSI GRADE 1	CONCEALED VERTICAL ROD		

GLASS COMPOSITION	MANUFACTURER	GLASS TYPE
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.090 SOLUTIA SAFLEX PVB INTERLAYER NOA # 03-0105.02	SOLUTIA	В
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.120 UVEKOL INTERLAYER NOA #03-1117.05	CORAL INDUSTRIES, INC.	U

January 2012 Coral Architectural Products • Price Book



### DADE COUNTY, FLORIDA APPLICATIONS OPTIONS AND LIMITATIONS

SERIES 381 MEDIUM STILE DOORS FOR LARGE MISSILE IMPACT QUALIFIED WITH FL500 DOORFRAMES (NOA Pending)

DESIGN PRESSURE		DOOR SIZE hes)	MAXIMUM G (Inch		QUALIFIED GLASS
P.S.F.	SINGLE	PAIR	D.L.O. W x H	SQ. FT.	TYPES
+70/-80	42 x 96	84 x 96	32 5/16 x 81 11/16	18.3	B & U

NOTE: D109 Bottom Rail Optional

LOCKING AND CLOSER OPTIONS			
ACTIVE LEAF	DH072 3-POINT LOCK WITH DH078 CYLINDER & DH079 THUMBTURN		
INACTIVE LEAF	2 EA. DH176 STEEL TIP FLUSH BOLTS		
SURFACE	HEAVY DUTY ANSI GRADE 1 CLOSER		
C.O.C.	JACKSON ANSI GRADE 1 OR EQUAL		


HINGING OPTIONS			
TYPE DESCRIPTION QUANTITY			
BUTTS	DH109 4 1/2" X 4"	1 1/2 PAIR	

PANIC EXIT DEVICES OPTIONS				
MANUFACTURER SERIES TYPE				
JACKSON CORPORATION	2086 HR ANSI GRADE 1	CONCEALED VERTICAL ROD		

GLASS COMPOSITION	MANUFACTURER	GLASS TYPE
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.090 SOLUTIA SAFLEX PVB INTERLAYER NOA # 03-0105.02	SOLUTIA	В
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.120 UVEKOL INTERLAYER NOA #03-1117.05	CORAL INDUSTRIES, INC.	U



Includes 1-1/2 pair butt hinges, bottom door sweep, 3-point lock with cylinder, glass stops for 9/16" infill, Traditional push/pull hardware, and steel tip flush bolts on inactive leaf. See Section  $\binom{A2}{2}$  for door closers and other loose hardware.




SERIES 281 NARROW STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684HN-A	\$740.00	\$802.00
LH	3684HN-B	φ740.00	ψ002.00
PAIR	7284HN-J	\$1,397.00	\$1,522.00

SERIES 381 MEDIUM STILE				
HAND	AND DESCRIPTION	#10 CLEAR	#20 BRONZE	
TIAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684HR-A	\$928.00	\$981.00	
LH	3684HR-B	ψ920.00	ψ301.00	
RH	4284HR-A	\$975.00	\$1,030.00	
LH	4284HR-B	φ9/3.00		
PAIR	7284HR-J	\$1,661.00	\$1,749.00	
PAIR	8484HR-J	\$1,834.00	\$1,956.00	



Includes fabricated K.D. frame for 1-1/2 pair butt hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.


#### **FRAME**



FL500 FRAME				
HAND	DECORPORTION.	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-A-F5	\$298.00	\$320.00	
LH	3684-B-F5	φ296.00	ψ320.00	
RH	4284-A-F5	¢214.00	\$337.00	
LH	4284-B-F5	\$314.00	φ337.00	
PAIR	7284-J-F5	\$383.00	\$410.00	
PAIR	8484-J-F5	\$412.00	\$432.00	

FRAME & TRANSOM






**NOTE**: Maximum Frame Height = 120-3/8"

FL500 FRAME WITH TRANSOM			
HAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-A-FT5	\$481.00	\$520.00
LH	3684-B-FT5		
RH	4284-A-FT5	\$502.00	\$542.00
LH	4284-B-FT5		φ542.00
PAIR	7284-J-FT5	\$616.00	\$663.00
PAIR	8484-J-FT5	\$658.00	\$696.00

**NOTE**: All FL500 Doorframes requiring sidelites are interchangeable with Series FL550 Framing System by using FL555 Snap-In Filler.



Includes 1-1/2 pair butt hinges, bottom door sweep, 3-point lock with cylinder, glass stops for 9/16" infill, Traditional push/pull hardware, and steel tip flush bolts on inactive leaf. See Section  $\binom{A2}{2}$  for door closers and other loose hardware.




SERIES 381 MEDIUM STILE			
HAND	LIAND DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696HR-A	\$985.00	\$1,041.00
LH	3696HR-B		
RH	4296HR-A	\$1,021.00	\$1,079.00
LH	4296HR-B		\$1,079.00
PAIR	7296HR-J	\$1,766.00	\$1,861.00
PAIR	8496HR-J	\$1,831.00	\$1,930.00



Includes fabricated K.D. frame for 1-1/2 pair hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section  $\binom{22}{2}$  for door closers and other loose hardware.


#### **FRAME**



	FL500 FRAME			
HAND	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-A-F5	\$359.00	\$387.00	
LH	3696-B-F5			
RH	4296-A-F5	#272.00	\$402.00	
LH	4296-B-F5	\$373.00	φ <del>4</del> 02.00	
PAIR	7296-J-F5	\$452.00	\$484.00	
PAIR	8496-J-F5	\$480.00	\$514.00	

FRAME & TRANSOM






FL500 FRAME WITH TRANSOM			
ПУИГ	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND		PART NO.	PART NO.
RH	3696-A-FT5	\$513.00	\$554.00
LH	3696-B-FT5		
RH	4296-A-FT5	\$536.00	\$578.00
LH	4296-B-FT5		
PAIR	7296-J-FT5	\$652.00	\$700.00
PAIR	8496-J-FT5	\$706.00	\$758.00

# A1 ENTRANCES • Impact Doors & Frames 54 Butt Hung / Panic



Includes 1-1/2 pair butt hinges, bottom door sweep, cylinder, glass stops for 9/16" infill, Traditional PH401 pull handle and Jackson 2086 CVR panic See Section (A2) for door closers and other loose hardware.

Allow additional time for these doors.




SERIES 281 NARROW STILE			
HAND	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND DESCRIPTION	PART NO.	PART NO.	
RH	3684HN-AP	\$1.646.00	\$1,696.00
LH	3684HN-BP	Ψ1,040.00	ψ1,030.00
PAIR	7284HN-JP	\$3,298.00	\$3,398.00

SERIES 381 MEDIUM STILE			
HAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684HR-AP	\$1,748.00	\$1,785.00
LH	3684HR-BP		
RH	4284HR-AP	\$1,949.00	\$1,988.00
LH	4284HR-BP		
PAIR	7284HR-JP	\$3,493.00	\$3,565.00
PAIR	8484HR-JP	\$3,896.00	\$3,972.00




Includes fabricated K.D. frame for 1-1/2 pair butt hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section (A2) for door closers and other loose hardware.

#### **FRAME**



	FL500 FRAME			
HAND	LIAND DESCRIPTION	#10 CLEAR	#20 BRONZE	
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3684-AP-F5	\$357.00	\$384.00	
LH	3684-BP-F5			
RH	4284-AP-F5	<b>*</b> 077 00	\$405.00	
LH	4284-BP-F5	\$377.00	φ405.00	
PAIR	7284-JP-F5	\$459.00	\$491.00	
PAIR	8484-JP-F5	\$494.00	\$518.00	

FRAME & TRANSOM




FL500 FRAME WITH TRANSOM			
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-AP-FT5	\$577.00	\$623.00
LH	3684-BP-FT5		
RH	4284-AP-FT5	\$602.00	\$650.00
LH	4284-BP-FT5		φ030.00
PAIR	7284-JP-FT5	\$739.00	\$795.00
PAIR	8484-JP-FT5	\$785.00	\$835.00

# A1 ENTRANCES • Impact Doors & Frames Butt Hung / Panic



Includes 1-1/2 pair butt hinges, bottom door sweep, cylinder, glass stops for 9/16" infill, Traditional PH401 pull handle, offset arm with slide channel and Jackson 2086 CVR panic. Fabricated for 105 degree closer only. See Section  $\frac{A2}{2}$  for door closers and other loose hardware. Allow additional time for these doors.




SERIES 381 MEDIUM STILE			
HAND	ND DECORPOSION	#10 CLEAR	#20 BRONZE
ПАІЛО	DESCRIPTION	PART NO.	PART NO.
RH	3696HR-AP	\$1,801.00	\$1,841.00
LH	3696HR-BP		φ1,041.00
RH	4296HR-AP	\$1,991.00	\$2,034.00
LH	4296HR-BP		φ2,034.00
PAIR	7296HR-JP	\$3,602.00	\$3,682.00
PAIR	8496HR-JP	\$3,984.00	\$4,067.00




Includes fabricated K.D. frame for 1-1/2 pair butt hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section (2) for door closers and other loose hardware.

#### **FRAME**



	FL500 FRAME			
HAND DESCRIPTION	#10 CLEAR	#20 BRONZE		
HAND	DESCRIPTION	PART NO.	PART NO.	
RH	3696-AP-F5	\$441.00	\$473.00	
LH	3696-BP-F5			
RH	4296-AP-F5	\$457.00	\$491.00	
LH	4296-BP-F5	φ437.00	φ491.00	
PAIR	7296-JP-F5	\$552.00	\$592.00	
PAIR	8496-JP-F5	\$586.00	\$628.00	

FRAME & TRANSOM




FL500 FRAME WITH TRANSOM			
LIAND DECORPTION	#10 CLEAR	#20 BRONZE	
HAND	HAND DESCRIPTION	PART NO.	PART NO.
RH	3696-AP-FT5	\$627.00	\$677.00
LH	3696-BP-FT5		
RH	4296-AP-FT5	\$655.00	\$707.00
LH	4296-BP-FT5		φ/0/.00
PAIR	7296-JP-FT5	\$808.00	\$868.00
PAIR	8496-JP-FT5	\$863.00	\$927.00

# ENTRANCES • Impact Doors & Frames Butt Hung / Offset Arm



Includes 3-point lock with cylinder, glass stops for 9/16" infill, Traditional push/pull hardware, 1-1/2" pair butt hinges, bottom door sweep, offset arm with slide channel and steel tip flush bolts on inactive leaf. Fabricated for 105 degree closer only. See Section (2) for door closers and other loose hardware. **D102** top rail is required for all offset arm doors. Allow additional time for these doors.




SERIES 281 NARROW STILE			
HAND	HAND DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND D	DESCRIPTION	PART NO.	PART NO.
RH	3684HN-AO	\$856.00	\$925.00
LH	3684HN-BO		
PAIR	7284HN-JO	\$1,619.00	\$1,757.00

SERIES 381 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684HR-AO	\$956.00	\$1,038.00
LH	3684HR-BO		
RH	4284HR-AO	\$1,003.00	\$1,087.00
LH	4284HR-BO		
PAIR	7284HR-JO	\$1,809.00	\$1,976.00
PAIR	8484HR-JO	\$1,903.00	\$2,070.00




Includes fabricated K.D. frame for offset arm 1-1/2 pair butt hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

#### **FRAME**



FL500 FRAME			
LIAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684-AO-F5	\$343.00	\$369.00
LH	3684-BO-F5		
RH	4284-AO-F5	\$360.00	\$387.00
LH	4284-BO-F5		
PAIR	7284-JO-F5	\$431.00	\$461.00
PAIR	8484-JO-F5	\$461.00	\$493.00


FRAME & TRANSOM



FL500 FRAME WITH TRANSOM			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND		PART NO.	PART NO.
RH	3684-AO-FT5	\$581.00	\$629.00
LH	3684-BO-FT5		
RH	4284-AO-FT5	\$607.00	\$657.00
LH	4284-BO-FT5		φουγ.00
PAIR	7284-JO-FT5	\$749.00	\$807.00
PAIR	8484-JO-FT5	\$783.00	\$844.00



Includes 1-1/2 pair butt hinges, bottom door sweep, fabricated for 3-point lock, glass stops for 9/16" infill, Traditional push/pull hardware, offset arm with slide channel and flush bolts on inactive leaf. Fabricated for 105 degree closer only. See Section  $\frac{A2}{2}$  for door closers and other loose hardware.  $\triangle$  D102 top rail is required for all offset arm doors. Allow additional time for these doors.




SERIES 381 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696HR-AO	\$1,013.00	\$1,098.00
LH	3696HR-BO		φ1,090.00
RH	4296HR-AO	\$1,049.00	\$1,136.00
LH	4296HR-BO		
PAIR	7296HR-JO	\$1,926.00	\$2,102.00
PAIR	8496HR-JO	\$1,998.00	\$2,178.00




Includes fabricated K.D. frame for offset arm for 1-1/2 pair hinges, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.

#### **FRAME**



FL500 FRAME			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
ПАІЛО	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-F5	\$381.00	\$410.00
LH	3696-BO-F5		φ410.00
RH	4296-AO-F5	\$438.00	\$471.00
LH	4296-BO-F5		φ471.00
PAIR	7296-JO-F5	\$520.00	\$558.00
PAIR	8496-JO-F5	\$550.00	\$588.00

FRAME & TRANSOM




FL500 FRAME WITH TRANSOM			
LIAND	DECODIDATION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3696-AO-FT5	\$621.00	\$671.00
LH	3696-BO-FT5		
RH	4296-AO-FT5	\$650.00	\$702.00
LH	4296-BO-FT5		
PAIR	7296-JO-FT5	\$807.00	\$869.00
PAIR	8496-JO-FT5	\$864.00	\$930.00

# A1 ENTRANCES • Impact Doors & Frames 62 Butt Hung / Panic / Offset Arm



Includes 1-1/2 pair butt hinges, bottom door sweep, cylinder, glass stops, Traditional PH401 pull handle, offset arm with slide channel and Jackson 2086 CVR panic. Fabricated for 105 degree closer only. See Section (2) for door closers and other loose hardware. **D102** top rail is required for all offset arm doors. Allow additional time for these doors.




SERIES 281 NARROW STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND	DESCRIPTION	PART NO.	PART NO.
RH	3684HN-AOP	\$1,880.00	\$1,935.00
LH	3684HN-BOP	Ψ1,000.00	ψ1,000.00
PAIR	7284HN-JOP	\$3,766.00	\$3,878.00

SERIES 381 MEDIUM STILE			
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE
HAND		PART NO.	PART NO.
RH	3684HR-AOP	\$1,907.00	\$1,946.00
LH	3684HR-BOP		φ1,940.00
RH	4284HR-AOP	\$2,123.00	\$2,165.00
LH	4284HR-BOP		\$2,105.00
PAIR	7284HR-JOP	\$3,811.00	\$3,889.00
PAIR	8484HR-JOP	\$4,243.00	\$4,326.00




Includes 1-1/2 pair butt hinges, fabricated K.D. frame for offset arm, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section of door closers and other loose hardware.





	FL500 FRAME						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE				
HAND	DESCRIPTION	PART NO.	PART NO.				
RH	3684-AOP-F5	\$381.00	\$410.00				
LH	3684-BOP-F5	φ361.00	Ψ-10.00				
RH	4284-AOP-F5	\$400.00	\$430.00				
LH	4284-BOP-F5	\$ <del>4</del> 00.00	φ430.00				
PAIR	7284-JOP-F5	\$478.00	\$512.00				
PAIR	8484-JOP-F5	\$512.00	\$547.00				

FRAME & TRANSOM




FL500 FRAME WITH TRANSOM						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
HAND	DESCRIPTION	PART NO.	PART NO.			
RH	3684-AOP-FT5	\$646.00	\$699.00			
LH	3684-BOP-FT5	ψ040.00	φυθθ.00			
RH	4284-AOP-FT5	\$675.00	\$730.00			
LH	4284-BOP-FT5	\$675.00	φ/30.00			
PAIR	7284-JOP-FT5	\$816.00	\$878.00			
PAIR	8484-JOP-FT5	\$873.00	\$939.00			

# A1 ENTRANCES • Impact Doors & Frames 64 Butt Hung / Panic / Offset Arm



Includes 1-1/2 pair butt hinges, bottom door sweep, cylinder, glass stops, Traditional PH401 pull handle, offset arm with slide channel and Jackson 2086 CVR panic. Fabricated for 105 degree closer only. See Section  $\frac{A^2}{2}$  for door closers and other loose hardware.  $\blacktriangle$  **D102** top rail is required for all offset arm doors. Allow additional time for these doors.




SERIES 381 MEDIUM STILE						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE			
TIAND	DESCRIPTION	PART NO.	PART NO.			
RH	3696HR-AOP	\$1,964.00	\$2,007.00			
LH	3696HR-BOP	φ1,904.00	φ2,007.00			
RH	4296HR-AOP	\$2,169.00	\$2,214.00			
LH	4296HR-BOP	φ2,109.00	φ2,214.00			
PAIR	7296HR-JOP	\$3,928.00	\$4,014.00			
PAIR	8496HR-JOP	\$4,338.00	\$4,428.00			

January 2012




Includes 1-1/2 pair butt hinges, fabricated K.D. frame for offset arm, DP200-1 doorstop for door pair, 1/2" x 4" mill finish threshold, doorstop w/weathering, offset arm cover, assembly screws and threshold clips. Door closer and fasteners for attaching frame to substrate are not included. Frames with transom include glazing gasket, sash, glass stops and setting blocks. Doorjambs at wall require **FL515** flat-filler, which is not included. See Section (A2) for door closers and other loose hardware.

#### **FRAME**



	FL500 FRAME						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE				
HAND	DESCRIPTION	PART NO.	PART NO.				
RH	3696-AOP-F5	\$476.00	\$513.00				
LH	3696-BOP-F5	\$470.00	φ515.00				
RH	4296-AOP-F5	\$492.00	\$530.00				
LH	4296-BOP-F5	Ψ+92.00	φ330.00				
PAIR	7296-JOP-F5	\$585.00	\$628.00				
PAIR	8496-JOP-F5	\$618.00	\$662.00				

#### FRAME & TRANSOM



	FL500 FRAME WITH TRANSOM						
HAND	DESCRIPTION	#10 CLEAR	#20 BRONZE				
HAND	DESCRIPTION	PART NO.	PART NO.				
RH	3696-AOP-FT5	\$699.00	\$755.00				
LH	3696-BOP-FT5	Ψ099.00	ψ133.00				
RH	4296-AOP-FT5	\$731.00	\$789.00				
LH	4296-BOP-FT5	\$731.00	φ/69.00				
PAIR	7296-JOP-FT5	\$.00	\$.00				
PAIR	8496-JOP-FT5	\$972.00	\$1,046.00				



### **Standard Loose Hardware**

	Section	Pag
Overhead Concealed and Surface Closers	(A2)	2
Center Pivots	_	
Offset Pivots	(A2)	4
Intermediate Pivots	(A2)	5
Butt Hinges	(A2)	5
Locks and Accessories	(A2)	6-7
Cylinders	A2)	8
Prepared Thresholds	(A2)	9
Panic Devices	$\simeq$	
Door Sweeps and Flush Bolts	(A2)	11
Traditional Push / Pull Hardware	$\tilde{}$	



ITEM	DESCRIPTION	P/N	CLEAR	BRONZE
CONCEALED CLOSERS	105° No Hold Open For Doors up to 36" Wide	CL205	\$169.00	
CLOSER BODY See <b>Note 1</b> Below	(For Doors Over 36" Wide) 105° No Hold Open W / Adj Back Check Heavy Duty	CL405	\$199.00	
SIDE LOAD ARM	Top Arm Assembly For Center Pivot Doors	DH147	\$43.00	
	Offset Arm Assembly Requires D102 Top Rail on NS213 Doors (Included with Standard Doors)	DH152	\$44.00	
OFFSET ARM & SLIDE CHANNEL	Offset Arm Slide Channel	DH152	\$39.00	
	For Center Pivot	C112-1		
COVER PLATE	3 - 11/16" x 12 - 1/2" Radius Corner for Offset Arm	DH117	\$38.00	\$38.00

ITEM	DESCRIPTION	P/N	CLEAR	BRONZE
TRI-STYLE SURFACE CLOSER	Standard Closer For 36" to 42" No H/O Adjustable Back-check Valve Controls For Latching & Closing Speeds	CL026	\$78.00	\$78.00
	Top Jamb Bracket	CL030	\$15.00	\$15.00
	Drop Plate	CL031	\$17.00	\$17.00

ITEM	DESCRIPTION	P/N	CLEAR	BRONZE
	Barrier Free Closers- Adjustable			
	Meets ADA Standards for Exterior Doors 36" To 42" No H/O Adjustable Spring Power (8 1/2 -5 Lbs.) W/ Adj. Back-Check, Dress Cover & Parallel Arm Bracket Included	CL028	\$166.00	\$166.00

Note 1: Other Closer options available on request.



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
CENTER PIVOT ASSEMBLY	Complete Assembly Threshold Mounted	DH146	MILL	\$38.00	\$43.00	\$34.00
CENTER PIVOT ASSEMBLY	Complete Assembly Floor Mounted	DH145	MILL	\$38.00	\$43.00	



### Offset & Intermediate Pivots



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
		DUIAGA	CLEAR	\$11.00		<b>#45.00</b>
	Top Frame Portion	DH101	BRONZE	\$11.00		\$15.00
			CLEAR	\$10.00	045.00	
	Top Door Portion	DH102	BRONZE	\$11.00	\$15.00	
	Datte de Dans Dantier	DUIAGO	CLEAR	\$11.00	\$15.00	
	Bottom Door Portion	DH103	BRONZE	\$11.00	\$15.00	
0	Right Hand Floor Portion	DH104	CLEAR	\$15.00		\$15.00
	Left Hand Floor Portion	DH105	BRONZE	\$15.00		\$15.00
INTERMEDIATE PIVOT	MORTICE ASSEMBLY (Prep. charges include					
	backup plate) Left Hand	DH107	CLEAR	\$47.00	\$39.00	\$39.00
	Right Hand	DH108	BRONZE	\$50.00	ψοσ.σσ	Ψ33.00



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
BUTT HINGE	4 1/2" x 4" Butt Hinge	DH109	CLEAR	\$17.00	\$26.00	\$26.00
	(Prep. charges include backup plate)	DH109 .	BRONZE	\$23.00	, , , , ,	
C.G. BUTT HINGE	Continuous Gear for	5	CLEAR	\$209.00	\$100.00	
RG	84" Door Height (Prep. charges include hinge)	DH- 111HD-83	BRONZE	\$270.00	\$100.00	
HEAVY DUTY	Continuous Gear for 96" Door Height	DH-	CLEAR	\$279.00	\$100.00	
(Not Sold Loose)	(Prep. charges include hinge)	DH- 111HD-95	BRONZE	\$333.00	\$100.00	
	Frame Back Up Plate For <b>DH107</b> or <b>DH108</b>	BP451	ZINC PLATED	\$8.00		
	Door Back Up Plate For <b>DH107</b> or <b>DH108</b>	BP461	ZINC PLATED	\$8.00		
	Hinge Back Up Plate For Frame	BP459	ZINC PLATED	\$7.00		
	Hinge Back Up Plate For Door	BP450	ZINC PLATED	\$7.00		



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
	Hook Bolt Lock (Prep. includes face plate)	DH070	CLEAR	\$21.00	\$22.00	\$15.00
	Complete 2-Point Lock W / Threshold Bolt and Face Plate	DH071	CLEAR		\$87.00 (Includes hardware)	
	Complete 3-Point Lock W / Threshold Bolt, Header Bolt and Face Plate	DH072	CLEAR		\$180.00 (Includes hardware)	
	1-1/4" x 6-7/8" Electric Strike	DH098-10 DH098-20	CLEAR BRONZE	\$167.00 \$167.00	N/A N/A	\$42.00 \$42.00



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
LOCKS	Deadlatch ( Field reversible for opposite hand )	DH084	MILL	\$30.00		
HANDLE	Left Hand Paddle Handle W/CAM for DH084	DH091 LH	CLEAR BRONZE	\$73.00 \$73.00		
	Right Hand Paddle Handle W/CAM for DH084	DH092 RH	CLEAR BRONZE	\$73.00 \$73.00		
HANDLE	Lever Handle W/CAM for	DH093	CLEAR	\$30.00		
	DH084 (Handed - Field Reversible)	B11033	BRONZE	\$30.00		
STRIKE SET	SC4510 Strike Set for Offset Door jamb Includes dust box, back-up plate & installation screws	DH090	CLEAR (US-26D)	\$22.00		
FACE PLATES	Left Hand Beveled For DH070	DH060	CLEAR BRONZE	\$3.00		
	Right Hand Beveled For DH070	DH061	CLEAR BRONZE	\$3.00		
•	Radius For DH070	DH062	CLEAR BRONZE	\$4.00		
	Radius For DH084 Deadlatch	DH063	CLEAR BRONZE	\$4.00		
	Right Hand Beveled For DH084	DH064	CLEAR BRONZE	\$4.00		
	Left Hand Beveled For DH084	DH065	CLEAR BRONZE	\$4.00		



ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
	Latchlock with round or beveled face plate, strike and one <b>DH093</b> lever handle less two cylinders	DH084 (with DH093)	CLEAR BRONZE		\$180.00 (Includes Hardware)	\$43.00
	Latchlock with round or beveled face plate, strike and one <b>DH091</b> paddle device less two cylinders	DH084 (with DH091)	CLEAR BRONZE		\$245.00 (Includes Hardware)	\$43.00
CYLINDER	Pair 1 5/32" Diameter		CLEAR	\$11.00		
	Cylinder (each)	DH078	BRONZE	\$11.00		
THUMB TURN	1 5/32" Thumb Turn	D11070	CLEAR	\$10.00	\$10.00	
	for DH070	DH079	BRONZE	\$10.00	\$10.00	
DUMMY CYLINDER	1 5/32" Dummy Cylinder	DH080	CLEAR	\$7.00	¢40.00	
	1 3/32 Dunning Cylinder	DHU80	BRONZE	\$7.00	\$10.00	
RIM CYLINDER	1 5/32" Rim Cylinder	DH081	CLEAR	\$13.00		
	for Panic	DHOOT	BRONZE	\$13.00		
CYLINDER GUARD	Cylinder Guard for Exterior of Door	DH082	CLEAR	\$15.00	\$15.00	
	(Cylinder Not Included)	DH082 -	BRONZE	\$15.00	<b>\$13.00</b>	
LOCK INDICATOR	Lock Indicator Set for	DH074	CLEAR	\$12.00	\$19.00	
OPEN	Use With DH070		BRONZE	\$12.00	ψ19.00	

# Prepared Thresholds 9

ITEM	DESCRIPTION	P/N	#00 MILL
PREPARED TH4 THRESHOLDS	Std. Single Butt Hung For 36" Dr.	TH4-36-AB	¢20.00
(1/2" X 4" MILL FINISH)	Std. Single Butt Hung For 42" Dr.	TH4-36-AB	\$20.00
			\$23.00
For Std. Butt Hung Frames	Std. Pair Butt Hung For 72" Dr.	TH4-72-J	\$38.00
	Std. Pair Butt Hung For 96" Show Rm. Dr.  Std. Single Butt Hung for 36" Panic Dr.	TH4-96-J TH4-36-AP	\$51.00
	· ·		\$20.00
Butt Hung Fab for	Std. Single Butt Hung for 36" Panic Dr.	TH4-36-BP	\$20.00
3600 Panic	Std. Single Butt Hung for 42" Panic Dr.	TH4-42-AP	\$23.00
	Std. Single Butt Hung for 42 Panic Dr.	TH4-42-BP	\$23.00
	Std. Pair Butt Hung for 72" Panic Dr.	TH4-72-JP	\$38.00
	Std. Single Offset Pivot For 36" Dr.	TH4-36-C	\$20.00
	Std. Single Offset Pivot For 36" Dr.	TH4-36-D	\$20.00
For Std. Offset Pivot Frames	Std. Single Offset Pivot For 42" Dr.	TH4-42-C	\$23.00
	Std. Single Offset Pivot For 42" Dr.	TH4-42-D	\$23.00
	Std. Pair Offset Pivot For 72" Dr.	TH4-72-K	\$38.00
	Std. Pair Offset Pivot For 96" Show Rm. Dr.	TH4-96-K	\$51.00
	Std. Single Offset Pivot For 36" Panic Dr.	TH4-36-CP	\$20.00
Offset Pivot Fab for	Std. Single Offset Pivot For 36" Panic Dr.	TH4-36-DP	\$20.00
3600 Panics	Std. Single Offset Pivot For 42" Panic Dr.	TH4-42-CP	\$23.00
	Std. Single Offset Pivot For 42" Panic Dr.	TH4-42-DP	\$23.00
	Std. Pair Offset Pivot For 72" Panic Dr.	TH4-72-KP	\$38.00
	Std. Single Center Pivot For 36" Dr.	TH4-36-GH	\$20.00
For Std. Center Pivot Frame	Std. Single Center Pivot For 42" Dr.	TH4-42-GH	\$23.00
1 of Std. Center 1 Wot 1 fame	Std. Pair Center Pivot For 72" Dr.	TH4-72-M	\$38.00
	Single Butt Hung for 36" Panic Dr.	TH4-36-AP-3192	\$20.00
	Single Butt Hung for 36" Panic Dr.	TH4-36-BP-3192	\$20.00
Threshold Fab for 3100	Single Butt Hung for 42" Panic Dr.	TH4-42-AP-3192	\$23.00
Panics	Single Butt Hung for 42 Panic Dr.	TH4-42-BP-3192	\$23.00
	Pair Butt Hung for 72" Panic Dr.	TH4-72-JP-3192	\$38.00
	Single Offset Pivot For 36" Panic Dr.	TH4-36-CP-3192	\$20.00
	Single Offset Pivot For 36" Panic Dr.	TH4-36-DP-3192	\$20.00
Threshold Fab for 3100	Single Offset Pivot For 42" Panic Dr.	TH4-42-CP-3192	\$23.00
Panics	Single Offset Pivot For 42" Panic Dr.	TH4-42-DP-3192	\$23.00
	Pair Offset Pivot For 72" Panic Dr.	TH4-72-KP-3192	\$38.00
DP200-1	2" Stop for Panic Doors (Includes 2 AS20 screws)	DP200-2 20 per box W / AS20 screws	\$50.00





ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP						
EXIT DEVICES	Right Hand Concealed Vertical Rod Push Pad Exit Device	DUMAGE	CLEAR		\$715.00	\$37.00						
Series 2086 Concealed Vertical Rod	(3684 Door)				\$715.00	φ37.00						
Push Pad (Handed)	Left Hand Concealed Vertical Rod Push Pad Exit Device				\$715.00	\$37.00						
	(3684 Door)	DH2086L	BRONZE		\$715.00	ψ07.00						
	Right Hand Concealed Vertical Rod Push Pad Exit Device	DH2086R-	CLEAR		\$715.00	\$37.00						
	(4284 Door)	48	BRONZE		\$715.00	ψ07.00						
	Left Hand Concealed Vertical Rod Push Pad Exit Device	DH2086L-	CLEAR		\$715.00	\$37.00						
( Includes <b>PH401</b> Pull Handle & Cylinder for active door )	(4284 Door)	48	BRONZE		\$715.00	ψοσσ						
	Ī											
EXIT DEVICES Series 3792 Rim Mounted Pad	Rim Mounted Push Pad Exit Device For (3684 Door) Non-Handed (Includes Type	DH379236	CLEAR	\$300.00	\$37.00	\$37.00						
(Non-Handed)	"C" Strike) Select and Add for Different Strike	Strike) Select and Add for	BRONZE	\$300.00								
	Rim Mounted Push Pad Exit Device For (4284 Door)	Device For (4284 Door)	Device For (4284 Door)	Device For (4284 Door)	Device For (4284 Door)	Device For (4284 Door)	Device For (4284 Door)	DU270242	CLEAR	\$300.00	¢27.00	¢27.00
( Includes <b>PH401</b> Pull Handle & Cylinder for active door )	"C" Strike) Select and Add for Different Strike	DH379242	BRONZE	\$300.00	\$37.00	\$37.00						
EXIT DEVICES												
Series 3190 Mid-Panel With Push Pad (Handed)	Mid-Panel Exit Device W/		CLEAR		\$595.00							
With Push Pad (Handed)	Pullman Latch at Top & Bolt at Bottom for 36" Door Width	DH319224	BRONZE		\$595.00	\$37.00						
· ·	Mid-Panel Exit Device W/ Pullman Latch at Top & Bolt at DH319242	CLEAR		\$595.00	\$37.00							
( Includes <b>PH401</b> Pull Handle & Cylinder for active door )	Bottom for 42" Door Width	311010272	BRONZE		\$595.00	φυ1.00						

ITEM	DESCRIPTION	P/N	FINISH	LOOSE	DOOR PREP	FRAME PREP
REMOVABLE MULLION FOR RIM PANIC DOOR PAIR	2 Security Clips, Top & Bottom Mounting Brackets & 2 Door Mortise Strike Set	ottom Mounting Brackets & 7			\$902.00	\$45.00
	Removable Mullion For Rim Panics. (Includes Strike Prep)	8 DHRM370- 9	BRONZE		\$902.00	ψ40.00
DOOR SWEEP W/	Surface mounted to	1112.122	CLEAR	\$15.00		
WEATHERING	Bottom Rail For 36" Wide Door	WS136	BRONZE	\$15.00		
	For 42" Wide Door WS1	WS142	CLEAR	\$17.00		
0		VV3142	BRONZE	\$17.00		
	For 60" Wide	WS160	CLEAR	\$24.00		
	Show Room Door		BRONZE	\$24.00		
FLUSH BOLTS	Standard Flush Bolt W/O Guides		CLEAR	\$10.00		
	1/8" Offset W/O Guides x 7/8" Back Set	1/8" Offset W/O Guides x 7/8" Back Set  DH076  BRONZE	BRONZE	\$10.00		
	Standard Flush Bolt W/O Guides 1/8" Offset W/O Guides x 7/8" Back	DH07696	CLEAR	\$13.00		
	Set W/Extended Rod for 96" Door	DH07696	BRONZE	\$13.00	\$50.00	\$36.00
Standard Flush Bolt W/O Guides 1/8" Offset W/O Guides x 7/8" Back Set With Steel Tips  Standard Flush Bolt W/O Guides 1/8" Offset W/O Guides x 7/8" Back	DH176	CLEAR	\$15.00	Ψ00.00	ΨΟΟ.ΟΟ	
			BRONZE	\$15.00		
		DH17696	CLEAR	\$19.00		
	Set W/Extended Rod for 96" Door with Steel Tips	21117000	BRONZE	\$19.00		



ITEM	DESCRIPTION	P/N	#10 CLEAR	#27 BRONZE
TRADITIONAL	PB401 Traditional Wire Bar			
	One Inch Diameter Straight Aluminum Push Bar with 2-1/4" Projection on One End			
	For 36" Door Add (Hole Spacing 33" O.C.)	PB401-33	\$46.00	\$57.00
	For 42" Door Add (Hole Spacing 39" O.C.)	PB401-39	\$61.00	\$67.00

ITEM	DESCRIPTION	P/N	#10 CLEAR	#27 BRONZE
TRADITIONAL	Traditional PH401 Wire Pull Handle - 10 " Long			
	(Hole Spacing 9" O.C.)			
	One Inch Diameter Aluminum Pull Handle with 2-1/4" Projection			
		PH401	\$35.00	\$43.00

### **Substitutions and Modifications**

	Section	Page
Classic Push / Pull Hardware - Stock Door	A3	2
Top / Bottom Rail - Stock Door	A3	3
Horizontal Muntin - Standard Door	(A3)	4
Miscellaneous Parts	(A3)	5

# ENTRANCES • Substitutions & Modifications Classic Push/Pull Hardware - Stock Door



ITEM	DESCRIPTION	P/N	#10 CLEAR	#27 BRONZE
	Classic Pulls mounted back to back Two PH10 Pull Handles W/ P1 Feature Strip Inserts. P1 is Black for Clear Pull & Champagne for Bronze Pull			
	For 36" Door	DM011	-\$30.00	-\$43.00
	For 42" Door	DM012	-\$36.00	-\$49.00

ITEM	DESCRIPTION	P/N	#10 CLEAR	#27 BRONZE
CLASSIC PUSH BAR W/ OFFSET PULL	Classic Push Bar W/ 10" P3 Offset Pull Handle P1 Feature Strip is Black for Clear Push Bar and Champagne for Bronze.			
	For 36" Door	DM013	-\$37.00	-\$48.00
	For 42" Door	DM014	-\$42.00	-\$55.00

ITEM	DESCRIPTION	P/N	#10 CLEAR	#27 BRONZE
CLASSIC PULL HANDLE SET				
	Door Prep	\$47.00		
		DM015	-\$21.00	-\$34.00



# ENTRANCES • Substitutions & Modifications A3 Top / Bottom Rail - Stock Door 3

ITEM	DESCRIPTION	P/N	#40 OLEAD	#00 BBONZE
		P/N	#10 CLEAR	#20 BRONZE
D102 FOR D101	Top Rail Substitution			
* 1	For 36" door width Add	DM016	\$16.00	\$17.00
- Cara	For 42" door width Add	DM017	\$19.00	\$20.00
Т	For 60" door width Add	DM018	\$27.00	\$28.00
D108 FOR D102				
<u> </u>	Top Rail Substitution			
	For 36" door width Add	DM019	\$29.00	\$30.00
7 1/2"	For 42" door width Add	DM020	\$34.00	\$36.00
<u> </u>	For 60" door width Add	DM021	\$51.00	\$53.00
•				
D108 FOR D102				
<b>—</b>	Bottom Rail Substitution			
	For 36" door width Add	DM022	\$29.00	\$30.00
7 1/2"	For 42" door width Add	DM023	\$34.00	\$36.00
7	For 60" door width Add	DM024	\$51.00	\$53.00
D109 FOR D102				
	Bottom Rail Substitution			
2	For 36" door width Add	D14005	<b>#04.00</b>	***
0	For 42" door width Add	DM025	\$61.00	\$63.00
-	For 60" door width Add	DM026	\$72.00	\$75.00
	TOTOU GOOT WIGHT AGG	DM027	\$106.00	\$110.00
			1	
D109 FOR D108				
	Bottom Rail Substitution			
9 1/2"	For 36" door width Add	DM028	\$16.00	\$17.00
· ο	For 42" door width Add	DM029	\$18.00	\$21.00
	For 60" door width Add	DM030	\$29.00	\$31.00
<u>+</u> U U				

**NOTE:** D108 or D109 optional for Series 281 Door. D109 optional for Series 381 Door.





ITEM	DESCRIPTION	P/N	#10 CLEAR	#20 BRONZE
HORIZONTAL MUNTIN	For 36" Door Width Add	DM121	\$125.00	\$128.00
	For 42" Door Width Add	DM122	\$128.00	\$132.00
5/8"	For 48" Door Width Add	DM123	\$136.00	\$140.00
	For 60" Door Width Add	DM124	\$144.00	\$151.00
LIODIZONITAL MUNITIN				
HORIZONTAL MUNTIN	For 36" Door Width Add	DM125	\$146.00	\$150.00
	For 42" Door Width Add	DM126	\$154.00	\$157.00
.4	For 48" Door Width Add	DM127	\$165.00	\$168.00
<u>↓</u>	For 60" Door Width Add	DM128	\$180.00	\$187.00
<u> </u>				
LIODIZONTAL MUNTINI				
HORIZONTAL MUNTIN	For 36" Door Width Add	DM129	\$132.00	\$135.00
	For 42" Door Width Add	DM130	\$136.00	\$139.00
Z	For 48" Door Width Add	DM131	\$143.00	\$147.00
	For 60" Door Width Add	DM132	\$155.00	\$162.00
HODIZONITAL MUNITINI				
HORIZONTAL MUNTIN				
	For 36" Door Width Add	DM133	\$168.00	\$175.00
	For 42" Door Width Add	DM134	\$179.00	\$182.00
7 1/2"	For 48" Door Width Add	DM135	\$186.00	\$194.00
	For 60" Door Width Add	DM136	\$209.00	\$216.00
· Leman				
· · · · · · · · · · · · · · · · · · ·				
III				
HORIZONTAL MUNTIN	For 36" Door Width Add	DM137	\$175.00	\$182.00
	For 36" Door Width Add For 42" Door Width Add	DM138	\$186.00	\$182.00 \$193.00
	For 42" Door Width Add For 48" Door Width Add	DM138 DM139	\$186.00 \$201.00	\$193.00 \$204.00
HORIZONTAL MUNTIN	For 42" Door Width Add	DM138	\$186.00	\$193.00
	For 42" Door Width Add For 48" Door Width Add	DM138 DM139	\$186.00 \$201.00	\$193.00 \$204.00
	For 42" Door Width Add For 48" Door Width Add	DM138 DM139	\$186.00 \$201.00	\$193.00 \$204.00
	For 42" Door Width Add For 48" Door Width Add	DM138 DM139	\$186.00 \$201.00	\$193.00 \$204.00



ITEM	DESCRIPTION	P/N	#10 CLEAR	#20 BRONZE
DG101	1" Glass Stop Substitution	DM141	N/C	N/C
THUMB TURN	1 5/32" Thumb Turn Substitute for standard Cylinder	DH079	N/C	N/C





# STOREFRONT SYSTEMS Index

	Section
FL200 • FL300 • FL300T	B1)
FL500 • FL550 Hurricane Impact-Resistant	( <u>B2</u> )





### FL200 • FL300 • FL300T Storefront Systems

	Section	Page
FL200 Screw Spline Extrusions • 1/4" Glass	(B1)	2-3
FL200 Accessories • 1/4" Glass	$\equiv$	
FL300 / FL300T Screw Spline Extrusions • 1" Glass		
FL300 / FL300T Accessories • 1" Glass	(B1)	9-10
Glazing Infill Chart • Gasket Combinations & Adaptors	(B1)	10
Companion Shapes	(B1)	11-14
Miscellaneous Parts	(B1)	15





	SCREW SPLINE FOR 1/4" GLASS	LENGTH	FINISH	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL201	HEAD/WALL JAMB	24' 3	\$209.00	\$228.00
FL202	SILL/HEAD	24' 4	\$181.00	\$197.00
FL203	GLASS STOP	24' 10	\$50.00	\$56.00
FL204	THIN WALL VERTICAL OR WALL JAMB	24' 4	\$151.00	\$166.00
FL205	FILLER-SHALLOW POCKET	24' 10	\$73.00	\$81.00
FL206	INTERMEDIATE HORIZONTAL	24' 4	\$204.00	\$216.00
FL207	HEADER FOR OFFSET DOOR (Use DS200-1 Doorstop)	24'-6" 3	\$263.00	\$276.00
FL208	HEADER FOR COC CENTER HUNG DOOR (Use C122 Cover)	24' 4	\$180.00	\$191.00
FL209	OPEN BACK DOORJAMB, STANDARD VERTICAL MULLION OR WALL JAMB	24' 4	\$169.00	\$184.00
FL210	MALE HALF-EXP. MULL. (Use with VG10 Gasket)	24' 4	\$143.00	\$156.00
FL211	FEMALE HALF-EXP. MULL.	24' 4	\$148.00	\$161.00

**NOTE:** Add Finish designation to Part Number when ordering.

	SCREW SPLINE FOR 1/4" GLASS	LENGTH FINISH CODE		
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL212	1 3/4" x 4 1/2" x 3/32" TUBE	TUBE 24' \$203.00		\$212.00
FL213	FILLER- DEEP POCKET (Use with CS135)	24' 10	\$79.00	\$87.00
FL214	HEAD / VERTICAL MULLION	24' 4	\$174.00	\$190.00
FL216	HEAVY VERTICAL MULLION	24' 3	\$218.00	\$232.00
FL217	DOORJAMB	24' 3	\$142.00	\$154.00
FL219	SUBSILL FLASHING	24' 10	\$105.00	\$115.00
FL251	SINGLE POCKET CORNER	24' 4	\$216.00	\$233.00
FL252	DOUBLE POCKET CORNER	24' 4	\$246.00	\$266.00
FL350	90° CORNER MULLION TRIM	24' 4	\$182.00	\$197.00

**NOTE:** Add Finish designation to Part Number when ordering.

January 2012 Coral Architectural Products • Price Book



#### **ACCESSORIES**

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX
AS16	SPLINE SCREW #14 X 1"HHSTS	100 AS16-1	\$24.00
AS21	#6 X 3/8" PPH TYPE AB (Use at End Dams)	100 AS21-1	\$6.00
AS24	#10-24 X 3/8" UCPFH FOR ATTACHING SR101/102 STL.	100 AS24-1	\$17.00
CS100-1	SETTING CHAIR 2/LITE AT SILL	50 CS100-2	\$30.00
DJ200	DRILL JIG FOR SCREW SPLINE	1	\$154.00
ED219-1	END DAM FOR SUBSILL FLASHING	20 ED219-2	\$22.00
NG1	GASKET EPDM	500 FT. PER ROLL	\$135.00
SB2	4" LONG SETTING BLOCK FOR 1/4" GLASS 2/LITE EPDM	100 SB2-1	\$45.00
SB5	4" LONG SETTING BLOCK FOR INTERIOR GLAZING (Use at Interm. Horiz.) 2/LITE EPDM	100 SB5-1	\$59.00
SR101	OTI DEINESSONIS		GALVANIZED
The same of the sa	STL. REINFORCING 1 1/4" X 4 3/16" X 10 GA.	10' - 0"	\$126.00
SR102	STL. REINFORCING		GALVANIZED
	3/4" X 4 3/16" X 10 GA. (Use at Doorjamb)	10' - 0"	\$108.00

NOTE: Add Finish designation to Part Number when ordering.



#### **ACCESSORIES**

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX
VG10	VINYL GASKET (Use with Exp. Mulls. and Head Expander)	250 FT. PER ROLL VG-10-1	\$39.00
WD200-1	WATER DIVERTER (Use at Interm. Horiz.) Injection Molded Plastic	50 WD200-2	\$40.00

**NOTE:** Add Finish designation to Part Number when ordering.





2"	X 4	1/2"	SCREW	SPLINE
----	-----	------	-------	--------

2" X 4 1/2" SCRE EXTRUSIONS FO	OR 1" INSULATING GLASS	LENGTH	FINIS	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL301	HEAD/WALL JAMB	24' 3	\$226.00	\$246.00
FL302	SILL/HEAD	24' 4	\$192.00	\$209.00
FL303	GLASS STOP	24' 10	\$49.00	\$55.00
FL304	THIN WALL VERTICAL 24' \$166.00 OR WALL JAMB		\$182.00	
FL305	FILLER-SHALLOW POCKET	24' 10	\$73.00	\$81.00
FL306	INTERMEDIATE HORIZONTAL	24' 4	\$205.00	\$217.00
FL307	HEADER FOR OFFSET DOOR (Use DS200-1 Doorstop)	24'-6" 3	\$278.00	\$292.00
FL308	HEADER FOR COC CENTER HUNG DOOR (Use CS112 Cover)	24' 4	\$175.00	\$187.00
FL309	OPEN BACK DOORJAMB (Use DS200-1 Doorstop)	24' 4	\$179.00	\$194.00
FL310	MALE HALF-EXP. MULL.	24'	\$151.00	\$165.00
FL310T	(Use with VG10 Gasket )	24' 4	Thermal \$193.00	Thermal \$209.00

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.



2" X 4 1/2" SCRI	EW SPLINE OR 1" INSULATING GLASS	LENGTH	H FINISH CODE		
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20	
FL311	FEMALE HALF-EXP. MULL.	24'	\$164.00	\$179.00	
FL311T		4	Thermal \$210.00	Thermal \$227.00	
FL312	TUBE 2" X 4 1/2" X 1/8"	24' 4	\$271.00	\$280.00	
FL313	FILLER-DEEP POCKET	042	\$86.00	\$95.00	
FL313T	(Use with CS135)	24' 10	Thermal \$125.00	Thermal \$135.00	
FL314	HEAD / VERTICAL MULLION	24' 4	\$188.00	\$206.00	
FL315	STD. VERTICAL MULL. OR WALL JAMB	24' 4	\$187.00	\$203.00	
FL316	HEAVY WALL	24'	\$266.00	\$282.00	
FL316T	VERTICAL MULLION	3	Thermal \$304.00	Thermal \$321.00	
FL317	DOORJAMB	24' 3	\$151.00	\$163.00	
FL319 :	SUBSILL FLASHING	24' 10	\$109.00	\$119.00	
FL320	AXLE	24'	\$135.00	\$148.00	
FL320T	INTERLOCK	4	Thermal \$161.00	Thermal \$174.00	
FL321T	HEAD/WALL JAMB	24' Therma 4 \$261.00		Thermal \$282.00	
FL322T	SILL/HEAD	24' 4	Thermal \$197.00	Thermal \$213.00	

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.

## 8 Screw Spline Extrusions • 1" Glass



2" X 4 1/2" SCREW SPLINE EXTRUSIONS FOR 1" INSULATING GLASS		LENGTH	FINISH CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL325T	FILLER-SHALLOW POCKET	24' 10	Thermal \$112.00	Thermal \$121.00
FL326T	INTERMEDIATE HORIZONTAL	24' 4	Thermal \$239.00	Thermal \$251.00
FL331	ROTATING	24'	\$181.00	\$197.00
FL331T	MULLION	4	Thermal \$207.00	Thermal \$223.00
FL334T	HEAD / VERTICAL MULLION			Thermal \$246.00
FL339T ,	SUBSILL FLASHING		Thermal \$168.00	Thermal \$182.00
FL350	90 DEGREE CORNER MULLION TRIM	24' 4	\$182.00	\$197.00
FL351			\$226.00	\$244.00
FL351T	90 DEGREE CORNER MULLION SINGLE POCKET	24' 4	Thermal \$264.00	Thermal \$283.00
FL352	90 DEGREE CORNER	24'	\$261.00	\$282.00
FL352T	MULLION- DOUBLE POCKET	4	Thermal \$338.00	Thermal \$362.00
FL353	90 DEGREE CORNER	24'	\$226.00	\$244.00
FL353T	MULLION SINGLE POCKET (Reversed)	4	Thermal \$264.00	Thermal \$283.00

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.

Accessories • 1" Glass

### **ACCESSORIES**

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX	
AS16	SPLINE SCREW #14 X 1"HHSTS	100 AS16-1	\$24.00	
AS21	#6 X 3/8" PPH TYPE AB (Use at End Dams)	100 AS21-1	\$6.00	
AS24	#10-24 X 3/8" UCPFH FOR ATTACHING SR101/102 STL.	100 AS24-1	\$17.00	
CS101-1	SETTING CHAIR 2/LITE AT SILL	50 CS101-2	\$41.00	
DJ300	DRILL JIG FOR 1 SCREW SPLINE		\$160.00	
ED319-1	ED319-1  END DAM FOR SUBSILL FLASHING ED319		\$24.00	
ED339-1	END DAM FOR SUBSILL FLASHING	20 ED339-2	\$41.00	
NG1	1/4" GLAZING GASKET EPDM	500 FT. PER ROLL	\$135.00	
NG2	HEAVY GLAZING GASKET EPDM	500 FT. PER ROLL	\$168.00	
NG3	3/8" GLAZING GASKET EPDM	250 FT. PER ROLL	\$117.00	
SB3	4" LONG SETTING BLOCK FOR 1" GLASS 2/LITE EPDM	100 SB3-1	\$93.00	
SB4	4" LONG SETTING BLOCK FOR INSIDE GLAZING EPDM	100 PER BAG SB4-1	\$122.00	

NOTE: Add Finish designation to Part Number when ordering.



10 Accessories • Glazing Infill Chart



### **ACCESSORIES**

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX
SB7	4" LONG SETTING BLOCK (Use with CS110 in Transom) EPDM	100 PER BAG SB7-1	\$88.00
SR101			GALVANIZED
	STL. REINFORCING 1 1/4" X 4 3/16" X 10 GA.	10' - 0"	\$126.00
SR102	STL. REINFORCING	10' - 0"	GALVANIZED
	3/4" X 4 3/16" X 10 GA. (Use at Doorjamb)		\$108.00
VG10	VINYL GASKET (Use with Exp. Mulls. and Head Expander)	250 VG10-1	\$39.00
WD300-1	WATER DIVERTER (Use at Horizontals) Injection Molded Plastic	50 WD300-2	\$40.00
WP200	WEATHERING FOR DS200	500 FT. PER ROLL	\$50.00

GLAZING INFILL CHART WITH GASKET COMBINATIONS & ADAPTORS					
FRAMING SYSTEM	GLAZING ADAPTOR	REGLET WIDTH	INFILL THICKNESS	GASKET COMBINATIONS	
			3/16"	NG2	NG1
SERIES FL200	NI/A	5/8"	1/4"	NG1	NG1
CENTER GLAZED	N/A	3/6	5/16"	NG1	NG3
OLAZED			3/8"	NG3	NG3
			7/8"	NG2	NG2
			15/16" NG2	NG2	NG1
SERIES FL300	N/A	1-3/8"	1"	NG1	NG1
CENTER			1-1/16"	NG1	NG3
GLAZED			1-1/8"	NG3	NG3
	With CS107	5/8"	1/4"	NG1	NG1
OR	Willi CS 107	3/0	5/16" NG1	NG3	
	With CS108	3/4"	3/8"	NG1	NG1
	Willi C3 100	3/4	1/2"	NG3	KET ATIONS NG1 NG3 NG3 NG2 NG1 NG1 NG3 NG3 NG3 NG3
SERIES <b>FS400</b> FRONT SET			7/16"	NG1	NG3
	With CS109	7/8"	1/2"	NG1	NG1 NG3 NG3 NG2 NG1 NG3 NG3 NG3 NG3 NG3 NG3 NG1 NG3 NG3 NG1 NG3 NG1 NG3 NG3 NG1 NG3 NG3 NG1 NG3
	Willi Co 109	170	9/16"	NG1	NG3
			5/8"	NG3	NG3

		LENGTH	FINISH CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
	1/2" X 5/16" REVEAL (Snap Fits with Open Back Mullions)	24' 10	\$84.00	BRONZE 20 \$93.00
CS102				BLACK 30 \$101.00
<b>T</b>			Thermal \$110.00	Thermal BRONZE 20 \$127.00
CS102T				Thermal BLACK 30 \$135.00
CS104	FLAT FILLER	24'	\$59.00	\$65.00
CS104T	FLAI FILLER	10	Thermal \$85.00	Thermal \$91.00
CS105	1/4" POCKET FILLER	21'-5" 12	\$19.00	\$27.00
CS106	1" POCKET FILLER	21'-5" 12	\$27.00	\$32.00
CS107	1/4" GLASS ADAPTER	24' 12	\$25.00	\$33.00
CS108	3/8" GLASS ADAPTER	24' 12	\$23.00	\$32.00
CS109	1/2" GLASS ADAPTER	24 <sup>,</sup> 12	\$22.00	\$32.00
CS110	TRANSOM SASH (Use DG250 or CS111 Glass Stops)	24' 12	\$32.00	\$39.00

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.



		LENGTH	FINISH CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
CS111	TRANSOM STOP 1" GLASS (Use with CS110)	24' 12	\$26.00	\$34.00
CS112	COC COVER FOR D/A HEADER (Use with FL208 and FL308)	21'-2" 10	\$78.00	\$84.00
CS118	INTERLOCKING STOP FOR CS119 (Use VG10 Gasket)	24' 6	\$42.00	\$47.00
CS119	HEAD EXPANDER (Use VG10 Gasket )	24'	\$111.00	\$121.00
CS119T	(Use VG10 Gasket)	6	Thermal \$137.00	Thermal \$147.00
CS120	GLASS STOP FOR CS452	24' 10	\$28.00	\$37.00
CS135	45 / 135° CORNER MULLION (Use FL213 or FL313	24'	\$287.00	\$304.00
CS135T	Deep Pocket Filler)	2	Thermal \$313.00	Thermal \$330.00
CS300			N/A	N/A
CS300T	HEAD/JAMB ANCHOR CLIP	24' 2	MILL-00 Non-Thermal \$92.00	MILL-00 Thermal \$118.00

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.

		LENGTH	FINISH CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
CS403	GLASS STOP	24' 12	\$29.00	\$37.00
CS452	DBL. RADIUS BULKHEAD 4 1/2" HIGH 1/4" GLAZING ONLY USE CS120 GLASS STOP CS452 NOT COMPATIBLE WITH FL219	24' 2	\$259.00	\$280.00
CS453 (Use FL203 or	BULK HEAD 4 1/2" X 4 1/2" FOR 1/4" GLAZING	24'	\$335.00	\$361.00
FL303 Glass C Stop) CS453T	& 4 1/2" X 4 11/16" FOR 1" GLAZING	2	Thermal \$361.00	Thermal \$387.00
DG100	DOOR GLASS STOP 1/4" GLASS	16' 20	\$17.00	\$23.00
DG101	DOOR GLASS STOP 1" GLASS	16' 18	\$15.00	\$21.00
DG250	TRANSOM GLASS STOP 1/4" GLASS	24' 18	\$25.00	\$34.00
DS200	SNAP IN DOOR STOP FOR 1/4" GLAZING POCKET (Use WP200 Weathering)	16' 20	\$25.00	\$28.00
DS201	SNAP IN DOOR STOP FOR 1" GLAZING POCKET (Use WP200 Weathering)	16' 20	\$31.00	\$34.00
TH4	1/2" x 4" THRESHOLD	24'	MILL-00	
	NE X I TIMEONOED	5	\$92.00	

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.



		LENGTH	FINISI	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
DB122			MIL-00	
	DOOR RAIL SHOE BASE	24' 8	\$32.00	-0-
DB123	11/16" DOOR RAIL BASE EXTENSION	24' 8	\$76.00	\$82.00
DM058	5/8" MUNTIN	24' 8	\$94.00	\$100.00
DM200	2" MUNTIN BAR	24' 5	\$153.00	\$159.00
D102	4" MUNTIN OR SIDELITE BASE	16' 4	\$160.00	\$167.00
D108	8" MUNTIN OR SIDELITE BASE	16' 4	\$257.00	\$268.00
D109	9 1/2" MUNTIN OR SIDELITE BASE	16' 4	\$313.00	\$325.00
D113	MID RAIL ADAPTOR	19"-9'	MILL -00	
ا ا	(Use with D102, D108 and D109)	10	\$35.00	
TH401	STEEL BRACKET. ATTACH MUN- TINS TO DOOR OR	TH401-2	ZINC PLT.	
	VERTICAL MULLIONS (With / AS7 SCREWS)	50	\$100.00	
AS7	#8 X 3/4" POH	100	\$6.00	
Cummr 3	TEK SCREWS	AS7-1	, <b>,</b>	

**NOTE:** Add Finish designation to Part Number when ordering.



# STOREFRONTS • FL200 / FL300 / FL300T B1 Miscellaneous Parts 15

MISC. PARTS A	IISC. PARTS ANGLES, BARS AND TUBES		FINISH CODE	PRICE S/L
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
A100	1" X 1" X 1/8" ANGLE	21' 12	\$43.00	\$50.00
A150	1 1/2" X 1 1/2" X 1/8" ANGLE	21' 12	\$65.00	\$70.00
A151	1 1/2" X 1" X 1/8" ANGLE	21' 12	\$54.00	\$60.00
A175	1 3/4" X 1 3/4" X 1/8" ANGLE	21' 12	\$76.00	\$81.00
B1	1/2" X 1/2" BAR	21' 12	\$42.00	\$52.00
B2	5/16" X 2" BAR	21' 12	\$96.00	\$104.00
В3	1/2" X 1 1/2" BAR	21' 12	\$122.00	\$129.00
CH100	1" X 1" X 1/8" CHANNEL	21' 12	\$62.00	\$67.00
H100	1" X 1" X 1/8" TUBE	21' 12	\$81.00	\$85.00
H175	1 3/4" X 1 3/4" X 7/64" TUBE	21' 12	\$129.00	\$137.00
H200	2" x 2" x 1/8" TUBE	21' 12	\$162.00	\$167.00

NOTE: Add Finish designation to Part Number when ordering.





## FL5000

Hurricane Impact-Resistant Storefront

## FL5500

Hurricane Impact-Resistant Storefront

	Section	Page
FL500 Options & Limitations Chart	B2)	2
FL550 Options & Limitations Chart	B2)	3
FL500 / FL550 Doorframes with Transoms Options & Limitations Chart	B2)	4
FL500 Screw Spline Extrusions • 9/16" Monolithic Laminated Glass	B2)	5-6
FL550 Screw Spline Extrusions • 1-5/16" Insulated Laminated Glass	B2)	7
FL500 / FL550 Accessories	B2)	8-9



## DADE COUNTY, FLORIDA APPLICATIONS OPTIONS AND LIMITATIONS

### FRONT LINE FL500 HURRICANE IMPACT-RESISTANT STOREFRONT SYSTEM

DESIGN PRESSURE P.S.F.	INTERMEDIATE VERTICAL MULLION	WALL JAMB MULLION	MAX. MULLION SPAN (Inches)	MAX. CENTERLINE SPACING (Inches)	MAXIMUM GLASS SIZE W x H (Inches)	QUALIFIED GLASS TYPES
+60/-60	FL516/FL505 HEAVY DUTY	FL501	120	48	45-1/2 x 96 [30.3 ft²]	A-B-U
+65/-65	FL504/FL505 STANDARD	FL501	89	48	45-1/2 x 84 [26.5 ft²]	А-В
+70/-80	FL504/FL505 STANDARD W/SR504 STEEL REINFORCEMENT	FL501	120	60	57-1/2 x 96 [38.3 ft²]	А

GLASS COMPOSITION	MANUFACTURER	GLASS TYPE
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.075 SOLUTIA VS02 INTERLAYER NOA # 03-0514.15	SOLUTIA	А
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.090 SOLUTIA SAFLEX PVB INTERLAYER NOA #03-0105.02	SOLUTIA	В
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.120 UVEKOL TYPE "S" INTERLAYER NOA #03-1117.05	CORAL INDUSTRIES, INC.	U

#### **COMPARATIVE ANALYSIS OF GLASS BASED ON ASTM E-1300**

DADE COUNTY BUILDING COMPLIANCE OFFICE ALLOWS COMPARATIVE ANALYSIS OF TESTED GLASS TYPES PROVIDED THE FOLLOWING FIVE CONDITIONS ARE MET:

- 1. DOES NOT EXCEED MAXIMUM CYCLIC PRESSURE TESTED.
- 2. DOES NOT EXCEED MAXIMUM SPAN OF MULLION TESTED.
- 3. DOES NOT EXCEED MAXIMUM MULLION SPACING OF MULLION TESTED.
- 4. DOES NOT EXCEED MAXIMUM SQUARE FOOTAGE OF LARGEST LITE TESTED.
- 5. DOES NOT EXCEED ASPECT RATIO OF 5:1. (IN A RECTANGLAR CONFIGURATION, THE RATIO OF THE LONG-SIDE TO THE SHORT-SIDE IS DEFINED AS THE ASPECT RATIO).

January 2012



# DADE COUNTY, FLORIDA APPLICATIONS OPTIONS AND LIMITATIONS

### FRONT LINE FL550 HURRICANE IMPACT-RESISTANT STOREFRONT SYSTEM

DESIGN PRESSURE P.S.F.	INTERMEDIATE VERTICAL MULLION	WALL JAMB MULLION	MAX. MULLION SPAN (Inches)	MAX. CENTERLINE SPACING (Inches)	MAXIMUM GLASS SIZE W x H (Inches)	QUALIFIED GLASS TYPES
+60/-60	FL566/FL555 HEAVY DUTY	FL551	120	48	45-1/2 x 96 [30.3 ft²]	IA-IB-IU
+65/-65	FL554/FL555 STANDARD	FL551	89	48	45-1/2 x 84 [26.5 ft²]	IA-IB
+70/-80	FL554/FL555 STANDARD W/SR504 STEEL REINFORCEMENT	FL551	120	60	57-1/2 x 96 [38.3 ft²]	IA
+70/-80	FL554/FL555 STANDARD W/SR504 STEEL REINFORCEMENT	FL551	120	60	57-1/2 x 96 [38.3 ft²]	TIA

GLASS COMPOSITION	MANUFACTURER	GLASS TYPE
1-5/16" INSULATED GLASS - 1/4" H.S. LITE - 1/2" AIR SPACE - 1/4" H.S LITE 0.075 SOLUTIA VS02 INTERLAYER NOA # 03-0514.15	SOLUTIA	IA
1-5/16" INSULATED GLASS - 1/4" H.S. LITE - 1/2" AIR SPACE - 1/4" H.S LITE 0.090 SOLUTIA SAFLEX PVB INTERLAYER NOA #03-0105.02	SOLUTIA	IB
1-5/16" INSULATED GLASS - 1/4" H.S. LITE - 1/2" AIR SPACE - 1/4" H.S LITE 0.120 UVEKOL TYPE "S" INTERLAYER NOA #03-1117.05	CORAL INDUSTRIES, INC.	U
1-5/16" INSULATED GLASS - 1/4" TEMPERED - 1/2" AIR SPACE - 1/4" H.S. LITE 0.075 SOLUTIA VS02 INTERLAYER - 1/4" H.S. NOA # 03-0514.15	SOLUTIA	TIA

#### **COMPARATIVE ANALYSIS OF GLASS BASED ON ASTM E-1300**

DADE COUNTY BUILDING COMPLIANCE OFFICE ALLOWS COMPARATIVE ANALYSIS OF TESTED GLASS TYPES PROVIDED THE FOLLOWING FIVE CONDITIONS ARE MET:

- 1. DOES NOT EXCEED MAXIMUM CYCLIC PRESSURE TESTED.
- 2. DOES NOT EXCEED MAXIMUM SPAN OF MULLION TESTED.
- 3. DOES NOT EXCEED MAXIMUM MULLION SPACING OF MULLION TESTED.
- 4. DOES NOT EXCEED MAXIMUM SQUARE FOOTAGE OF LARGEST LITE TESTED.
- 5. DOES NOT EXCEED ASPECT RATIO OF 5:1. (IN A RECTANGLAR CONFIGURATION, THE RATIO OF THE LONG-SIDE TO THE SHORT-SIDE IS DEFINED AS THE ASPECT RATIO).



### **Door Frames with Transoms Options & Limitations**



### DADE COUNTY, FLORIDA APPLICATIONS **OPTIONS AND LIMITATIONS**

FRONT LINE FL500 and FL550 HURRICANE IMPACT-RESISTANT **DOORFRAMES with TRANSOMS** 

DESIGN PRESSURE P.S.F.	DOORJAMB MULLION COMBINATION SIDELITE	DOORJAMB MULLION COMBINATION AT WALL	MAX. MULLION SPAN (Inches)	MAX. CENTERLINE SPACING (Inches)	MAX. TRANSOM D.L.O. SIZE W x H (Inches)	QUALIFIED GLASS TYPES
+70/-80	FL504/FL505 ** with SR504 STL. REINFORCEMENT	FL504/FL515 FL515 is FULL LENGTH	120-3/8	86-1/2	31-1/2 X 82 [17.9 ft²]	А
+65/-65	FL504/FL505 ** with SR504 STL. REINFORCEMENT	FL504/FL515 FL515 is FULL LENGTH	120-3/8	86-1/2	31-1/2" X 82" [17.9 ft²]	B-U

<sup>\*\*</sup> NOTE: When using FL550 framing, replace FL505 at sidelite with FL555.

Transom Bars: FL507 requires sash sections FL517 and FL518 at verticals for glazing.

FL562 requires FL517 and FL518 sash sections at verticals and on the top side of transom bar for glazing. Since Series 281 and 381 doors do not accommodate a 1-5/16" glazing infill, transom frames were only tested with 9/16" laminated glass to match the door.

GLASS COMPOSITION	MANUFACTURER	GLASS TYPE
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.075 SOLUTIA VS02 INTERLAYER NOA # 03-0514.15	SOLUTIA	А
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.090 SOLUTIA SAFLEX PVB INTERLAYER NOA #03-0105.02	SOLUTIA	В
9/16" LAMINATED GLASS - TWO 1/4" H.S. LITES AND 0.120 UVEKOL TYPE "S" INTERLAYER NOA #03-1117.05	CORAL INDUSTRIES, INC.	U

January 2012 Coral Architectural Products · Price Book



NOA: 07-0529.01

2 1/2" X 5" SCREV	/ SPLINE LITHIC LAMINATED GLASS	LENGTH	FINIS	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL501	HEAD	24' 4	\$304.00	\$328.00
FL502	SILL/HEAD	24' 4	\$256.00	\$277.00
FL503	GLASS STOP	24' 10	\$83.00	\$90.00
FL504	STD. VERTICAL MULLION / DOORFRAME JAMB	24' 4	\$233.00	\$252.00
FL505	POCKET FILLER FOR FL504 AND FL516	24' 5	\$145.00	\$158.00
FL506	INTERMEDIATE HORIZONTAL	24' 4	\$292.00	\$305.00
FL507	DOOR HEADER / TRANSOM BAR	24' 2	\$368.00	\$383.00
FL562	DOORFRAME HEADER / TRANSOM BAR C.O.C.W. / O.A., 2 1/2" x 5"	24' 4	\$296.00	\$314.00
FL515	FLAT FILLER ANCHOR PLATE ATTACH DOORJAMB AT WALL	24' 10	\$91.00	\$99.00
FL516	HEAVY WALL VERTICAL MULLION	24' 4	\$315.00	\$333.00


**NOTE:** All paint prices are quoted on a per job basis.

Add Finish designation to Part Number when ordering.



### STOREFRONT SYSTEMS • FL500 HIR

### Screw Spline Extrusions





2 1/2" X 5" SCREW SPLINE EXTRUSIONS				
	LITHIC LAMINATED GLASS	LENGTH FINISH CODE		H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL517	TRANSOM SASH	24' 10	\$64.00	\$70.00
FL518	TRANSOM GLASS STOP	24' 10	\$37.00	\$43.00
FL519	SUB SILL FLASHING (Use for Series FL500 / FL550)	24' 10	\$137.00	\$149.00
SR504	4-5/8" X 1-7/16" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT (Series FL500 / FL550)	1 10'-0"	\$227.00	QUOTE

**NOTE:** All paint prices are quoted on a per job basis.

Add Finish designation to Part Number when ordering.



NOA Applied For

2 1/2" X 5" SCREW FOR 1-5/16" INSU	LENGTH	FINIS	H CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
FL551	HEAD	24' 4	\$304.00	\$328.00
FL552	SILL/HEAD	24' 4	\$259.00	\$281.00
FL553	GLASS STOP	24' 10	\$77.00	\$84.00
FL554	STD. VERTICAL MULLION	24' 4	\$233.00	\$252.00
FL555	POCKET FILLER FOR FL504 AND FL516	24' 5	\$144.00	\$157.00
FL556	INTERMEDIATE HORIZONTAL	24' 4	\$314.00	\$339.00
FL566	HEAVY WALL VERTICAL MULLION	24' 4	\$314.00	\$332.00

**NOTE:** All paint prices are quoted on a per job basis.

Add Finish designation to Part Number when ordering.



### ACCESSORIES - SERIES FL500 / FL550

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX
CS500-1	4" LONG SETTING CHAIR (2/LITE) AT SILL (Series FL500 / FL550)	50 CS500-2	\$50.00
SB11	9/16" GLAZING 4" LONG EPDM SETTING BLOCK (2/LITE) AT TRANSOM SASH	50 SB11-1	\$18.00
SB13	9/16" GLAZING 4" LONG EPDM SETTING BLOCK (2/LITE)	100 SB13-1	\$91.00
SB15	1-5/16" GLAZING 4" LONG EPDM SETTING BLOCK (2/LITE) AT SILL AND HORIZONTAL	100 SB15-1	\$108.00
SB16	1 5/16" GLAZING 4" LONG EPDM SETTING BLOCK (2/LITE) AT INVERTED HORIZONTAL	100 SB16-1	\$104.00
SB20	9/16" GLAZING 4" LONG EPDM SETTING BLOCK (2/LITE) AT INVERTED HORIZONTAL	100 SB20-1	\$55.00
SM5601	JOINT SEALANT TAPE 1/8" X 1/2"	30' SM5601	\$18.00
ED519-1	SUB SILL FLASHING END DAM (Series FL500 / FL550)	20 ED519-2	\$25.00
AS21	#6 X 3/8" FHP TYPE AB USED ED519 END DAMS #10-24 X 3/8" UCPFH	100 AS21-1	\$6.00
AS16	SPLINE SCREW #14 X 1" HWH STS	100 AS16-1	\$24.00

NOTE: Add Finish designation to Part Number when ordering.



### ACCESSORIES - SERIES FL500 & FL550

ITEM	DESCRIPTION	PSC/BOX BOX P/N	PRICE/BOX
NG1	EXTERIOR EPDM GLAZING GASKET	500'	\$135.00
NG5	GASKET FOR DS550 DOORSTOP AT DOORJAMB EPDM	500'	\$140.00
NG14	1/4" INTERIOR SPACER GASKET (Series FL500 / FL550) EPDM	500'	\$125.00
NG15	DRY GLAZE GASKET EPDM	500'	\$312.00
WD200-1	WATER DIVERTER USED AT HORIZONTALS (Series FL500) Injection Molded Plastic	50 WD200-2	\$40.00
WD300-1	WATER DIVERTER USED AT HORIZONTALS (Series FL550) Injection Molded Plastic	50 WD300-2	\$40.00

NOTE: Add Finish designation to Part Number when ordering.







# WINDOW WALLS Index

	Section
FS400T Exterior or Interior Glazed Window Wall	C
Sec	tion Page
Sec FS400T Screw Spline Extrusions • 1" Insulating Glass	2-3
FS400T Accessories	2) 4

### WINDOW WALLS • FS400T 2





for Exterior or Interior Glazing

FOR 1" INSULA	REW SPLINE EXTRUSIONS ATING GLASS	LENGTH	FINISH	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
CS403	EXTERIOR GLAZED GLASS STOP (For FS408 / 409)	24' 12	\$29.00	\$37.00
FS401	INTERIOR GLAZED HEAD		\$166.00	\$182.00
FS401T	(Use FS403 Glass Stop)	24' 4	Thermal \$192.00	Thermal \$208.00
FS402T	EXTERIOR GLAZED HEAD		\$201.00	\$220.00
	or INTERIOR GLAZED SILL (Use FL405 Filler)	24' 4	Thermal \$227.00	Thermal \$246.00
FS403	INTERIOR GLAZED GLASS STOP	24' 10	\$70.00	\$78.00
FS404	VERTICAL MULLION	24'	\$187.00	\$205.00
FS404T	(Use FL405 Filler)	4	Thermal \$213.00	Thermal \$231.00
FS405	FLAT FILLER (For FS402 / 404 / 408 / 409)	24' 10	\$41.00	\$46.00
FS406	INTERIOR GLAZED	04	\$206.00	\$220.00
FS406T	HORIZONTAL (Use FS403 Glass Stop)	24' 4	Thermal \$232.00	Thermal \$246.00
FS407		24'	\$173.00	\$190.00
FS407T	WALL JAMB	3	Thermal \$199.00	Thermal \$216.00
FS408	EXTERIOR GLAZED	24'	\$197.00	\$215.00
FS408T	INTERMEDIATE HORIZONTAL (Use FL405 Filler) (Use CS403 Glass Stop)	4	Thermal \$224.00	Thermal \$241.00
FS409	EXTERIOR GLAZED SILL	24'	\$182.00	\$199.00
FS409T	(Use FS405 Filler)	4	Thermal \$208.00	Thermal \$226.00
FS410		24'	\$114.00	\$125.00
FS410T	MALE HALF-EXP. MULLION	24' 4	Thermal \$140.00	Thermal \$151.00

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.



## Screw Spline Extrusions for Exterior or Interior Glazing

2" x 4 1/2" SCREW SPLINE EXTRUSIONS					
FOR 1" INSULA	LENGTH	FINISH	H CODE		
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20	
FS411			\$173.00	\$189.00	
FS411T	FEMALE HALF-EXP. MULLION	24' 4	Thermal \$199.00	Thermal \$215.00	
FL339 ]			\$142.00	\$156.00	
FL339T	SUBSILL FLASHING	24' 10	Thermal \$168.00	Thermal \$182.00	
SR404	STL. REINFORCING		GALVA	ANIZED	
	2 1/2" x 1 1/4" x 10 GA. (Vertical Mullion)	10'-0"	\$122.00		
SR405	STL. REINFORCING		GALVA	ANIZED	
	2 1/2" x 1 1/4" x 1/4" (Vertical Mullion)	10'-0"	\$12	2.00	

NOTE: T Suffix = Thermal Break

Add Finish designation to Part Number when ordering.

When ordering parts not requiring a thermal break, delete the "T" suffix. For example: FS401 without the T suffix will be shipped without a thermal break.

4 Accessories

### for Exterior or Interior Glazing



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
AS16	SPLINE SCREW #14 X 1" HHSTS	100 AS16-1	\$24.00
AS21	#6 X 3/8" PPH TYPE AB (Use at End Dams)	100 AS21-1	\$6.00
WD300-1	WATER DIVERTER (Use at Horizontals) Injection Molded Plastic	50 WD300-2	\$40.00
DJ401	DRILL JIG FOR SCREW SPLINE	1	\$160.00
ED339-1	SUB SILL FLASHING END DAM	20 ED339-2	\$41.00
NG1	EPDM GASKET	500 FT. / ROLL	\$135.00
SB3	4" LONG SETTING BLOCK FOR 1" GLASS (2/LITE) EPDM	100 SB3-1	\$93.00
SB12	4" LONG SETTING BLOCK (Use with FS406) EPDM	100 / BOX SB12-1	\$33.00
VG10	VINYL GASKET (Use with Exp. Mullions and Head Expander)	250 VG10-1	\$39.00



# CURTAIN WALLS Index

			Section
	PW251	1" Curtain Wall	(D1)
9	PW256	9/16" Hurricane Impact-Resistant Curtain Wall	(D2)
9	PW257	1-5/16" Hurricane Impact-Resistant Curtain Wall	(D3)





## PW251 1" Curtain Wall Systems

	Section	on	Page
PW251 Screw Spline Extrusions • 1" Insulating Glass	(D1	)	2-3
PW251 Accessories	(D1	)	4-5



### Screw Spline Extrusions



2 1/2" x 7" SCRE\ FOR 1" INSULATI	W SPLINE EXTRUSIONS	LENGTH	FINISH	I CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
PW150	1" GLAZING VERTICAL MULLION	24' 3	\$289.00	\$310.00
PW151	BUTT GLAZE VERTICAL MULLION	24' 3	\$232.00	\$250.00
PW152	1" GLAZING	24'	MILL	
3 0 0	HEAD / SILL	3	\$218.00	
PW153	1" GLAZING WALL JAMB	24' 3	\$243.00	\$265.00
PW155	1" GLAZING INTERMEDIATE HORIZONTAL	24' 3	\$271.00	\$289.00
PW156	1" GLAZING TEE	24'	MILL	
2	90° O.S. CORNER	4	\$153.00	
PW157-1	00% O C CODNED	0.43	MILL	
<u> </u>	90° O.S. CORNER PREPUNCHED PRESSURE BAR W / SPACER GASKET	24' 4	\$264.00	
PW158	1" GLAZING FACE COVER 90° O.S. CORNER (2 REQ'D)	24' 12	\$61.00	\$68.00
PW202	VERTICAL MULLION FILLER	24' 12	\$95.00	\$103.00
PW203	HEAD / HORIZONTAL / SILL TRIM	24' 4	\$139.00	\$151.00
PW204-1		24'	MILL	
	PREPUNCHED PRESSURE BAR W / SPACER GASKET	24' 12	\$77.00	

NOTE: Add Finish designation to Part Number when ordering.



2 1/2" x 7" SCREW SPLINE EXTRUSIONS FOR 1" INSULATING GLASS  LENGTH FINISH CODE				
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
PW205	VERTICAL / HORIZONTAL FACE COVER	24' 12	\$44.00	\$48.00
PW207	SPLICE SLEEVE / OR		MILL	
[ ]	MULLION REINFORCEMENT	24' 3	\$179.00	
PW208	FEMALE HALF 90° O.S. CORNER	24' 4	\$177.00	\$191.00
PW209	MALE HALF 90° O.S. CORNER	24' 4	\$187.00	\$201.00
PW210	INTERIOR 90° CORNER TRIM	24' 4	\$92.00	\$100.00
PW211			MILL	
	90° CORNER SPLICE	24' 4	\$135.00	
PW212	1/4" GLAZING ADAPTER	24' 4	\$28.00	\$35.00
PW213	POCKET FILLER FOR PW150 (Use at Jambs)	24' 8	\$36.00	\$40.00
PW215	1/4" TRANSITION GLAZING ADAPTOR FOR B.G. MULLION (Attach to PW151 with AS27 Fastener)	24' 4	\$28.00	

**NOTE:** Add Finish designation to Part Number when ordering.

January 2012 Coral Architectural Products • Price Book



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
SB251	SETTING BLOCK 4" LONG EPDM	100 SB251-1	\$55.00
NG10	INTERIOR / EXTERIOR GLAZING GASKET AT GLASS EPDM	250 FT	\$97.00
NG11	EXTERIOR PERIMETER GASKET EPDM	500 FT	\$247.00
NG14	BUTT GLAZE SPACER GASKET EPDM	500 FT	\$125.00
SM5601	JOINT SEALANT TAPE 1/8" X 1/2"	30 <sup>,</sup> SM5601	\$19.00
SP203	END DAM FOR 1" GLAZING (Injection Molded Plastic)	50 SP203-1	\$60.00
SP207	BUTT GLAZE MULLION BRIDGE FOR 1" GLAZING (Injection Molded Plastic)	50 SP207-1	\$60.00
SP209	TOP & BOTTOM MULLION COVER (Injection Molded Plastic)	50 SP209-1	\$60.00
SP253	TEMPORARY GLAZING RETAINER (Injection Molded Plastic)	50 SP253-1	\$60.00
SR150	4-1/2" X 1-7/8" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT	1 12-0"	QUOTE
SR151	4-1/2" X 1-7/8" X 10 GA. GLV. STL REINFORCEMENT	1 14'-0"	QUOTE
SR504	4-5/8" X 1-7/16" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT (Use with PW208 or PW209 90° Corner)	1 10'-0"	QUOTE



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
AS13	1.475 X 1.475 X .180 Z. PLT. STEEL SQUARE NUT (Spacer at 90° Corner with SR504)	50 AS13-1	\$53.00
AS16	#14 X 1" HHSTS SPLINE SCREW	100 AS16-1	\$24.00
AS21	#6 X 3/8" PPH TYPE "AB" Z. PLT. (Attach PW205 Face Cover to Pressure Bar)	100 AS21-1	\$5.00
AS25	#12 X 3/4" HWH #3 ZINK PLT. SELF DRILLING	100 AS25-1	\$20.00
AS27	#12 X 1-1/2" #3 PFH SELF DRILLING Z. PLT. (Attach PW215 to PW151)	100 AS27-1	\$47.00
AS32	PRESSURE BAR SCREWS #12 X 1-1/4" #3 HWH SELF DRILLING	200 AS32-1	\$19.00
AS35	#12 X 1" FHP SELF DRILLING (Attach PW101-1 to PW150)	100 AS35-1	\$24.00
PW101-1	2-1/2" LONG SPLINE ANCHOR-CLIP ADAPTOR (Attaches to PW150 for use as a Head Member)	50 PW101-2	\$51.00
PW207-1	SPLICE SLEEVE (Cut 6" Long)	12 PW207-2	\$79.00
PW211-1	90° CORNER SPLICE (Cut 6" Long)	12 PW211-2	\$60.00

January 2012 Coral Architectural Products • Price Book





# PW256 9/16" Hurricane Impact-Resistant Curtain Wall Systems

·	Section	Page
PW256 Options & Limitations Chart	(D2)	2
PW256 Screw Spline Extrusions • 9/16" Insulating Glass	$\simeq$	
PW256 Accessories	(D2)	5-6



# High Velocity Hurricane Zone Applications OPTIONS AND LIMITATIONS

### Front Line PW256 Hurricane Impact-Resistant Curtain Wall System

Design Pressure P.S.F.	Intermediate Vertical Mullion Without Steel	Intermediate Vertical Mullion With Steel SR150 with 1/2" x 4" Bar Welded	Intermediate Vertical Mullion With Steel SR150 with 3/4" x 4" Bar Welded	Wall Jamb Mullion Must Be Anchored at Horizontals	Maximum Mullion	Maximum Mullion Anchor Point	Maximum Mullion Spacing Center to Center * see notes	Maximum Glass Size Daylite Opening	Square Feet	Qualified Glass Types
PW256	Impact R	esistant Cu	rtain Wall -	Captured						
+65/-65	PW550/202			PW550/202	108"		48"	45 1/2" x 84"	26.5	B,U,A
+80/-80		PW550/202		PW550/202	150"	150"	60"	57 1/2" x 96"	38.3	А
+80/-80			PW550/202	PW550/202	150"	150"	76 1/2" *(1)	72" x 47 1/4"	23.6	А
+80/-80	*(3)	Corner F	PW208/209 and SR	504	150"	150"	60"	57 1/2" x 96"	38.3	А
PW256	Impact R	esistant Cu	rtain Wall -	Butt Glaz	ed					
+80/-80		PW151/202		PW550/202		150"	48"	45 1/2" x 96"	30.5	А
+80/-80	*(2)	Corner Capture	d Only PW208/209	and SR504	150"	150"	48"	45 1/2" x 96"	30.5	Α
PW256 Impact Resistant Curtain Wall - Dry Glazed										
+65/-65		PW550/202		PW550/202	150"		60"			I

Glass Composition	Manufacturer	Glass Type
9/16" Laminated Glass Two 1/4" HS Glass and .075 Venceva Interlayer	Solutia	А
9/16" Laminated Glass Two 1/4" HS Glass and .090 Solutia Saflex PVB Interlayer	Solutia	В
9/16" Laminated Glass Two 1/4" HS Glass and .120 Uvekol Type S Interlayer	Coral Industries Inc.	U
9/16" Laminated Glass Two 1/4" HS Glass and .090 Sentry Glass Plus Interlayer	DuPont	I


Comparative Analysis of Glass Based on ASTM E-1300

#### \* Notes

- 1. Based on Opening for Door and frame. Horizontals must be used at 48" Intervals
- 2. Captured Corner can be used with Butt Glazed System, Mullion Spacing cannot exceed 48" on center
- 3. Corner Assembly consists of PW 208/209/154/PW210 and SR 504 Steel

2 1/2" x 6 9/16" SC FOR 9/16" INSUL	REW SPLINE EXTRUSIONS ATING GLASS	LENGTH	FINISH CODE		
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20	
PW550	9/16" GLAZING VERTICAL JAMB MULLION	24' 3	\$288.00	\$308.00	
PW151	BUTT GLAZE VERTICAL MULLION	24' 3	\$232.00	\$250.00	
PW552	9/16" GLAZING	24'	MILL		
7	HEAD / SILL	3	\$225.00		
PW555	9/16" GLAZING INTERMEDIATE HORIZONTAL	24' 3	\$280.00	\$300.00	
PW556	2//21/01/47/10/77	24'	MILL		
7	9/16" GLAZING TEE 90° O.S. CORNER	24' 4	\$69.00		
PW154-1	000 0 0 0000	0.43	MILL		
	90° O.S. CORNER PREPUNCHED PRESSURE BAR W / SPACER GASKET	24' 4	\$168.00		
PW158	1" GLAZING FACE COVER 90° O.S. CORNER (2 REQ'D.)	24' 12	\$61.00	\$68.00	
PW202	VERTICAL MULLION FILLER	24' 12	\$95.00	\$103.00	
PW203	HEAD / HORIZONTAL / SILL TRIM	24' 4	\$139.00	\$151.00	
PW204-1		041	MILL		
	PREPUNCHED PRESSURE BAR W / SPACER GASKET	24' 12	\$77.00		
PW205	VERTICAL / HORIZONTAL FACE COVER	24' 12	\$44.00	\$48.00	

**NOTE:** Add Finish designation to Part Number when ordering.





2 1/2" x 6 9/16" SCF FOR 9/16" INSULA	LENGTH	FINISH CODE			
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20	
PW207	SPLICE SLEEVE / OR MULLION REINFORCEMENT	24' 3	MILL \$179.00		
PW208	FEMALE HALF 90° O.S. CORNER		\$177.00		
PW209  MALE HALF 90° O.S. CORNER		24' 4	\$187.00	\$201.00	
PW210	PW210 INTERIOR 90° CORNER TRIM		\$92.00	\$100.00	
PW211			MILL		
الحاا	90° CORNER SPLICE	24' 4	\$135.00		
PW513	POCKET FILLER		\$38.00	\$46.00	
FOR PW550 (Use at Jambs)		8	MILL - 00 \$29.00		

**NOTE:** Add Finish designation to Part Number when ordering.

January 2012



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
SB14	SETTING BLOCK 4" LONG EPDM	100 SB14-1	\$36.00
NG10	INTERIOR / EXTERIOR GLAZING GASKET AT GLASS EPDM	250 FT	\$97.00
NG11	EXTERIOR PERIMETER GASKET EPDM	500 FT	\$247.00
NG14	BUTT GLAZE SPACER GASKET EPDM	500 FT	\$125.00
NG16	DRY GLAZE GASKET EPDM	125 FT	\$219.00
SM5601	JOINT SEALANT TAPE 1/8" X 1/2"	30' SM5601	\$19.00
SP202	END DAM FOR 9/16" GLAZING (Injection Molded Plastic)	50 SP202-1	\$60.00
SP206	BUTT GLAZE MULLION BRIDGE FOR 9/16" GLAZING (Injection Molded Plastic)	50 SP206-1	\$60.00
SP210	TOP & BOTTOM MULLION COVER (Aluminum)	50 SP210-1	\$60.00
SP253	TEMPORARY GLAZING RETAINER (Injection Molded Plastic)	50 SP253-1	\$60.00



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
SR150	4-1/2" X 1-7/8" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT	1 12-0"	QUOTE
SR151	4-1/2" X 1-7/8" X 10 GA. GLV. STL REINFORCEMENT	1 14'-0"	QUOTE
SR504	4-5/8" X 1-7/16" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT (Use with PW208 or PW209 90° Corner)	1 10'-0"	QUOTE
AS13	1.475 X 1.475 X .180 Z. PLT. STEEL SQUARE NUT (Spacer at 90° Corner with SR504)	50 AS13-1	\$53.00
	#14 X 1" HHSTS SPLINE SCREW	100 AS16-1	\$24.00
AS21	#6 X 3/8" PPH TYPE "AB" Z. PLT.		\$5.00
AS25	#12 X 3/4" HWH #3 ZINK PLT. SELF DRILLING	100 AS25-1	\$20.00
AS27	#12 X 1-1/2" #3 PFH SELF DRILLING Z. PLT. (Attach PW215 to PW151)	100 AS27-1	\$47.00
AS32	PRESSURE BAR SCREWS #12 X 1-1/4" #3 HWH SELF DRILLING	200 AS32-1	\$19.00
AS35	#12 X 1" FHP SELF DRILLING (Attach PW101-1 to PW150)	100 AS35-1	\$24.00
PW207-1	SPLICE SLEEVE (Cut 6" Long)	12 PW207-2	\$79.00
PW211-1	90° CORNER SPLICE (Cut 6" Long)	12 PW211-2	\$60.00



# PW257 1-5/16" Hurricane Impact-Resistant Curtain Wall Systems

	Section	Page
PW257 Options & Limitations Chart	D3)	2
PW257 Screw Spline Extrusions • 1-5/16" Insulating Glass	$\simeq$	
PW257 Accessories	D3)	5-6



# High Velocity Hurricane Zone Applications OPTIONS AND LIMITATIONS

### Front Line PW257 Hurricane Impact-Resistant Curtain Wall System

Design Pressure P.S.F.	Intermediate Vertical Mullion Without Steel	Intermediate Vertical Mullion With Steel SR150 with 1/2" x 4" Bar Welded	Intermediate Vertical Mullion With Steel SR150 with 3/4" x 4" Bar Welded	Wall Jamb Mullion Must Be Anchored at Horizontals	Maximum Un-Spliced Mullion	Maximum Mullion Anchor Point	Maximum Mullion Spacing Center to Center * see notes	Maximum Glass Size Daylite Opening	Square Feet	Qualified Glass Types
PW257	Impact R	esistant Cu	rtain Wall -	Captured						
+65/-65	PW650/202			PW650/202	108"		48"	45 1/2" x 84"	26.5	IE, IB
+80/-80		PW650/202		PW650/202	150"	150"	60"	57 1/2" x 96"	38.3	ID
+80/-80			PW650/202	PW650/202	150"	150"	76 1/2" *(1)	74" x 47 1/4"	28.2	ID
+80/-80	*(3)	Corner F	PW208/209 and SR	504	150"	150"	60"	57 1/2" x 96"	38.3	ID
PW257	Impact R	lesistant Cu	rtain Wall -	Butt Glaz	ed					
+80/-80		PW151/202		PW650/202		150"	48"	45 1/2" x 96"	30.5	IB, IE, ID
+80/-80	*(2)	Corner Capture	d Only PW208/209	and SR504	150"	150"	48"	45 1/2" x 96"	30.5	ID
PW257	PW257 Impact Resistant Curtain Wall - Dry Glazed									
+80/-80		PW650/202		PW650/202	108"		60"			ID

Glass Composition	Manufacturer	Glass Type
1-5/16" Insulated Glass 1/4" Tempered Lite - 1/2" Air Space (Aluminum Box Spacer) - 1/4" H.S. Lite .090 Dupont Butcite PBV Interlayer 1/4" H.S. Lite	Dupont	ΙE
1-5/16" Insulated Glass 1/4" Tempered Lite - 1/2" Air Space (Aluminum Box Spacer) - 1/4" H.S. Lite .090 Solutia Saflex PVB Interlayer 1/4" H.S. Lite	Solutia	IB
1-5/16" Insulated Glass 1/4" Tempered Lite - 1/2" Air Space (Aluminum Box Spacer) - 1/4" H.S. Lite .090 Sentry Glass PWS Interlayer 1/4" H.S. Lite	DuPont	ID


Comparative Analysis of Glass Based on ASTM E-1300

#### \* Notes

- 1. Based on Opening for Door and frame. Horizontals must be used at 48" Intervals
- 2. Captured Corner can be used with Butt Glazed System, Mullion Spacing cannot exceed 48" on center
- 3. Corner Assembly consists of PW 208/209/654/PW210 and SR 504 Steel

2 1/2" x 7 5/16" SC FOR 1 5/16" INSU	REW SPLINE EXTRUSIONS	LENGTH	FINISH	H CODE
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
PW650	1 5/16" GLAZING VERTICAL JAMB MULLION	24' 3	\$327.00	\$351.00
PW151	BUTT GLAZE VERTICAL MULLION	24' 3	\$232.00	\$250.00
PW652	1 5/16" GLAZING	24'	MILL	
	HEAD / SILL	3	\$251.00	
PW654-1	200 0 0 0000150	0.41	MILL	
	90° O.S. CORNER PREPUNCHED PRESSURE BAR W / SPACER GASKET	24' 4	\$183.00	
PW655	1 5/16" GLAZING INTERMEDIATE HORIZONTAL	24' 3	\$319.00	\$343.00
PW656	1 5/16" GLAZING TEE	24'	MILL	
	90° O.S. CORNER	4	\$150.00	
PW658	1 5/16" GLAZING FACE COVER 90° O.S. CORNER (2 REQ'D)	24' 12	\$70.00	\$78.00
PW202	VERTICAL MULLION FILLER	24' 12	\$95.00	\$103.00
PW203	HEAD / HORIZONTAL / SILL TRIM	24' 4	\$139.00	\$151.00
PW204-1	PREPUNCHED PRESSURE	241	MILL	
<del></del>	BAR W / SPACER GASKET	24' 12	\$77.00	
PW205	VERTICAL / HORIZONTAL FACE COVER	24' 12	\$44.00	\$48.00

**NOTE:** Add Finish designation to Part Number when ordering.





2 1/2" x 7 5/16" SCREW SPLINE EXTRUSIONS FOR 1 5/16" INSULATING GLASS		LENGTH	FINISH CODE	
ITEM	DESCRIPTION	PSC/BOX	CLEAR 10	BRONZE 20
PW207			MILL	
	SPLICE SLEEVE / OR MULLION REINFORCEMENT	24' 3	\$179.00	
PW208				
1	FEMALE HALF 90° O.S. CORNER	24' 4	\$177.00	\$191.00
PW209				
	MALE HALF 90° O.S. CORNER	24' 4	\$187.00	\$201.00
PW210				
	INTERIOR 90° CORNER TRIM	24' 4	\$92.00	\$100.00
PW211			MILL	
	90° CORNER SPLICE	24' 4	\$135.00	
PW613	POCKET FILLER FOR PW650	24' 8	\$51.00	\$56.00
	(Use at Jambs)	ŏ	MILL - 00 \$39.00	

**NOTE:** Add Finish designation to Part Number when ordering.

January 2012



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
SB18	SETTING BLOCK 4" LONG EPDM	100 SB18-1	\$55.00
NG10	INTERIOR / EXTERIOR GLAZING GASKET AT GLASS EPDM	250 FT	\$97.00
NG11	EXTERIOR PERIMETER GASKET EPDM	500 FT	\$247.00
NG14	BUTT GLAZE SPACER GASKET EPDM	500 FT	\$125.00
NG16	DRY GLAZE GASKET EPDM	500 FT	\$498.00
SM5601	JOINT SEALANT TAPE 1/8" X 1/2"	30' SM5601	\$19.00
SP204	END DAM FOR 1 5/16" GLAZING (EVA Foam)	50 SP204-1	\$60.00
SP208	BUTT GLAZE MULLION BRIDGE FOR 9/16" GLAZING (EVA Foam)	50 SP208-1	\$60.00
SP211	TOP & BOTTOM MULLION COVER (Aluminum)	50 SP211-1	\$60.00
SP253	TEMPORARY GLAZING RETAINER (Injection Molded Plastic)	50 SP253-1	\$60.00



### **ACCESSORIES**

ITEM	DESCRIPTION	PCS / BOX BOX P/N	PRICE / BOX
SR150	4-1/2" X 1-7/8" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT	1 12-0"	QUOTE
SR151	4-1/2" X 1-7/8" X 10 GA. GLV. STL REINFORCEMENT	1 14'-0"	QUOTE
SR504	4-5/8" X 1-7/16" X 1/4" W / ZINC CHROMATE PRIMER STL. REINFORCEMENT (Use with PW208 or PW209 90° Corner)	1 10'-0"	QUOTE
AS13	1.475 X 1.475 X .180 Z. PLT. STEEL SQUARE NUT (Spacer at 90° Corner with SR504)	50 AS13-1	\$53.00
	#14 X 1" HHSTS SPLINE SCREW	100 AS16-1	\$24.00
AS21	#6 X 3/8" PPH TYPE "AB" Z. PLT. (Attach PW205 Face Cover to Pressure Bar)	100 AS21-1	\$5.00
AS25	#12 X 3/4" HWH #3 ZINK PLT. SELF DRILLING	100 AS25-1	\$20.00
AS27	#12 X 1-1/2" #3 PFH SELF DRILLING Z. PLT. (Attach PW215 to PW151)	100 AS27-1	\$47.00
AS32	PRESSURE BAR SCREWS #12 X 1-1/4" #3 HWH SELF DRILLING	200 AS32-1	\$19.00
AS35	#12 X 1" FHP SELF DRILLING (Attach PW101-1 to PW150)	100 AS35-1	\$24.00
PW207-1	SPLICE SLEEVE (Cut 6" Long)	12 PW207-2	\$79.00
PW211-1	90° CORNER SPLICE (Cut 6" Long)	12 PW211-2	\$60.00