


















HARDWARE





	<i>Section</i>	<i>Page</i>
Push / Pulls.....	(A4)	2
Pivots.....	(A4)	3
Hinges, Locks and Cylinders	(A4)	4
Handles, Locks and Accessories.....	(A4)	5
Exit Devices.....	(A4)	6
Door Closers & Miscellaneous	(A4)	7
Thresholds.....	(A4)	8





PART	PART NUMBER	DESCRIPTION
<p>PB401</p> 	<p>PB401 Traditional Wire Bar</p> <p>PB401-33 for Doors up to 36"</p> <p>PB401-39 for Doors up to 42"</p> <p>PB401-60 for Doors up to 60"</p>	<p>Traditional Wire Bar made of smooth aluminum, 1" in diameter with a 2 1/4" projection on one end.</p> <p>Finishes Available: Clear, Champagne, Bronze</p>
<p>PH401</p> 	<p>PH401 Traditional Wire Pull Handle</p>	<p>Traditional Wire Pull Handle made of smooth aluminum, 1" in diameter with a 2 1/4" projection. 10" Length.</p> <p>Finishes Available: Clear, Champagne, Bronze</p>
<p>DH40</p> 	<p>DH40 Traditional Wire Bar / Wire Pull Handle Combo</p>	<p>Push / Pull Combination. Standard on all non-panic doors. Utilizes one PB401 Traditional Wire Bar and one PH401 Traditional Wire Pull.</p> <p>Finishes Available: Clear, Champagne, Bronze</p>
<p>DH41</p> 	<p>DH41 Traditional Wire Bar Combo</p>	<p>Double acting doors. Utilizes two PB401 Traditional Wire Bars.</p> <p>Finishes Available: Clear, Champagne, Bronze</p>
<p>DH42</p> 	<p>DH42 Traditional Wire Pull Handle Combo</p>	<p>9" CTL / Back to Back offset aluminum door. Utilizes two PH401 Traditional Wire Pull Handles. (This configuration requires a Mounting Kit.)</p> <p>Finishes Available: Clear, Champagne, Bronze</p>

PART		PART NUMBER	DESCRIPTION
DH101		DH101 Top Frame Portion	The cast aluminum DH102 Top Door Portion secures door in place with a spring loaded steel pin which projects into a bronze bushing in the DH101 Top Frame Portion. Finishes Available: Clear, Bronze
DH102		DH102 Top Door Portion	
DH103		DH103 Bottom Door Portion	The cast aluminum DH103 Bottom Door Portion uses a steel bearing with a bronze bushing and rotates on the steel machined stud of the DH104 or DH105 Floor Portion. Finishes Available: Clear, Bronze
DH104 or DH105		Floor Portion DH104 - Right Hand DH105 - Left Hand	
DH146		DH146 Bottom Center Pivot Assembly For Doors with Thresholds	Bottom Center Pivot Assembly for doors with thresholds. Complete assembly. Consists of one DH114 and one DH116. Threshold mounted.
DH145		DH145 Bottom Center Pivot Assembly For Doors without Thresholds	Bottom Center Pivot Assembly for non-threshold conditions. Complete assembly. Consists of one DH114 and one DH115. Floor mounted.
DH114		DH114 Bottom Center Pivot	Center Pivot Bottom Door
DH115		DH115 Floor Mount	Floor Mount for Bottom Center Pivot
DH116		DH116 Threshold Mount	Threshold Mount for Bottom Center Pivot
DH107 or DH108		Intermediate Pivot Mortise Assembly DH107 - Left Hand DH108 - Right Hand	Cast aluminum side jamb pivot recommended for extra wide or tall entrances. 3/4" Offset to match the standard pivot set. Finishes Available: Clear, Bronze

PART	PART NUMBER	DESCRIPTION
<p>DH111HD-83 or DH111HD-95</p> 	<p>Continuous Gear Hinge DH111HD-83 for 84" Door Height DH111HD-95 for 96" Door Height</p>	<p>Continuous Gear Butt Hinge. Heavy duty. <i>Finishes Available:</i> Clear, Bronze</p>
<p>DH109 or DH110</p> 	<p>Butt Hinge DH109 with Removable Pin DH110 with Non-Removable Pin</p>	<p>4 1/2" x 4" Butt Hinge. Five knuckle, commercial quality steel hinge with two ball bearings. <i>Finishes Available:</i> Clear, Bronze</p>
<p>DH070</p>  <p>DH060 DH061 or DH062</p> 	<p>DH070 Hook Bolt Lock</p> <p>Face Plates DH060 Left Hand Beveled DH061 Right Hand Beveled DH062 Radiused Face Plate</p>	<p>Standard Hook Bolt Lock. Five-ply laminated steel hook-bolt. Standard backset on 212NS, 375MS, and 500WS doors is 1 1/8". Accepts any standard 1 5/32" mortised cylinder or thumb turn with MS cam. <i>Face Plate Finishes:</i> Clear, Bronze</p>
<p>DH084</p>  <p>DH090</p>  <p>DH065 DH064 or DH063</p> 	<p>DH084 Deadlatch Lock</p> <p>Face Plates DH065 Left Hand Beveled DH064 Right Hand Beveled DH063 Radiused Face Plate</p> <p>DH090 Strike</p>	<p>Deadlatch lock. Field reversible for opposite hand. Designed to offer the flexibility of traffic control during and after business hours. Allows the bolt to be permanently retracted for two-way traffic during business hours and exit only at other times. Not considered maximum security. Standard backset is 1 1/8". Accepts any standard 1 5/32" mortised cylinder. <i>Face Plate Finishes:</i> Clear, Bronze</p>
<p>DH074</p> 	<p>DH074 Lock Indicator</p>	<p>Lock Indicator Set designed for use with DH070 to indicate the lock position (<i>open or locked</i>). May be used to comply with some local building safety codes. <i>Finishes Available:</i> Clear, Bronze</p>
<p>DH078 Cylinder</p>  <p>DH079 Thumb Turn</p> 	<p>DH078 Cylinder</p> <p>DH079 Thumb Turn</p>	<p>1 5/32" Diameter Cylinder <i>Finishes Available:</i> Clear, Champagne, Bronze</p> <p>1 5/32" Diameter Thumb Turn <i>Finishes Available:</i> Clear, Bronze</p>
<p>DH080 Dummy Cylinder</p>  <p>DH081 Rim Cylinder</p> 	<p>DH080 Dummy Cylinder</p> <p>DH081 Rim Cylinder</p>	<p>1 5/32" Dummy Cylinder <i>Finishes Available:</i> Clear, Champagne, Bronze</p> <p>1 5/32" Rim Cylinder for panic doors. <i>Finishes Available:</i> Clear, Bronze</p>
<p>DH082 Cylinder Guard</p>  <p>DH073 Cylinder Pad</p> 	<p>DH082 Cylinder Guard</p> <p>DH073 Cylinder Pad</p>	<p>Cylinder Guard for exterior of door. Includes hardened steel collar designed to protect cylinder from prying or twisting attempts. (<i>Cylinder not included.</i>) <i>Finishes Available:</i> Clear, Bronze</p> <p>Mortise Cylinder Mounting Pad for standard 1 5/32" cylinder. Used for Jackson 2086 panic.</p>

PART	PART NUMBER	DESCRIPTION
<p>DH071 or DH072</p> 	<p>DH071 2 Point Lock</p>	<p>Complete 2-Point Lock with threshold bolt and face plate.</p>
	<p>DH072 3 Point Lock</p>	<p>Complete 3-Point Lock with threshold bolt, header bolt and face plate.</p>
<p>DH076 DH07696 DH176 or DH17696</p> 	<p>DH076 Flush Bolt</p>	<p>Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Finishes Available: Clear, Bronze</p>
	<p>DH07696 Flush Bolt</p>	<p>Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with extended rod for 96" door. Finishes Available: Clear, Bronze</p>
	<p>DH176 Flush Bolt</p>	<p>Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with steel tips. Finishes Available: Clear, Bronze</p>
	<p>DH17696 Flush Bolt</p>	<p>Standard Flush Bolt without guides. 1/8" Offset without guides x 7/8" back set. Set with extended rod for 96" door with steel tips. Finishes Available: Clear, Bronze</p>
<p>DH091 or DH092</p> 	<p><u>Paddle Handle</u> DH091 - Left Hand DH092 - Right Hand</p>	<p>Paddle Handle with CAM for DH084. Finishes Available: Clear, Bronze</p>
<p>DH093 or DH094</p> 	<p><u>Lever Handle</u> DH093 - Left Hand DH094 - Right Hand</p>	<p>Lever Handle with CAM for DH084. Handed. Finishes Available: Clear, Bronze</p>
<p>DH098</p> 	<p>DH098 Electric Strike</p>	<p>1 1/4" x 6 7/8" Electric Strike offers a variety of options including A.C. or D.C. voltage, and intermittent or continuous duty. Can be converted to fail safe in field. Finishes Available: Clear, Bronze</p>
<p>DH099</p> 	<p>DH099 Electric Strike</p>	<p>Adams Rite 71R2 Electric Strike for metal jamb. 80-0180-385. Finishes Available: Clear, Bronze</p>

PART	PART NUMBER	DESCRIPTION
<p>DH2086</p>  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	<p>Concealed Vertical Rod Push Pad Exit Device</p> <p>DH2086R Right Hand</p> <p>DH2086L Left Hand</p>	<p>Concealed Vertical Rod Push Pad used for hurricane impact doors. Handed. Available for doors widths of 30" and 48".</p> <p>Finishes Available: Clear, Bronze</p>
<p>DH3692</p>  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	<p>Concealed Vertical Rod Push Pad Exit Device</p> <p>DH3692</p>	<p>Concealed Vertical Rod Push Pad used for standard doors. Pullman latch at top. Bolt at bottom. Field reversible. Available for doors widths of 30" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
<p>DH3792</p>  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	<p>Rim Mounted Push Pad Exit Device</p> <p>DH3792</p>	<p>Rim Mounted Push Pad Exit Device. Non-handed. Includes Type "C" strike. Select and add for different strike. Available for doors widths of 32" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
<p>DH3192</p>  <p><i>Includes PH401 Pull Handle and Cylinder for active door.</i></p>	<p>Mid-Panel Push Pad Exit Device</p> <p>DH3192R Right Hand</p> <p>DH3192L Left Hand</p>	<p>Mid-Panel Push Pad Exit Device. Handed. Pullman latch at top. Bolt at bottom. Available for doors widths of 30" - 48".</p> <p>Finishes Available: Clear, Bronze</p>
	<p>Removable Mullion for Rim Panic Door Pair</p> <p>DHRM370-7 7" Length</p> <p>DHRM370-8 8" Length</p> <p>DHRM370-9 9" Length</p>	<p>Removable Mullion for Rim Panics. 2 Security clips, top and bottom mounting brackets, 2 door mortise strike set.</p> <p>Finishes Available: Clear, Bronze</p>

PART	PART NUMBER	DESCRIPTION
CL026 	CL026 Tri-Style Surface Closer	Standard closer for 36" to 42". No hold open adjustable back-check. Valve controls for latching and closing speeds. Finishes Available: Clear, Bronze
CL030 	CL030 Top Jamb Bracket	Top Jamb Bracket Finishes Available: Clear, Bronze
CL031 	CL031 Drop Plate	Drop Plate Finishes Available: Clear, Bronze
CL028 	CL028 Barrier Free Closer Adjustable	Barrier Free Adjustable Closer. Meets ADA standards for exterior doors 36" to 42". No hold open adjustable spring power (8 1/2 -5 Lbs.). Adjustable back-check, dress cover and parallel arm bracket included. Finishes Available: Clear, Bronze
CL290 CL205 CL190 or CL105 	Concealed Closers <u>No Hold Open</u> CL290 - 90° CL205 - 105°	Concealed Closers. No hold open.
	Concealed Closers <u>Hold Open</u> CL190 - 90° CL105 - 105°	Concealed Closers with adjustable back check. Hold open.
DH147 	DH147 Side Load Arm	Top Arm Assembly for center pivot doors.
DH152 DH153 	DH152 Offset Arm	Offset Arm. Requires D102 Top Rail on NS213 Doors. <i>(Included with standard doors.)</i>
	DH153 Slide Channel	Slide Channel. Requires D102 Top Rail on NS213 Doors. <i>(Included with standard doors.)</i>
CS112-1 or DH117 	CS112-1 Cover Plate	Cover Plate for Center Pivot. Finishes Available: Clear, Bronze
	DH117 Cover Plate	Cover Plate for Offset Arm. 3-11/16" x 12-1/2" with radius corner. Finishes Available: Clear, Bronze
WS136 WS142 or WS160 	Door Sweep <u>with Weathering</u> WS136 36" Door WS142 42" Door WS160 60" Show Room Door	Aluminum weatherstrip for door bottom rail. Includes wool pile. Finishes Available: Clear, Bronze

PART	PART NUMBER	DESCRIPTION
<p>Prepared TH4 Thresholds 1/2" x 4" Mill Finish</p>  <p>For Standard Butt Hung Frames</p>	<p>TH4-36-AB TH4-42-AB TH4-72-J TH4-96-J</p>	<p>Standard Single Butt Hung for 36" Door Standard Single Butt Hung for 42" Door Standard Pair Butt Hung for 72" Door Standard Pair Butt Hung for 96" Show Room Door</p>
<p>Butt Hung Fab for 3600 Panic</p>	<p>TH4-36-AP TH4-36-BP TH4-42-AP TH4-42-BP TH4-72-JP</p>	<p>Standard Single Butt Hung for 36" Panic Door Standard Single Butt Hung for 36" Panic Door Standard Single Butt Hung for 42" Panic Door Standard Single Butt Hung for 42" Panic Door Standard Pair Butt Hung for 72" Panic Door</p>
<p>For Standard Offset Pivot Frames</p>	<p>TH4-36-C TH4-36-D TH4-42-C TH4-42-D TH4-72-K TH4-96-K</p>	<p>Standard Single Offset Pivot for 36" Door Standard Single Offset Pivot for 36" Door Standard Single Offset Pivot for 42" Door Standard Single Offset Pivot for 42" Door Standard Pair Offset Pivot for 72" Door Standard Pair Offset Pivot for 96" Show Room Door</p>
<p>Offset Pivot Fab for 3600 Panics</p>	<p>TH4-36-CP TH4-36-DP TH4-42-CP TH4-42-DP TH4-72-KP</p>	<p>Standard Single Offset Pivot for 36" Panic Door Standard Single Offset Pivot for 36" Panic Door Standard Single Offset Pivot for 42" Panic Door Standard Single Offset Pivot for 42" Panic Door Standard Pair Offset Pivot for 72" Panic Door</p>
<p>For Standard Center Pivot Frame</p>	<p>TH4-36-GH TH4-42-GH TH4-72-M</p>	<p>Standard Single Center Pivot for 36" Door Standard Single Center Pivot for 42" Door Standard Pair Center Pivot for 72" Door</p>
<p>Threshold Fab for 3100 Panics</p>	<p>TH4-36-AP-3192 TH4-36-BP-3192 TH4-42-AP-3192 TH4-42-BP-3192 TH4-72-JP-3192</p>	<p>Single Butt Hung for 36" Panic Door Single Butt Hung for 36" Panic Door Single Butt Hung for 42" Panic Door Single Butt Hung for 42" Panic Door Pair Butt Hung for 72" Panic Door</p>
<p>Threshold Fab for 3100 Panics</p>	<p>TH4-36-CP-3192 TH4-36-DP-3192 TH4-42-CP-3192 TH4-42-DP-3192 TH4-72-KP-3192</p>	<p>Single Offset Pivot for 36" Panic Door Single Offset Pivot for 36" Panic Door Single Offset Pivot for 42" Panic Door Single Offset Pivot for 42" Panic Door Pair Offset Pivot for 72" Panic Door</p>
	<p>DP200-2 Stop for Panic Doors</p>	<p>2" Stop for panic doors. Includes two AS20 screws</p>